



**bolle**  
SAFETY

***FOR THE SAFETY OF YOUR EYES  
OUR VISION HAS NO LIMITS***

INNOVATIVE VISION







**Technical performance above and beyond standard:**

Improved frame ergonomics, innovative glass coatings... We develop new technologies and offer increasingly high-performance protection, providing more comfort and greater safety... To the point where some products exceed the required standards.

**Design which defies limitations:**

Technical constraints for safety spectacles should not restrict their design. We believe that style is essential to making people want to wear them and by combining both technology and aesthetics our imagination has no limits.

**Commitment which exceeds expectations:**

Offering customised protection, providing tailored solutions to complex specifications, adapting to the specific constraints of each market, reacting quickly to new requirements... Every day, we push beyond our boundaries to satisfy our customers.

**A presence beyond borders:**

We are developing in new regions around the world. In Africa and Asia, we are providing customers with high-performance protection specifically designed for a variety of face shapes.

**MORE INFORMATION ABOUT THE EYE PROTECTION SPECIALIST:**





## **1888**

Bollé was founded in Oyonnax. The company specialised in the manufacture of hair combs and accessories in horn and boxwood.

## **1936**

Manufacture of celluloid then celluloid acetate sunglasses and glass frames.

## **1946**

A pioneer of moulded nylon, Bollé innovated to create products that met the strictest standards of the time.

## **1950**

Bollé created the first series of protective goggles and eyewear.

## **1960**

Bollé set off on its sporting adventure with the first spectacles designed for skiers. At the same time, the Industrial Safety department was founded and worked with the French Army, French Navy and Aerospace Department.

## **2004**

Bollé positioned itself as the eye safety specialist and developed its European distribution network with key partners.

## ***Ever since,***

Bollé has been creating innovative protective eyewear. By designing and manufacturing spectacles and goggles for industry and the armed forces, Bollé has become one of the leaders in this sector. Today, Bollé protective eyewear is sold and worn throughout the world.





- **Over 120 years of expertise**, a stable and customer-focused team.
- **An international presence:** 3 subsidiaries (EMEA, APAC, USA) and a strong partnership with exclusive distributors, in particular in Canada and Russia.
- **500 product references:** every model has a quality certificate, issued by independent laboratories and respecting existing standards.
- **4 to 5 product innovations / year.**
- **A permanent stock of 2,000,000 products:** 2,700 m<sup>2</sup> of storage space.
- **Certified ISO 9001 version 2015.**
- **Delivery time-frames: max. 24h-48h in France / 48h-72h for EMEA.**



### SPECTACLES

AXIS .....	P 32
BANDIDO .....	P 40
BAXTER .....	P 44
B272 .....	P 36
B808 .....	P 42
CHOPPER .....	P 40
COBRA .....	P 30
COBRA (version hybride) .....	P 31
CONTOUR .....	P 34
METAL CONTOUR .....	P 34
HUSTLER .....	P 35
IRI-s .....	P 25
KIT COBRA .....	P 31
MAMBA .....	P 32
NESS .....	P 47
NESS+ .....	P 47
OVERLIGHT .....	P 48
PRISM .....	P 39
RUSH .....	P 37
RUSH+ .....	P 26
RUSH+ GLOW .....	P 28
RUSH+ SMALL .....	P 27
SILIUM .....	P 33
SILIUM+ .....	P 33
SLAM .....	P 38
SLAM HIGH VISIBILITY .....	P 38
SLAM+ .....	P 39
SOLIS .....	P 36
SPIDER .....	P 36
SQUALE .....	P 48
SUPER NYLSUN .....	P 41
TRACKER .....	P 45
TRYON .....	P 46
TRYON OTG .....	P 46
UNIVERSAL .....	P 37
VIPER .....	P 41
VISITEUR .....	P 48
VOODOO .....	P 35



### GOGGLES

ATOM .....	P 55
BLAST .....	P 57
CHRONOSOFT .....	P 61
COBRA (hybrid version) .....	P 53
COBRA TPR .....	P 53
COVERALL .....	P 58
COVERALL AUTOCLAVE .....	P 59
COVERALL CLEAN .....	P 59
ÉLITE .....	P 52
PILOT .....	P 56
PILOT FIREFIGHTER .....	P 61
SUPERBLAST .....	P 60
SUPERBLAST AUTOCLAVE .....	P 60
ULTIM8 .....	P 62
X90 .....	P 53
180 .....	P 57



### FACE SHIELDS

PROTECTEUR RELEVABLE .....	P 66
SPHERE .....	P 66



### B LINE

B-LINE .....	P 67
--------------	------



### PRESCRIPTION SPECTACLES

BAXTER RX .....	P 91
BOSS .....	P 99
B707 .....	P 97
B708 .....	P 97
B709 .....	P 98
B710 .....	P 98
B711 .....	P 99
B712 .....	P 86
B713 .....	P 87
B805 .....	P 87
B806 .....	P 88
B806 ALU .....	P 96
B807 .....	P 88
B808 II - V2 .....	P 89
B809 .....	P 93
CONTOUR RX .....	P 92
HARPER .....	P 90
HUSTLER RX .....	P 90
KICK .....	P 94
KICK OFFICE .....	P 95
MACRO .....	P 100
PREMIUM .....	P 100
SLIDE .....	P 101
SPICY .....	P 94
SPICY OFFICE .....	P 95
TRACKER RX .....	P 102
TRYON RX .....	P 92
TWISTER .....	P 102
URBAN .....	P 101





## WELDING HELMETS

BLOCUS .....	P 77
FLASH .....	P 74
FUSION+ .....	P 75
VOLT .....	P 76



## ACCESSORIES

Communication .....	P 108
Distributors .....	P 105
Documentation .....	P 107
Cases and cords .....	P 103
Merchandising .....	P 107
Cleaners .....	P 104
Packaging .....	P 107
Displays .....	P 106
Anti-fog solutions .....	P 105

# CONTENTS

# WHAT TYPE OF PROTECTION TO CHOOSE?



# bolle

SAFETY

## FOR EACH RISK, HIGH PERFORMANCE PROTECTION ADAPTED TO YOUR TRADE.

Assessment of occupational risks involves identifying, assessing and ranking risks in the workplace in order to implement relevant preventive measures.

To comply with occupational health and safety standards it is vital to check that the risk identified, the directives of the standard and the markings on the product all align.

**For further information, ask for our training booklet.**



## PROTECT YOURSELF FROM MECHANICAL RISKS

**Grinding work, particle projections,  
projections of metal filings  
or debris from tools.**

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Low energy impact 45 m/s	F				EN166
Medium energy impact 120 m/s	B				EN166
High energy impact 190 m/s	A				EN166

The F, B or A symbol must imperatively be indicated on the lens and the frame to guarantee protection from mechanical risks. If the symbols differ, the symbol representing the lowest resistance applies to the whole protection equipment.





COBRA model (hybrid version), page 31



## PROTECT YOURSELF FROM ELECTRICAL RISKS

Protection from live contact and short-circuit electric arcs.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Short-circuit electric arc	8				EN166

The 8 symbol must imperatively be indicated on the lens and the frame to guarantee protection from electrical risks.



## PROTECT YOURSELF FROM THERMAL RISKS

Protection from hot liquids or solids, intense heat radiation, radiant heat from furnaces.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Splatters of molten metals and hot solids	9				EN166

The 9 symbol must imperatively be indicated on the lens and the frame to guarantee protection from thermal risks.

\* See the marking in position page 18.



## PROTECT YOURSELF FROM RADIATION RISKS

Exposure of the eyes to high intensity, ultraviolet, infrared and visible light sources, welding activities, steelworks, surgery.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Reference standard
Ultraviolet radiation	2				EN166 EN170
Infrared radiation	4				EN166 EN171
Solar radiation for industrial use	5 or 6				EN166 EN172
Electric welding	EN175 for the hood EN379 for the filter				EN166-169 EN175 EN379
Gas welding	1.7/3/5				EN166 EN169
Laser radiation	R1 to R5 LB1 to LB10				EN207 EN208

The standard is identified on the lens markings.



## PROTECT YOURSELF FROM CHEMICAL RISKS

Protection from toxic dust, aerosols, dangerous liquids, gases or toxic vapours.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Liquid droplets	3				EN166
Liquid splashes	3				EN166
Large dust particles > 5 microns	4				EN166
Gas and fine dust particles < 5 microns	5				EN166


The 3, 4 and 5 symbol or symbols must imperatively be indicated on the frame. If none of these symbols is indicated in the markings, then the equipment is not suitable for chemical risks.

# A COMPLETE LINE OF LENSES



## THE EYE IS AN ESSENTIAL FRAGILE ORGAN WHICH DIRECTS OUR MOVEMENTS AND GUIDES US IN OUR ENVIRONMENT...

This is why Bollé Safety has made eye safety its number one priority since 1888. Bollé Safety is constantly innovating to guarantee optimum protection for your eyes with lens coatings which filter out the harmful rays and improve your visual comfort.



\*Silver, red and blue flash

■ **99%** of Bollé Safety lenses absorb UV radiation.

■ **95%** of the spectacles in the line are manufactured from Polycarbonate.

Polycarbonate combines comfort and protection:

- ultra resistant (20 times more resistant than conventional mineral glass),
- ultra light (20 g on average for a single lens),
- ultra thin (2.2 mm on average).

Bollé Safety also offers mineral, acetate and CR39 lenses, mainly for the range of prescription safety spectacles.

**All our lenses filter 99.99% of UVA/UVB radiation.**

■ **98%** of spectacles have anti-scratch and anti-fog coatings.

All our new products and Top products benefit from the innovative coating PLATINUM®





## **b CSP** Comfort Sensitivity Perception



### THE WINNING COMBINATION, IN ALL CONDITIONS!

Like ESP, this innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme temperature environments. Ideal for cold and hot countries, from the Far East to Siberia! CSP technology to filter blue light (52%) is combined with the exclusive **PLATINUM**® coating, to sustainably combat fogging and provide permanent visual comfort from a single pair of spectacles.

- **b CSP** is available on the following models: **RUSH+**, **COBRA**, **SILIUM+**, **SLAM+**, **BAXTER**, **PILOT**, **TRYON** and **NESS+**.



## **b ESP** Extra Sensory Perception




### COMBATS GLARE DURING FREQUENT SWITCHES FROM INDOORS TO OUTDOORS

ESP combines the advantages of clear and tinted lenses in a single model. It reduces glare when passing from a shaded zone to a bright zone and very efficiently filters blue light.

#### ADVANTAGES:

- Offers a good blue light filtration (57%) / visible light transmission (64%) ratio.
- Is perfect for indoor/outdoor work.

- **b ESP** is available on the **SPIDER**, **BANDIDO**, **SLAM**, **CONTOUR MÉTAL**, **CONTOUR** and **COBRA** models.



# FOR OUTDOOR USE




## **B** POLARIZED

### AN END TO GLARE!


POLARIZED technology is ideal for use in an urban or seagoing environment, for driving, and more generally for all outdoor activities in which there is a high risk of glare. POLARIZED technology offers incomparable comfort by eliminating glare and reflections.

#### ADVANTAGES:

- Eliminates glare due to light reflection.
- Improves colour perception and visual comfort.
- Improves perception of contrast and depth.
- Reduces eye strain.
- Offers perfect optical quality and 99.99% protection against UVA/UVB, solar radiation and impacts. Certified EN166 and EN172.
- **B** POLARIZED is available on the **CONTOUR, HUSTLER, SOLIS and VOODOO MODELS.**



Without polarized lenses



With polarized lenses

## **B** TWILIGHT

### IDEAL FOR OUTDOOR USE IN LOW LIGHT CONDITIONS

Recommended for outdoor work at dawn and at dusk, TWILIGHT is a real shield against blue light. Contrasts are accentuated for better visibility and the double-sided **PLATINUM**® inner/outer anti-fog coating is effective even in the most extreme conditions.

#### ADVANTAGES:

- Improves contrast in low light.
- Absorbs blue light effectively (76%).
- Is compatible with the **PLATINUM**® coating.
- Offers perfect optical quality and 99.99% protection against UVA/UVB, solar radiation and impacts. Certified EN166 and EN172.
- **B** TWILIGHT is available for the **RUSH, RUSH + and IRI-s MODELS.**



## FLASH

The flash lens reflects heat. Ideal for outside use in full sunshine. It can be combined with the polarized coating.

## SMOKE or LIGHT SMOKE

Outdoor use only. Filters UVA and UVB (99.99%). It provides the maximum protection from solar radiation.

## WELDING



Protection from UV and infra-red radiation linked to certain welding activities that do not require to wear a welding helmet.

- Available in 3 shades (1.7 / 3 / 5) for the **SLAM and TRACKER** models. And in shade 5 for **COBRA, BANDIDO and SQUALE**





## **b** HD High Definition



### **A REVOLUTIONARY COATING FOR EXCEPTIONAL CLARITY AND LIGHT TRANSMISSION.**

The HD coating provides exceptional clarity and transmission of light with a rate of 96% compared to 92% for a conventional clear lens!

HD is reflection resistant and provides excellent visibility, it is ideal for activities that demand a high level of precision. It also has a water-repellent coating which makes it a barrier against liquid and dirt.



#### **ADVANTAGES:**

- Improves perception and clarity thanks to its exceptional visible light transmission rate (96%).
- Increases the wearer acceptance rate thanks to greater visual comfort as compared to conventional clear lenses.
- Featuring hydrophobic technology (used by automotive suppliers), the HD coating guarantees perfect water resistance in very humid environments and improved visual acuity.
- Offers perfect optical quality and 99.99% UVA/UVB and impact protection. Certified EN166 and EN170.
- **b** HD is available on the **RUSH** and **COBRA** models.

## **b** CONTRAST



### **FOR BETTER INDOOR WORKING COMFORT**

The CONTRAST coating is applied as a graduation and recommended to combat the aggression of artificial lighting. Ideal for activity at a static workstation lit using neons, halogens or other sources of blue light that can affect the eyes.

The CONTRAST coating protects from the harmful effects on the retina and the crystalline lens of the eye. It reduces eye fatigue, providing optimum working comfort and improving contrast and relief.



#### **ADVANTAGES:**

- Reduces heating of the cornea, a cause of conjunctivitis, thanks to its UVA/UVB absorbers and mirror coating.
- Filters over 30% of blue light, which can cause headaches and eye strain.
- Delays crystalline lens ageing, responsible for cataracts, thanks to its coating that reflects the heat.
- Serves as a barrier to impacts and light pollution (neon and halogen light, etc.).
- Preserves colour perception and improves contrast and depth.
- **b** CONTRAST is available on the **AXIS** and **COBRA** models.

## **CLEAR**







































- Indoor use.

Safety spectacles with clear lenses are essential indoors. To encourage employees to wear the spectacles, Bollé Safety offers a wide range of models, all available with clear lenses.



# A COMPLETE LINE OF LENSES



Polycarbonate Lenses (PC)	Use	Compatible with  PLATINUM®
 Clear	 Indoor	
 <b>B</b> HD	 Indoor	
 <b>B</b> CONTRAST	 Indoor	
 Yellow	 Indoor/Outdoor	
 <b>B</b> ESP	 Indoor/Outdoor	
 <b>B</b> CSP	 Indoor/Outdoor	
 <b>B</b> TWILIGHT	 Outdoor	
 <b>B</b> POLARIZED	 Outdoor	
 Smoke / Light smoke	 Outdoor	
 Blue flash	 Outdoor	
 Red flash	 Outdoor	
 Silver flash	 Outdoor	
 Welding 1.7	 Welding	
 Welding 3	 Welding	
 Welding 5	 Welding	

Acetate Lenses	Use
 Clear	 Indoor



Bollé Safety offers the new, exclusive  PLATINUM® scratch and fog resistant coating on many models (see the coating specifications for each model in your catalogue).



# OPTICAL MEMO




## BLUE LIGHT: A POTENTIAL RISK FOR YOUR EYES

It is emitted by the sun and LED lamps which have this characteristic. It is also found in a large number of electronic devices in every-day use and which emit intense radiation.



Prolonged exposure to blue light causes eye strain with stinging eyes and headaches.

Blue light or high-energy visible light (HEV) is also 15 times more harmful for the structures of the eye such as the crystalline lens and the retina than the other colours in the spectrum.




### THE RISKS ASSOCIATED WITH BLUE LIGHT


- Aggravates age-related macular degeneration (ARMD).
- Dazzle and visual discomfort (blurred vision).
- Strobe effect linked to the imperceptible fluctuating intensity of the light.
- Headaches.

## THE WAVELENGTHS

Wavelengths are the basis of how we perceive the world... Two organs receive these wavelengths: the eyes receive light and the ears receive sound.



## THE VISIBLE CONSEQUENCES OF BLUE, VIOLET, ULTRA-VIOLET AND INFRA-RED RADIATION ON THE EYE



RADIATIONS	ORGANS AFFECTED	LESIONS	EFFECTS ON SIGHT
<ul style="list-style-type: none"> <li>■ UVC 100 to 280 nm</li> <li>■ UVB 280 to 315 nm</li> <li>■ UVA 315 to 380 nm</li> <li>■ Blue/violet light approx. 380 to 490 nm</li> <li>■ Visible light 380 to 780 nm</li> <li>■ Near IR 780 to 1400 nm</li> <li>■ Mid IR 1400 to 2000 nm</li> </ul>	<ul style="list-style-type: none"> <li>■ Cornea</li> <li>■ Crystalline lens</li> <li>■ Retina</li> </ul>	<ul style="list-style-type: none"> <li>■ Corneal lesions</li> <li>■ Premature ageing of the crystalline lens</li> <li>■ Retina photoreceptor degeneration</li> <li>■ Photoreceptor trauma due to intense dazzling light</li> <li>■ Macular degeneration</li> <li>■ Crystalline lens opacification</li> </ul>	<ul style="list-style-type: none"> <li>■ Conjunctivitis - partial blindness</li> <li>■ Cataracts - conjunctivitis - partial blindness</li> <li>■ Partial or total blindness</li> <li>■ Sight complaints - imbalanced perception</li> <li>■ Retinitis pigmentosa - cataracts - blindness</li> <li>■ Cataracts - partial blindness</li> </ul>

# INNOVATION AT THE SERVICE OF PRODUCTS



## FLEX 160°

Soft and ultra pliable, 160° FLEX frames can be used to adjust the space between the temples for better wearer comfort.



## NON-SLIP TIPGRIP

The non-slip TIPGRIP technology ensures a better fit thanks to its dual-material design and innovative shape, improving temple comfort and hold.



## B FLEX

The revolutionary B-Flex technology provides unique flexibility. Light, soft and fully pliable, the B-Flex bridge is fully adjustable in all directions and perfectly fits all faces thanks to its shape-memory material.


COBRA spectacles



Cobra GOGGLES

Removable temples

Foam + strap kit





### REMOVABLE TEMPLES

This technology is used to quickly and easily transform safety spectacles into safety goggles. The temples can be replaced with the foam + strap kit.

### PIVOTING TEMPLES / TILTING FRONT

This technology is used to adapt the angle of the spectacles to your face shape.



### ADJUSTABLE BRIDGE

Designed to adapt to the nose so the frame sits perfectly on the face.

### **B**EQUALIZER

EQUALIZER is the high performance goggle system to protect against fogging. Thanks to its double lens and regulation patch, the EQUALIZER filters and regulates moisture levels in the goggles.




# MANDATORY MARKINGS



Bollé Safety lens and frame marking is specific to each product. Each marking corresponds to a very specific use. Certified by independent laboratories, this information guarantees protective eyewear quality and resistance.

EN Standard

 EN166 FT CE



Manufacturer logo

Bollé Safety lens technology

2C-1.2  1 FT CE

European standard

**Code (field of use)**

2: UV filter (EN170)  
4: IR filter (EN171)  
5 or 6: solar filter (EN172)

**Colour perception**

C: unimpaired colour perception

**Protection class**

1.2 to 6: degree of visible light filtration

**Crown**

Manufacturer identification  
Bollé Safety

**Optical class**

1: high optical quality  
No optical distortion (suitable for permanent wear)

**Mechanical strength**

S: S. Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5.1 m/s.  
F: Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s  
B: Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s  
A: High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s  
K: Resistance to surface damage by fine particles (optional).  
N: Resistance to fogging (optional).

T : The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures are present.



# CE EUROPEAN STANDARDS



## ■ BASIC STANDARDS

**EN166** Guarantee of minimum protection against everyday risks (dropping, sun-ageing, heat exposure, corrosion, etc.)

**EN167** Optical test methods.

**EN168** Test methods other than optical.

## ■ STANDARDS BY TYPE OF APPLICATION

The type of use of the product and the corresponding standard are identified by a code (field of use) which is on the lens marking.

**EN169** Welding filters.

**EN170** Ultra-violet filters (code 2 or 3).

**EN171** Infra-red filters (code 4).

**EN172** Industrial use solar protection filters (code 5 or 6).

**EN175** Equipment for welding (presence of the EN175 marking on the product).

**EN207** Laser protection spectacles (code LB1 to LB10).

**EN208** Laser adjustment spectacles (code R1 to R5).

**EN379** Specification covering welding filters (EN379 marking on the filter).

**Bollé Safety product approval certificates to CE standards will be sent on request.**

## ■ FRAME MARKING

Frame marking must include the CE symbol and manufacturer identification (logo or brand). If the spectacles refer to the EN standard, the EN standard number is mandatory together with the various use and mechanical strength symbols, in accordance with the tests requested by the manufacturer.

### ■ Use symbols:

**Only on the frame (chemical protection)**

**3.** Liquid droplets (goggles) or splashes (safety face shields)

**4.** Large dust particles > 5 microns.

**5.** Gas and fine dust particles < 5 microns.

**Marking on the frame and the lenses mandatory.**

**8.** Electrical short circuit arc.

**9.** Molten metal and hot solids.

### ■ Mechanical strength symbols:

**Marking on the frame and the lenses mandatory.**

**S.** Increased strength, withstands a 22 mm and 43 g ball falling from a height of 1.30 m at 5. m/s.

**F.** Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s.

**B.** Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s.

**A.** High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s.

**T.** The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures are present.

## ■ MARKING OF LENSES

**Lens marking must include:**

- The scale number for filtering lenses (code).

- The manufacturer's name (logo or brand recommended by the manufacturer).

### ■ Optical class symbols:

**1.** Continuous work - Worn permanently

**2.** Non-continuous work - Worn intermittently

**3.** Occasional work, must not be worn permanently.

### ■ Field of use symbols:

**8.** Electrical short circuit arc.

**9.** Molten metal and hot solids.

### ■ Mechanical strength symbols:

**Marking on the frame and the lenses mandatory.**

**S.** Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5.1 m/s.

**F.** Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s.

**B.** Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s.

**A.** High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s.

**T.** The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures are present.

### ■ Marking on the lenses only.

**K.** Resistance to surface damage by fine particles (optional).

**N.** Resistance to fogging (optional).

## WARNING

■ **F.** Maximum protection for spectacles.

■ **B.** Maximum protection for goggles.

■ **A.** Maximum protection for face shields.

*If the S, F, B, A and T symbols do not apply to both the lens and frame, then the lowest level must be assigned to the complete protective eyewear.*

## SAFETY SPECTACLES

### IRI-s UNIVERSAL PROTECTION

- Clear
- Smoke
- TWILIGHT



### RUSH+ SPORTY DESIGN

- Clear
- Smoke
- TWILIGHT
- CSP



### RUSH+ SMALL SPORTY DESIGN

- Clear



### SILIUM+ EVEN MORE LIGHTWEIGHT AND EFFECTIVE

- Clear
- Smoke
- CSP



### SLAM+ ERGONOMICAL

- Clear
- Smoke
- CSP



### COBRA ESSENTIAL WRAP-AROUND COMFORT

- Clear with or without foam
- Smoke
- CSP



### B808 PROTECTIVE AND LIGHTWEIGHT

- Clear



### CONTOUR LIGHTWEIGHT AND EFFECTIVE

- Clear
- Smoke



### BAXTER COMFORT AND INGENUITY

- Clear
- Smoke
- CSP



### TRACKER HYPER PROTECTION

- Clear
- Yellow
- Smoke



### ULTIM8 THE ULTIMATE RESISTANCE

- Clear



### TRYON STYLE AND PERFORMANCE

- Clear
- Smoke
- CSP



### TRYON OTG ULTRA COVER

- Clear
- Smoke



### NESS+ SPORTY DESIGN

- Clear
- Smoke
- CSP



## SAFETY GOGGLES

### PILOT

HIGH REQUIREMENTS AT THE SERVICE OF SAFETY

Clear

Smoke

CSP



### PILOT FIREFIGHTER

HIGH REQUIREMENTS AT THE SERVICE OF CIVIL PROTECTION

CSP



### ATOM

EXTREMELY COMPACT & COMFORTABLE

Clear



**COBRA TPR / COBRA (hybrid version)**  
FOR CLEAN ENVIRONMENTS AND EXTREME CONDITIONS

Clear



**COVERALL**  
FUNCTIONAL AND EFFECTIVE

Waterproof clear



**COVERALL AUTOCLAVE**  
SPECIALLY FOR "CLEAN ROOMS"

Clear




**SUPERBLAST AUTOCLAVE**  
SPECIALLY FOR "CLEAN ROOMS"

Clear




## PLATINUM® ANTI-FOG AND ANTI-SCRATCH COATING: EVERLASTING PROTECTION

The European standard tests the scratch resistance on the outside surface of the lens (K marking) and the fog resistance on the inside surface of the lens (N marking).



At Bollé Safety, we are convinced that scratches and fog do not only attack specific surfaces... This is why we decided to permanently apply the anti-scratch AND anti-fog coating to each lens surface (inside AND outside). This dipping process offers protection which is twice as efficient and considerably slows the appearance of fog and scratches.



[bolle-safety.com](http://bolle-safety.com)

**bolle**  
SAFETY





# SPECTACLES







# **RUSH+**

## **NO LIMITS ON THE DESIGN**

- Co-injected, ultra-pliable and two-colour temples
- **PLATINUM**® coating
- Possible customization



# SELECTION GUIDE SPECTACLES



MODELS		Clear	HD	CONTRAST	Yellow	ESP	ESP	TWILIGHT	POLARIZED	Smoke	Welding	PLATINUM*	Accessories provided	Accessories optional
IRI-s	P 25	✗						✗		✗		úúú	Cord	Optical insert
RUSH+	P 26	✗					✗	✗		✗		úúú		Foam + strap
RUSH+ SMALL	P 27	✗										úúú		Foam + strap
RUSH+ GLOW	P 28	✗										úúú		Foam + strap
COBRA	P 30	✗	✗	✗	✗	✗	✗			✗	✗	(depends on the version)	Microfibre pouch + cord (depending on the version)	Foam + strap / spare lenses
COBRA (hybrid version)	P 31	✗										ú	Foam + strap	
KIT COBRA	P 31	✗				✗				✗			Belt case + microfibre pouch	
MAMBA	P 32	✗			✗					✗			Cord	
AXIS	P 32	✗		✗						✗				
SILIUM	P 33	✗								✗				
SILIUM+	P 33	✗					✗			✗		ú	Microfibre pouch	
CONTOUR	P 34	✗				✗		✗		✗		(depends on the version)	Microfibre pouch	
CONTOUR METAL	P 34	✗				✗			✗	✗			Microfibre pouch	
VOODOO	P 35							✗		✗ (+ brown)			Microfibre pouch	
HUSTLER	P 35							✗ (+ blue flash)		✗			Microfibre pouch (except HUSTPOL)	
SOLIS	P 36							✗		✗ (+ blue flash)				
SPIDER	P 36	✗				✗				✗ (+ red flash)				
B272	P 36	✗											Microfibre pouch	
RUSH	P 37	✗	✗				✗			✗			Cord	Foam
UNIVERSAL	P 37	✗								✗			Cord	
SLAM	P 38	✗			✗	✗				✗	✗		Cord	
SLAM HIGH VISIBILITY	P 38	✗											Cord	
SLAM+	P 39	✗					✗			✗		ú		Strap
PRISM	P 39	✗								✗			Cord	
BANDIDO	P 40	✗			✗	✗				✗	✗		Cord	
CHOPPER	P 40	✗								✗			Cord	
SUPER NYLSUN	P 41	✗								✗				Spare lenses
VIPER	P 41	✗			✗					✗			Cord	
B808	P 42	✗										úúú		
BAXTER	P 44	✗					✗			✗				Foam + strap
TRACKER	P 45	✗			✗					✗	✗	úúú	Microfibre pouch	Foam + strap / optical insert
NESS	P 47	✗								✗				Strap
NESS+	P 47	✗					✗			✗				Strap
TRYON	P 46	✗					✗			✗ (+ blue flash)				Strap
TRYON OTG	P 46	✗								✗		úúú		
OVERLIGHT	P 48	✗												
SQUALE	P 48	✗									✗		Cord	
VISITEUR	P 48	✗												



# IRI-s

## UNIVERSAL PROTECTION

Because every face is unique, Bollé Safety has developed IRI-s, a model of universal safety spectacles that is ultra-modular and infinitely adaptable to each person thanks to its B-FLEX "shape memory" bridge. IRI-s is also available with dioptric prescription lenses.

28 g

- ✦ 1 model - 1 size
- ✦ **PLATINUM**® (+P) coating
- ✦ **B-FLEX** Bridge
- ✦ Twin-material, ergonomic and pivoting temples
- ✦ Clear version with built-in reading glass
- ✦ Twin-coloured temples:
  - red/black for smoke & clear versions
  - grey/black for the **B-TWILIGHT** version

## B-TWILIGHT

Recommended for outdoor work at dawn and at dusk. Contrasts are accentuated for better visibility and the double inner/outer anti-fog coating is effective even in the most extreme conditions.



**Supplied with**

Adjustable cord  
Ref. CORDC



**Optional**

Optical insert  
Ref. IRISRXKIT



Presbyopia self-test on request

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>IRI-s</b>	Red/Black Clear	IRIPSI	2C-1.2 1 FT KN €€	EN166 FT €€	Anti-scratch/Anti-fog/P
	Red/Black Smoke	IRIPSF	5-3.1 1 FT KN €€	EN166 FT €€	Anti-scratch/Anti-fog/P
	Grey/Black <b>B-TWILIGHT</b>	IRITWI	5-2 1 FT KN €€	EN166 FT €€	Anti-scratch/Anti-fog/P
	Red/Black Dioptré + 1.5	IRIDPSI 1,5	2C-1.2 1 FT €€	EN166 FT €€	ASAF
	Red/Black Dioptré + 2	IRIDPSI 2	2C-1.2 1 FT €€	EN166 FT €€	ASAF
	Red/Black Dioptré + 2.5	IRIDPSI 2,5	2C-1.2 1 FT €€	EN166 FT €€	ASAF
	Red/Black Dioptré + 3	IRIDPSI 3	2C-1.2 1 FT €€	EN166 FT €€	ASAF
	Accessories	Optical insert	IRISRXKIT	-	-

# RUSH+

## SPORTY DESIGN

RUSH+ has an ultra-sporty design with its highly flexible, co-injected ... and customisable temples!



26 g

- ✦ Upper protection
- ✦ Adjustable non-slip bridge
- ✦ **PLATINUM®** (†P) coating
- ✦ Co-injected, ultra-pliable and two-colour temples
- ✦ Available in compact version, size S

### **PLATINUM®** (†P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.

**Available with CO-BRANDING**

RUSH+ is available in a clear version

**PLATINUM®** (†P) with coloured temples.



blue/black



green/black



yellow/black



orange/black



### Optional

#### Foam + strap kit

Ref. RUSHKITFS  
Foam compatible on RUSH, RUSH + and RUSH + SMALL models

#### Strap kit

Ref. RUSHKITS  
Retainer strap.



#### RUSHPFSPSI model

RUSH + clear with in-built foam and strap



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS	
<b>RUSH+</b>	Red/Black	Clear	RUSHPPSI	2C-1.2 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
		Clear built-in foam + strap	RUSHPFSPSI	2C-1.2 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
		Smoke	RUSHPPSF	5-3.1 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
	Grey/Black	☰ TWILIGHT	RUSHPTWI	5-2 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
	Grey/Grey	☰ CSP	RUSHPCSP	5-1.4 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
	Green/Black	Clear	RUSHPPSIG	2C-1.2 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
	Blue/Black	Clear	RUSHPPSIB	2C-1.2 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
	Yellow/Black	Clear	RUSHPPSIY	2C-1.2 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
		Smoke	RUSHPPSFY	5-3.1 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
	Orange/Black	Clear	RUSHPPSIO	2C-1.2 ☰ 1 FT KN €€	☰ EN166 FT €€	Anti-scratch/Anti-fog/†P
Accessories	Foam + strap only kit	RUSHKITFS	-	-	-	
	Retainer strap (optional)	RUSHKITS	-	-	-	

# RUSH+ SMALL

## SPORTY DESIGN

RUSH+ SMALL adapts perfectly to the narrowest faces.

26 g

- ✦ Upper protection
- ✦ Adjustable non-slip bridge
- ✦ PLATINUM® (P) coating
- ✦ Co-injected, ultra-pliable and two-colour temples



**Available with CO-BRANDING**



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS	
<b>RUSH+ SMALL</b>	Blue/White	Clear	RUSHPSPSI	2C-1.2 ☞ 1 FT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/P
	Pink/White	Clear	RUSHPSPSIP	2C-1.2 ☞ 1 FT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/P
	Accessories	Foam + strap only kit	RUSHKITFS	-	-	-
		Retainer strap (optional)	RUSHKITS	-	-	-



## CO-BRANDING

### CUSTOMISE YOUR EYEWEAR IN YOUR BRANDING COLOURS

Bollé Safety offers you the possibility of customising the spectacles\* of your choice with your corporate branding and colours. It's quick and easy. Contact one of our sales managers today.

#### 1 Choice of model and reference

Example: COBRA  
Ref. COBPSI



#### 2 Send your HD logo

to the marketing department:  
marketing@bolle-safety.com (300dpi / .eps)

#### 3 Choice of type of customisation

- Branding on the lens.  
Size cannot exceed 1.5cm.  
Positioning differs depending on the model so as not to affect vision.
- Branding on one temple.
- Branding on the microfibre pouch or semi-rigid case.
- Temple colouring (RUSH +).

#### 4 Choice of colour

To improve the visibility of your logo, use 1-colour branding in white, black or grey (Pantone® 429 or 431).



#### Our customers have already personalised their spectacles!



Other Pantone® colours available on request:



\*Offer valid for a minimum order of 1,200 pairs and on a selection of Bollé Safety products (excl. **B LINE**).



# RUSH+ GLOW

## THE VISIBLE INNOVATION AT THE FIRST SIGHT!

RUSH+ spectacles have phosphorescent temples so you can see them in the dark: a remarkable safety feature.

28 g

- ✦ Flexible and phosphorescent PC temples
- ✦ Upper protection
- ✦ Adjustable non-slip bridge
- ✦ **PLATINUM®** (†P) coating
- ✦ 5 minutes under an active light source achieves the temple phosphorescence

### **PLATINUM®** (†P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.



Adjustable bridge

### Optional

#### Foam + strap kit

Ref. RUSHKITFS  
Foam compatible on RUSH, RUSH+ and RUSH+ SMALL models

#### Strap kit


Ref. RUSHKITS  
Retainer strap.



VIDEO



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS	
<b>RUSH+ GLOW</b>	Green/Black	Clear	RUSHPGLO	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-scratch/Anti-fog/†P
	Accessories	Foam + strap only kit	RUSHKITFS	-	-	-
		Retainer strap (optional)	RUSHKITS	-	-	-



# RUSH+ GLOW A REMARKABLE ENTRANCE TO NIGHT LIFE.



\*5 minutes under a light source

## RUSH+ GLOW THE VISIBLE INNOVATION AT THE FIRST SIGHT!

Since its creation in 2014, RUSH+ safety eye wear has been evolving to forever protect and improve workers' vision and to fit their expectations: sporty design, PLATINUM® anti-fog and anti-scratch coating, ultra-flexible temples, coloured and customisable, small sizes...

RUSH+ is now available with phosphorescent temples & is tailored to night work! To be seen in the dark: a very remarkable safety argument.

Place the RUSH+ GLOW spectacles under a light source for 5 minutes to achieve the phosphorescent temples.



INNOVATION 2017  
RUSH+ GLOW



# COBRA

## ESSENTIAL WRAP-AROUND COMFORT

28 g 

The essential best-selling all-rounder with a panoramic visual field! Wrap-around and free from any visual interference the COBRA offers 180° all-round vision and high optical quality. The option of swapping the temples for an adjustable strap and foam edge means COBRA is a highly versatile model.

- ✦ 1 product = 2 uses
- ✦ Upper protection
- ✦ All-round vision
- ✦ Non-slip bridge
- ✦ Comfortable, non-slip straight temples
- ✦ Temple or strap version with interchangeable foam
- ✦ Tiltting front/pivoting temples



### CONTRAST

CONTRAST is recommended for protection from the effects of artificial lighting. Ideal for activity at a static workstation lit using neons, halogens or other sources of blue light that can harmfully affect the eyes.

### ESP

ESP combines the advantages of clear and tinted lenses in a single model. It reduces glare when passing from a shaded zone to a bright zone and very efficiently filters blue light. Ideal for people frequently moving between indoors and outdoors.

### HD

HD is reflection resistant and provides excellent visibility, it is ideal for activities that demand a high level of precision. It also has a water-repellent coating which makes it a barrier against liquid and dirt.

### CSP

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments. CSP is also combined with the exclusive PLATINUM® coating that sustainably fights fogging.

**Available with CO-BRANDING**



Supplied with depending on references

Microfibre pouch, only for HD and COBFSPSI versions. Ref. ETUIFS



Adjustable cord Ref. CORDC



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COBRA</b> temple version	Clear	COBPSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/☞
	Smoke	COBPSF	5-3,1 ☞ 1 BT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/☞
	<b>COB CSP</b>	COBCSP	5-1,4 ☞ 1 BT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/☞
	<b>COB HD</b>	COBHDP	2C-1.2 ☞ 1 BT €€	☞ EN166 FT €€	Hydrophobic/AS (outdoor)/AF (indoor)
	<b>COB CONTRAST</b>	COBCONT	5-1.1/1.4 ☞ 1 BT €€	☞ EN166 FT €€	AS (outdoor)/AF (indoor)
	<b>COB ESP</b>	COBESP	5-1,4 ☞ 1 BT €€	☞ EN166 FT €€	AS (outdoor)/AF (indoor)
	Yellow	COBPSJ	2C-1.2 ☞ 1 BT €€	☞ EN166 FT €€	ASAF
	Welding shade 5	COBWPCS5	5 ☞ 1 FT €€	☞ EN166 FT €€	ASAF
Spare lens	Clear	OCCOBPSI	2C-1.2 ☞ 1 BT €€	-	ASAF



## COBRA (hybrid version)

### INCREASED PROTECTION

The COBRA model is also available with integrated comfort foam. For spectacles and goggles, the hybrid COBRA has PLATINUM® coating and covers even more of the eyes for greater safety.

37 g



#### PLATINUM® (P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COBRA</b> version with foam + temples	Clear	COBFTPSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/P
<b>COBRA</b> version with foam + strap	Clear	COBFSPSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 3 BT €€	Anti-scratch/Anti-fog/P
Transformation kit	Foam + strap kit	KITFSCOB	-	-	-

## COBRA KIT

### KIT VERSION: SAFETY GOGGLES

The highly versatile COBRA KIT is suitable for all strengths of light and any conditions, thanks to its set of interchangeable lenses and its temple/strap conversion kit.

- ✦ 3 spare lenses: clear, smoke, **B** ESP
- ✦ Interchangeable foam for comfort
- ✦ Adjustable strap and straight pivoting temples
- ✦ Temple/strap conversion kit



Supplied with

Case with belt clip and loop



Microfibre pouch  
Ref. ETUIFS



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COBRA KIT</b>	Clear	KITCOBRA	2C-1.2 ☞ 1 BT €€	☞ EN166 FT €€ (Temples) ☞ EN166 3 BT €€ (Strap)	ASAF
	<b>B</b> ESP		5-1.4 ☞ 1 BT €€		ASAF
	Smoke		5-3.1 ☞ 1 BT €€		ASAF

# MAMBA

## ALL-ROUND VISION!

Thanks to its many features – lightweight, non-slip bridge, twin-material temples, all-round vision – MAMBA provides perfect comfort for permanent wear.

25 g

- ✦ Upper protection
- ✦ Reinforced non-slip bridge
- ✦ Comfortable, non-slip temples
- ✦ All-round vision

Supplied with

Adjustable cord  
Ref. CORDC



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>MAMBA</b>	Clear	MAMPSI	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Smoke	MAMPSF	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Yellow	MAMPSJ	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF

# AXIS

## SPORTS-INSPIRED

Its inclinable temples and comfortable non-slip bridge make AXIS adaptable to every user. In its CONTRAST version it improves the wearer's comfort while significantly reducing visual fatigue.

27 g

- ✦ Upper protection
- ✦ Pivoting temples
- ✦ TIPGRIP pivoting non-slip temples
- ✦ Non-slip bridge
- ✦ Anti-static



### **CONTRAST**

CONTRAST is recommended for protection from the effects of artificial lighting. Ideal for activity at a static workstation lit using neons, halogens or other sources of blue light that can harmfully affect the eyes.



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>AXIS</b>	Clear	AXPSI	2-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	<b>CONTRAST</b>	AXCONT	5-1,1/1,4 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Smoke	AXPSF	5-2.5 ☞ 1 FT C€	☞ EN166 FT C€	ASAF

# SILIUM

## DESIGN

The pure lines of SILIUM combine technology, ergonomics and style.

34 g

- ✦ "Metal" frame
- ✦ FLEX 160° temples
- ✦ Non-slip TIPGRIP temples
- ✦ Adjustable non-slip bridge
- ✦ Anti-static



Adjustable non-slip bridge

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SILIUM</b>	Clear	SILPSI	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Smoke	SILPSF	5-2.5 ☞ 1 FT C€	☞ EN166 FT C€	ASAF

# SILIUM+

## ULTRA-LIGHTWEIGHT FOR EXTENDED WEAR

Inspired by SILIUM, SILIUM+ is a comfortable and ultra lightweight polycarbonate model. SILIUM+ is an excellent choice, combining style, ergonomics and performance for extended wear.

21 g

- ✦ Ultra-lightweight frame
- ✦ Adjustable non-slip bridge
- ✦ Straight, highly flexible ergonomic temples
- ✦ PLATINUM® (†P) coating
- ✦ All-round vision



## †CSP

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments. CSP is also combined with the exclusive PLATINUM® coating that sustainably fights fogging.

Supplied with

Microfibre pouch  
Ref. ETUIFS



Available with CO-BRANDING

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SILIUM+</b>	Clear	SILPPSI	2C-1.2 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/†P
	†CSP	SILPCSP	5-1.4 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/†P
	Smoke	SILPPSF	5-3.1 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/†P



# CONTOUR

## LIGHTWEIGHT AND EFFECTIVE

21 g of strength: sturdy, protective, stylish, comfortable and lightweight. CONTOUR is one of the top three best-selling models.

21 g

- ✦ Non-slip bridge
- ✦ Non-slip TIPGRIP temples
- ✦ Anti-static

### ESP

ESP combines the advantages of clear and tinted lenses in a single model. It reduces glare when passing from a shaded zone to a bright zone and very efficiently filters blue light. Ideal for people frequently moving between indoors and outdoors.

### POLARIZED

POLARIZED technology is ideal for use in an urban or seagoing environment, for driving, and more generally for all outdoor activities in which there is a high risk of glare.



Supplied with

Microfibre pouch  
Ref. ETUIFS



Available with CO-BRANDING



Available with prescription lenses

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>CONTOUR</b>	Clear	CONTPSI	2C-1.2 ☞ 1 FT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/☞
	<b>ESP</b>	CONTESP	5-1.4 ☞ 1 FT €€	☞ EN166 FT €€	AS
	Smoke	CONTPSF	5-2.5 ☞ 1 FT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/☞
	<b>POLARIZED</b>	CONTPOL	5-3.1 ☞ 1 FT €€	☞ EN166 FT €€	AS

# CONTOUR METAL

## STYLISH AND EFFECTIVE

CONTOUR "metal" version: success and style!

38 g

- ✦ Increased upper protection
- ✦ Non-slip TIPGRIP temples
- ✦ FLEX 160° temples
- ✦ Adjustable non-slip bridge
- ✦ Anti-static

### ESP

ESP combines the advantages of clear and tinted lenses in a single model. It reduces glare when passing from a shaded zone to a bright zone and very efficiently filters blue light. Ideal for people frequently moving between indoors and outdoors.



Supplied with

Microfibre pouch  
Ref. ETUIFS



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>CONTOUR METAL</b>	Clear	CONTMPSI	2C-1.2 ☞ 1 FT €€	☞ EN166 FT €€	ASAF
	<b>ESP</b>	CONTMESP	5-1.4 ☞ 1 FT €€	☞ EN166 FT €€	AS
	Smoke	CONTMPSF	5-3.1 ☞ 1 FT €€	☞ EN166 FT €€	ASAF

## VOODOO

### COMBINING STYLE AND PROTECTION

27 g

- ✦ Side shields
- ✦ Non-slip bridge
- ✦ Non-slip temples

#### **B** POLARIZED

POLARIZED technology is ideal for use in an urban or seagoing environment, for driving, and more generally for all outdoor activities in which there is a high risk of glare.



Supplied with

Microfibre pouch  
Ref. ETUIFS



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>VOODOO</b> Black frame	Smoke	VODNPSF	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
<b>VOODOO</b> Brown frame	Brown	VODBPSB	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Brown <b>B</b> POLARIZED	VODBPOL	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF

## HUSTLER

### COMBINING STYLE AND PROTECTION

The blue flash polarised version repels heat, reduces glare and provides optimum protection. Ideal for off-shore activities.

31 g

- ✦ Side shields
- ✦ Non-slip bridge
- ✦ Non-slip temples

#### **B** POLARIZED

POLARIZED technology is ideal for use in an urban or seagoing environment, for driving, and more generally for all outdoor activities in which there is a high risk of glare.



Supplied with

Microfibre pouch  
Ref. ETUIFS



Available with CO-BRANDING

Available with prescription lenses

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>HUSTLER</b>	Smoke	HUSTPSF	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	<b>B</b> POLARIZED	HUSTPOL	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Blue flash <b>B</b> POLARIZED	HUSTFLASH	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF

# SOLIS

## SIMPLICITY AND PROTECTION

Combining all safety requirements, SOLIS features a non-slip bridge and suitable for permanent wear.

25 g

**POLARIZED**



Supplied with



Microfibre pouch  
Ref. ETUIFS

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SOLIS</b>	Smoke	SOLIPSF	5-3.1 ☞ 1 F C €	☞ EN166 F C €	ASAF
	Blue flash	SOLIFLASH	5-3.1 ☞ 1 F C €	☞ EN166 F C €	AS
	<b>POLARIZED</b>	SOLIPOL	5-3.1 ☞ 1 F C €	☞ EN166 F C €	AS

# SPIDER

## SPORTY LOOK

The only model available in the red flash version, SPIDER provides protection for outdoor activities.

26 g

**ESP**



Supplied with



Microfibre pouch  
Ref. ETUIFS

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SPIDER</b>	Clear	SIPSI	2C-1,2 ☞ FT KN C €	☞ EN166 FT C €	Anti-scratch (K)/Anti-fog (N)
	<b>ESP</b>	SPIESP	5-1,4 ☞ 1 FT K C €	☞ EN166 FT C €	Anti-scratch (K)
	Red flash	SPIFLASH	5-3,1 ☞ 1 FT K C €	☞ EN166 FT C €	Anti-scratch (K)

# B272

## GUARANTEED PROTECTION

The historic B272, among the first all-round vision, titling front safety spectacles.

31 g



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>B272</b>	Clear	B272BCI	2C-1.2 ☞ 1 F C €	☞ EN166 F C €	ASAF

The MINIPROTEX, TARGA, BOSS, TEKNIC and UNIVIS 10 models appear in the general price list. Available on request.



# RUSH

## THE COMFORT OF PANORAMIC VISION

The wrap-around lightweight RUSH model offers perfect optical quality, maximum comfort and a modern design.

25 g

- ✦ Upper protection
- ✦ Adjustable non-slip bridge
- ✦ Non-slip temples

### HD

HD is reflection resistant and provides excellent visibility, it is ideal for activities that demand a high level of precision. It also has a water-repellent coating which makes it a barrier against liquid and dirt.

### TWILIGHT

Recommended for outdoor work at dawn and at dusk. Contrasts are accentuated for better visibility and the double inner/outer anti-fog coating is effective even in the most extreme conditions.



Supplied with

Adjustable cord  
Ref. CORDC



Optional

Comfort foam  
Ref. RUSHKITFS.  
Foam compatible on the RUSH, RUSH +, RUSH + SMALL models



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>RUSH</b>	Clear	RUSHPSI	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	HD	RUSHDPI	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	Hydrophobic/AS (outdoor)/AF (indoor)
	TWILIGHT	RUSHTWI	5-2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Smoke	RUSHPSF	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Comfort foam	RUSHKITFS	-	-	-

# UNIVERSAL

## PROTECTION FOR ALL

The wrap-around, highly flexible UNIVERSAL model adapts to all faces thanks to its adjustable bridge and pivoting temples.

26 g

- ✦ FLEX Bridge
- ✦ Upper protection
- ✦ Pivoting temples
- ✦ Twin-material straight temples



Supplied with

Adjustable cord  
Ref. CORDC



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>UNIVERSAL</b>	Clear	UNIPSI	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Smoke	UNIPSF	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF

# SLAM

## ULTRA-TRENDY

Style and ergonomics, SLAM protects in all situations and provides optimum comfort.

23 g

- ✦ Ultra wrap-around fit
- ✦ Panoramic vision
- ✦ Comfortable straight temples

### ESP

ESP combines the advantages of clear and tinted lenses in a single model. It reduces glare when passing from a shaded zone to a bright zone and very efficiently filters blue light. Ideal for people frequently moving between indoors and outdoors.



Supplied with

Adjustable cord  
Ref. CORDC



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SLAM</b>	Clear	SLAPSI	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Yellow	SLAPSJ	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	<b>ESP</b>	SLAESP	5-1.4 ☞ 1 FT C€	☞ EN166 FT C€	AS
	Smoke	SLAPSF	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Welding shade 1.7	SLAWPCC2	1.7 ☞ 1 FT C€	☞ EN166 FT C€	AS
	Welding shade 3	SLAWPCC3	3 ☞ 1 FT C€	☞ EN166 FT C€	AS
	Welding shade 5	SLAWPCC5	5 ☞ 1 FT C€	☞ EN166 FT C€	AS

# SLAM HIGH VISIBILITY

## NIGHT WORK AND SAFETY

The design and effectiveness of SLAM tailored to night work. SLAM HIGH VISIBILITY reflective temples enable the user to be seen in the dark and work in complete safety.

25 g

- ✦ Reflective temples
- ✦ All-round vision
- ✦ Ultra wrap-around fit



Supplied with

Adjustable cord  
Ref. CORDC



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SLAM HI VIS</b>	Clear	SLAHIM	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF

## SLAM+

### ERGONOMICAL!

Inspired by the SLAM model, SLAM + offers even greater comfort thanks to its stylish twin-material, ergonomic temples.

27 g

- ✦ Ultra wrap-around fit
- ✦ Comfort, twin material black and orange temples
- ✦ All-round vision
- ✦ **PLATINUM®** (†P) coating

### 6CSP

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments. CSP is also combined with the exclusive PLATINUM® coating that sustainably fights fogging.

### PLATINUM® (†P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SLAM+</b>	Clear	SLAPPSI	2C-1.2 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/†P
	6CSP	SLAPCSP	5-1.4 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/†P
	Smoke	SLAPPSF	5-3.1 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/†P
	Retainer strap (optional)	RUSHKITS	-	-	-

## PRISM

### ULTRA-STRONG

Thanks to its high strength PC frame, the PRISM model offers excellent protection and is great value for money.

23 g

- ✦ Upper protection
- ✦ Sporty design
- ✦ Comfortable, straight temples



Supplied with

Adjustable cord  
Ref. CORDC



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>PRISM</b>	Clear	PRIPSI	2C-1.2 ☞ 1 FT C€	☞ EN166 FT C€	ASAF
	Smoke	PRIPSF	5-2.5 ☞ 1 FT C€	☞ EN166 FT C€	ASAF



# BANDIDO

## AN INEXPENSIVE MODEL FOR GENUINE PROTECTION

Made entirely of highly-resistant polycarbonate, BANDIDO is the perfect value option.

28 g

- ✦ Wrap-around fit
- ✦ Reinforced bridge



Supplied with

Adjustable cord  
Ref. CORDC



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BANDIDO</b>	Clear	BANCI	2C-1.2 ☞ 1 FT €€	☞ EN166 FT €€	ASAF
	Yellow	BANPSJ	2C-1.2 ☞ 1 FT €€	☞ EN166 FT €€	ASAF
	<b>ESP</b>	BANESP	5-1.4 ☞ 1 FT €€	☞ EN166 FT €€	AS
	Smoke	BANPSF	5-2.5 ☞ 1 FT €€	☞ EN166 FT €€	ASAF
	Shade 5	BANWPCC5	5 ☞ 1 FT €€	☞ EN166 FT €€	AS

# CHOPPER

## LIGHTWEIGHT AND WRAP-AROUND

CHOPPER is the ideal model for optimum protection and comfort. With its ten-base frame, CHOPPER will offer you increased protection.

23 g

- ✦ Ultra wrap-around fit
- ✦ Panoramic vision
- ✦ Comfortable straight temples



Supplied with

Adjustable cord  
Ref. CORDC



Model available while stocks last.

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>CHOPPER</b>	Clear	CHOPSI	2C-1.2 ☞ 1 FT €€	☞ EN166 FT €€	ASAF
	Smoke	CHOPSF	5-3.1 ☞ 1 FT €€	☞ EN166 FT €€	ASAF

## SUPER NYLSUN

### INTERCHANGEABLE LENSES

A nylon frame with an original design, easy-to-swap lenses.

23 g

- ✦ Interchangeable lenses
- ✦ Ultra-lightweight



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SUPER NYLSUN</b>	Clear	SNPI	2-1.2 ☞ 1 F CE	☞ EN166 F CE	AS
	Smoke	SNPF	5-3.1 ☞ 1 F CE	☞ EN166 F CE	AS
	Grey	SNPG	5-4.1 ☞ 1 F CE	☞ EN166 F CE	AS
	TNE	SNPT	2.3 ☞ 1 F CE	☞ EN166 F CE	AS

## VIPER

### HISTORIC MODEL

The historic VIPER model offers all-round vision and fits all face shapes thanks to its stretchable temples.

26 g

- ✦ Upper protection
- ✦ Stretchable temples



**Supplied with**

Adjustable cord  
Ref. CORDC



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>VIPER</b>	Clear	VIPCI	3-1.2 ☞ 1 F CE	☞ EN166 F CE	AS
	Clear	VIPPSI	2C-1.2 ☞ 1 FT CE	☞ EN166 FT CE	ASAF
	Yellow	VIPPSJ	2-1.2 ☞ 1 F CE	☞ EN166 F CE	ASAF
	Smoke	VIPCF	5-3.1 ☞ 1 F CE	☞ EN166 F CE	AS

# B808

## PROTECTIVE AND LIGHTWEIGHT

The best seller in the prescription line, the B808 is now available in the safety spectacles range. Lightweight, stylish and wrap-around, the B808 is a guaranteed success!

28 g

- ✦ Upper and side shield
- ✦ Wrap-around fit
- ✦ PLATINUM® (†P) coating

### PLATINUM® (†P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.

Available with  
prescription  
lenses



B808 model RX version.

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>B808</b>	Clear	B808BLPSI	2C-1.2 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/†P





## B808

### STYLISH AND UNIVERSAL

Launched in 2013, the B808 model caused a stir in the prescription range. Available in dark red or gunmetal, in small or large, B808 prescription spectacles offer absolute comfort and maximum protection for everyone who wears prescription lenses. A great success, the B808 model is also available in a range of safety spectacles and has the innovative **PLATINUM** anti-scratch and anti-fog coating. With a timeless and universal style, the B808 will delight all of your employees.



#### **B808 II - V2 Prescription**

Available in gunmetal or dark red.



#### **B808BLPSI**

Available in a clear version.

# BAXTER

## COMFORT AND INGENUITY

BAXTER, the alternative to the TRACKER model, offers total comfort thanks to its ultra wrap-around frame. With its waterproof foam and ingenious system for attaching the strap, BAXTER offers effective protection against sprays of solids and liquids, and against dust. BAXTER is also available in the prescription spectacles line.



53 g

- ✦ Increased protection
- ✦ Wrap-around frame
- ✦ Waterproof foam and removable strap
- ✦ **PLATINUM®** (P) coating

### **PLATINUM®** (P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.

### **BCSP**

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments. CSP is also combined with the exclusive PLATINUM® coating that sustainably fights fogging.

**Available with CO-BRANDING**

**Supplied with**

Foam + strap kit



Foam + strap kit also available as an option Ref. BAXKITFS

**Available with prescription lenses**



**Attachment system**



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BAXTER</b> Spectacle version	Clear	BAXPSI	2C-1,2 ☞ 1 BT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/P
	Smoke	BAXPSF	5-3,1 ☞ 1 BT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/P
	<b>BCSP</b>	BAXCSP	5-1,4 ☞ 1 BT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/P
<b>BAXTER</b> Strap version	Worn with foam + strap	-	-	☞ EN166 3 4 5 BT C€	Anti-scratch/Anti-fog/P
	Foam + strap only kit	BAXKITFS	-	☞ EN166 3 4 5 BT C€	-

# TRACKER

## HYPER PROTECTION

Ultra-comfortable and technical, TRACKER provides protection from all mechanical and chemical risks, making it a unique model in the safety spectacles range.

52 g

- ✦ Upper protection
- ✦ Removable foam reinforcement with indirect ventilation
- ✦ **PLATINUM®** (P) coating (depending on the version)
- ✦ Lower protection
- ✦ Removable adjustable strap
- ✦ Side ventilation

### PLATINUM® (P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.



Welding version shade 3



Smoke version



Yellow version

### Optional

Optical insert  
for the prescription line  
Ref. SOSTRACKER  
unifocal only



### Supplied with

Microfibre  
pouch  
Ref. ETUIFS



Available with  
prescription  
lenses

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>TRACKER</b> Temple version (strap provided)	Clear	TRACPSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/P
	Smoke	TRACPSF	5-3,1 ☞ 1 BT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/P
	Yellow	TRACPSJ	2C-1.2 ☞ 1 BT KN €€	☞ EN166 FT €€	Anti-scratch/Anti-fog/P
	Welding shade 1.7	TRACWPC2	1.7 ☞ 1 FT €€	☞ EN166 FT €€	AS
	Welding shade 3	TRACWPC3	3 ☞ 1 FT €€	☞ EN166 FT €€	AS
	Welding shade 5	TRACWPC5	5 ☞ 1 FT €€	☞ EN166 FT €€	AS
	Worn with strap	-	-	☞ EN166 3 4 BT €€	-
	Optical insert only	SOSTRACKER	-	€€	-



# TRYON

## STYLE AND PERFORMANCE

A new brand signature, the TRYON model comes in 3 versions. **26 g**  
 Ultra wrap-around fit, sporty design, co-injected temples with FLEX160° technology, adjustable non-slip bridge, PLATINUM® coating... TRYON is the perfect combination of style, innovation and absolute protection.

- ✦ **Wrap-around frame**
- ✦ **Adjustable non-slip bridge**
- ✦ **PC/TPR co-injected temples**
- ✦ **PLATINUM® (+P) coating (except for the blue flash version)**
- ✦ **FLEX 160° temples**

### PLATINUM® (+P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.

### Optional

**Strap kit**  
 Ref. RUSHKITS  
 Retainer strap.



**Available with prescription lenses**

**Available with CO-BRANDING**



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>TRYON</b>	Clear	TRYOPSI	2C-1.2 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/+P
	Smoke	TRYOPSF	5-3.1 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/+P
	<b>CSP</b>	TRYOCSP	5-1.4 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/+P
	Blue flash	TRYOFFLASH	5-3.1 ☞ 1 FT C€	☞ EN166 FT C€	AS/AF (indoor)
	Retainer strap (optional)	RUSHKITS	-	-	-

# TRYON OTG

## ULTRA COVER

TRYON is now available in a Premium over-the-spectacles version. **40 g**  
 It has PLATINUM® coating, maximum cover, stretchable temples for a precise fit. TRYON OTG can be worn with most prescription spectacles.

- ✦ **Flexible upper forehead protection (TPR)**
- ✦ **PC/TPR adjustable and stretchable co-injected temples**
- ✦ **PLATINUM® (+P) coating**
- ✦ **FLEX 160° temples**

### PLATINUM® (+P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.



**OTG**

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>TRYON OTG</b>	Clear	TRYOTGPSI	2C-1.2 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/+P
	Smoke	TRYOTGPSF	5-3.1 ☞ 1 FT KN C€	☞ EN166 FT C€	Anti-scratch/Anti-fog/+P

# NESS

**NEW**

## COMFORTABLE PANORAMIC VISION

Without forgetting comfort, NESS provides effective protection through its ultra wrap-around design and optimum vision.

28 g



- ✦ Ultra wrap-around fit
- ✦ Panoramic field of vision
- ✦ Fashionable straight temples
- ✦ Non-slip bridge

**Supplied with**

Adjustable cord  
Ref. CORDC



**Optional**

Strap kit  
Ref. RUSHKITS  
Retainer strap.



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>NESS</b>	Clear	NESSPSI	2C-1.2 ☰ 1 FT C€	☰ EN166 FT C€	ASAF
	Smoke	NESSPSF	5-3.1 ☰ 1 FT C€	☰ EN166 FT C€	ASAF
	Retainer strap (optional)	RUSHKITS	-	-	-

# NESS+

**NEW**

## SPORTY DESIGN

NESS+ gives you all the advantages of the NESS model with extra comfort thanks to the co-injected temples. Using the exclusive PLATINUM® fog and scratch resistant coating, NESS+ is designed to enhance your work performance.

28 g



- ✦ Ultra-wraparound frame
- ✦ Comfortable PC/TPR co-injected temples
- ✦ Panoramic field of vision
- ✦ Fog and scratch resistant coating PLATINUM® (†P)
- ✦ Non-slip bridge

PLATINUM® (†P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.

**Optional**

Strap kit  
Ref. RUSHKITS  
Retainer strap.



**Available with  
CO-BRANDING**

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>NESS+</b>	Clear	NESSPPSI	2C-1.2 ☰ 1 FT KN C€	☰ EN166 FT C€	Anti-scratch/Anti-fog/†P
	Smoke	NESSPPSF	5-3.1 ☰ 1 FT KN C€	☰ EN166 FT C€	Anti-scratch/Anti-fog/†P
	CSP	NESSPCSP	5-1.4 ☰ 1 FT KN C€	☰ EN166 FT C€	Anti-scratch/Anti-fog/†P
	Retainer strap (optional)	RUSHKITS	-	-	-

# OVERLIGHT

OVERLIGHT is the new generation of OTG (over the spectacles). Available in one size, with ultra wrap-around and a streamlined fit, OVERLIGHT OTG guarantee maximum safety for everyone, whether they were prescription spectacles or not.

33 g

- ✦ Ultra-wraparound frame
- ✦ Side, top and bottom shield
- ✦ Design



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>OVERLIGHT</b>	Clear	OVLITLPSI	2C-1.2  1 FT	EN166 FT	ASAF

# SQUALE

SQUALE OTG provides excellent protection for wearers of prescription spectacles.

43 g

- ✦ Upper protection
- ✦ Stretchable temples
- ✦ Lower protection

**Supplied with**

Cord  
Ref. CORD



**OTG**



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SQUALE</b>	Clear	SQUPSI	2C-1.2  1 FT	EN166 FT	ASAF
	Welding shade 5	SQUWPCC5	5  1 S	EN166 S	AS

# VISITEUR

The polycarbonate VISITEUR OTG is designed for wearers of prescription spectacles and occasional wearers (site visitors).

38 g

- ✦ Upper protection



**OTG**

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>VISITEUR</b>	Clear	VISPI	2-1.2  1 FT	EN166 FT	-



# CO-BRANDING



## CUSTOMISE YOUR EYEWEAR IN YOUR BRANDING COLOURS!

Bollé Safety offers you the possibility of customising the spectacles\* of your choice with your corporate branding and colours.

It's quick and easy. Contact one of our sales managers today.

### 1 Choice of model and reference

Example: COBRA - Ref. COBPSI



### 2 Send your HD logo

to the marketing department:  
marketing@bolle-safety.com (300dpi / .eps)

### 3 Choice of type of customisation

- Branding on the lens.  
Size cannot exceed 1.5cm.  
Positioning differs depending on the model so as not to affect vision.
- Branding on one temple.
- Branding on the microfibre pouch or semi-rigid case.
- Temple colouring (RUSH +).



### 4 Choice of colour

To improve the visibility of your logo, use 1-colour branding in white, black or grey (Pantone® 429 or 431).



Other Pantone® colours available on request:



### Our customers have already personalised their spectacles!



\*Offer valid for a minimum order of 1,200 pairs and on a selection of Bollé Safety products (excl. **B LINE**).

**Ask for our co-branding brochure**





# GOGGLES







# PILOT

**NO LIMITS ON THE PERFORMANCE**

- All-round vision
-  PLATINUM® coating
- Available clear, smoke and  BCSP



# SELECTION GUIDE

## GOGGLES



MODELS		Clear	CSP	Smoke	Welding	Ventilated	Sealed	Frame material	Strap material	Foam	Foam material	PLATINUM	Accessories provided	Accessories optional
		☐	☐	☐	☐	☐	☐					☐		
ÉLITE	P 52	✗				✗		PVC	Nylon					
COBRA TPR	P 53	✗					✗		Isoprene	✗	TPR	↕	Microfibre pouch	Spare lens
COBRA (hybrid version)	P 53	✗							Nylon	✗	EVA	↕	Foam + Strap	
X90	P 53	✗				✗		PVC	Nylon					
ATOM	P 55	✗				✗	✗	TPR	Nylon	(depending on the version)	SBR	↕		Optical insert Protective films Visor
PILOT	P 56	✗	✗	✗		✗		PP + TPR	Nylon			↕		
180	P 57	✗				✗		PP/TPV	Polyester			↕		
BLAST	P 57	✗			✗	✗	✗	TPR	Nylon	(depending on the version)	SBR			Optical insert Spare lens Visor
COVERALL	P 58	✗				✗	✗	PVC	Nylon					
COVERALL CLEAN	P 59	✗				✗		PVC	Isoprene					
COVERALL AUTOCLAVE	P 59	✗				Semi-ventilated		TPR	Isoprene					
SUPERBLAST	P 60	✗			✗	✗	✗	PVC	Nylon	(depending on the version)	SBR	↕		Optical insert Spare lens Visor
SUPERBLAST AUTOCLAVE	P 60	✗				✗		TPR	Isoprene			↕		
CHRONOSOFT	P 61	✗					✗	Kraton TPR	Polyamide Polyester Latex					
PILOT FIREFIGHTER	P 61		✗				✗	PP	Nylon	✗	TPR	↕		
ULTIM8	P 62	✗					✗	PC	Nylon			↕	Temple conversion kit	Retainer strap for the temples

## ELITE

### BROAD FIELD OF VISION

ELITE goggles offer outstanding all-round vision.

- ✦ All-round vision
- ✦ Liquid overflow chute
- ✦ Ball-pivot
- ✦ Adjustable strap
- ✦ Fits over prescription spectacles

121 g



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>ELITE</b>	Ventilated Acetate	ELARSI	2-1.2 ☐ 2 FT C €	☐ EN166 3 F C €	Anti-fog (N)

## COBRA TPR

### FOR CLEAN ENVIRONMENTS AND EXTREME CONDITIONS

48 g

With its easy-to-clean neoprene strap and its built-in TPR foam, this goggle kit is especially suitable for clean industries and the agro-food industry.

- ✦ High strength goggles
- ✦ Isoprene strap and TPR comfort seal
- ✦ **PLATINUM®** (P) coating
- ✦ Compact, lightweight and panoramic
- ✦ 100% sealed

#### **PLATINUM®** (P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.



VIDEO



Supplied with

Microfibre pouch  
Ref. ETUIFS



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COBRA TPR</b>	Sealed goggles	COBTPRPSI	2C-1.2 1 BT KN €€	EN166 345 BT €€	Anti-scratch/Anti-fog/P

## COBRA (hybrid version)

37 g

COBRA, one of the best-selling models of safety spectacles, are also available as goggles with PLATINUM® coating.



Goggle version



Foam + strap kit  
Ref. KITFSCOB

Supplied with

Microfibre pouch  
Ref. ETUIFS for ref. COBFSPSI



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COBRA (hybrid version)</b>	Foam + strap kit	COBFSPSI	2C-1.2 1 BT KN €€	EN166 3 BT €€	Anti-scratch/Anti-fog/P
<b>TRANSFORMATION KIT</b>	Foam + strap only kit	KITFSCOB	-	-	-

## X90

### COMPACT PROTECTION

These highly compact goggles offer comfort, protection and style.

61 g

- ✦ Ball-pivot
- ✦ Large adjustable strap



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>X90</b>	Ventilated	X90PSI	1 BT €€	EN166 BT €€	ASAF

# SPECTACLES OR GOGGLES?

## AND WHY NOT BOTH AT THE SAME TIME

### FOR EVERY ENVIRONMENT AND EVERY RISK: A HIGH PERFORMANCE BOLLÉ SAFETY SOLUTION

Are you looking for the comfort and light weight of spectacles... alongside the maximum strength of protective goggles?

Bollé Safety gives you the best eye protection 2-in-1: **the hybrid line!**

#### THE ADVANTAGES OF SPECTACLES

- + Lightweight
- + Ease of use
- + Non-intrusive
- + Sporty design

#### THE ADVANTAGES OF GOGGLES

- + Enhanced impact resistance
- + Adherence to the face
- + Better support thanks to the strap
- + Wider field of vision

**AS COMFORTABLE AND STYLISH** as spectacles.  
**AS STRONG AND COVERING** as goggles.  
All in ultra compact format.

#### DISCOVER THE BOLLÉ SAFETY HYBRID LINE



COBRA TPR



ULTIM8



BAXTER



TRACKER



COBRA



RUSH+





# ATOM

## EXTREMELY COMPACT AND COMFORTABLE

Compact, lightweight and extremely comfortable thanks to its modular TPR frame and its PLATINUM® coating, ATOM offers enhanced protection. Can be used as safety goggles or as a face shield using its VISOR accessory.

74 g

- + TPR frame
- + **PLATINUM®** (P) coating
- + Liquid overflow chute
- + Ball-pivot
- + Adjustable strap
- + Fits over prescription spectacles
- + With or without foam (depending on the version)
- + **EQUALIZER** technology with the double lens version

### PLATINUM® (P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.

### EQUALIZER

EQUALIZER is the high performance goggle system for protecting against fog. Thanks to its double lens and regulation patch, EQUALIZER filters and regulates moisture levels in the goggles.



ATOM + VISOR

### Optional

Optical insert  
Ref. SOSATOM



Protective films  
pack of 5  
Ref. TOATOM



ATOM double lens

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>ATOM</b>	Ventilated	ATOAPSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 3 BT €€	Anti-scratch/Anti-fog/P
	Ventilated foam	ATOFAPSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 3 BT €€	Anti-scratch/Anti-fog/P
	Sealed	ATOEPSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 3 4 5 BT €€	Anti-scratch/Anti-fog/P
	Sealed double lens	ATOEDEPSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 3 4 5 BT €€	Anti-scratch/Anti-fog/P
	Visor for ATOM only	ATOV	-	☞ EN166 3 BT €€	-
	Optical insert	SOSATOM	-	€€	-
	5 protective films	TOATOM	-	€€	-

# PILOT

## HIGH REQUIREMENTS AT THE SERVICE OF SAFETY

Its co-injected, ventilated frame guarantees unequalled adaptability and comfort.

89 g

- ✦ Excellent field of vision
- ✦ PP/TPR flexible co-injected frame
- ✦ **PLATINUM®** (†P) coating
- ✦ Adjustable strap
- ✦ Fits over prescription spectacles

### **PLATINUM®** (†P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>PILOT</b>	Clear ventilated	PILOPSI	2C-1.2 ☰ 1 BT 9 KN C€	☰ EN166 3 4 9 BT C€	Anti-scratch/Anti-fog/†P
	Smoked ventilated	PILOPSF	5-3.1 ☰ 1 BT 9 KN C€	☰ EN166 3 4 9 BT C€	Anti-scratch/Anti-fog/†P
	<b>CSP</b> ventilated	PILOCSP	5-1.4 ☰ 1 BT 9 KN C€	☰ EN166 3 4 9 BT C€	Anti-scratch/Anti-fog/†P

# 180

## ALL-ROUND VISION

Ultra-panoramic, the new 180 goggles are a concentrate of innovation: style, ergonomics and high comfort thanks to their flexible twin-material frame. 180 is also compatible with respirator masks. Available in a ventilated version, they are recommended for extended wear in abrasive environments.



109 g

- + Large adjustable strap
- + All-round vision
- + **PLATINUM**<sup>®</sup> (†P) coating
- + Compatible with a half-mask respirator
- + Fits over prescription spectacles
- + Indirect ventilation



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>180</b>	Ventilated	180APSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 3 4 BT €€	Anti-scratch/Anti-fog/†P

# BLAST

## AN OUTSTANDING FIELD OF VISION

Unbeatable comfort and essential modular design. With the "Visor" accessory, the BLAST model can be used as a face shield with equivalent protection guaranteed.



113 g

- + With or without foam (depending on the version)
- + All-round vision
- + Ball-pivot
- + Adjustable strap
- + Liquid overflow chute
- + Fits over prescription spectacles
- + Possible to wear a half-mask respirator



BLAST special "welding"



**Optional**

Optical insert  
Ref. SOSBLAST



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BLAST</b>	Ventilated	BLAPSI	2-1.2 ☞ 1 BT 9 €€	☞ EN166 3 9 BT €€	ASAF
	Sealed	BLEPSI	2-1.2 ☞ 1 BT 9 €€	☞ EN166 3 4 5 9 BT €€	ASAF
	Ventilated foam	BLFAPSI	2-1.2 ☞ 1 BT 9 €€	☞ EN166 3 9 BT €€	ASAF
	Ventilated Acetate	BLARSI	2-1.2 ☞ 1 F N €€	☞ EN166 3 9 BT €€	Anti-fog (N)
	Visor for BLAST only	BLV	-	☞ EN166 3 BT €€	-
	Ventilated Welding shade 5	BLAWPCC5	5 ☞ 1 B 9 €€	☞ EN166 3 9 B €€	AS
	Optical insert	SOSBLAST	-	-	-



# COVERALL

## FUNCTIONAL AND EFFECTIVE

Versatile PVC goggles that fit over prescription spectacles, available in ventilated or sealed version.

91 g

- ✦ Adjustable nylon strap
- ✦ Fits over prescription spectacles
- ✦ 2 versions: with indirect ventilation or sealed
- ✦ **PLATINUM® (P)** coating for the sealed version

### PLATINUM® (P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COVERALL</b>	Ventilated	COVARSI	2C-1.2 ☞ 1 BT €€	☞ EN166 3 4 BT €€	ASAF
	Sealed	COVERSI	2C-1.2 ☞ 1 BT KN €€	☞ EN166 3 4 5 BT €€	Anti-scratch/Anti-fog/P

## COVERALL CLEAN

### SPECIALLY FOR "CLEAN ROOMS"

COVERALL AUTOCLAVE & CLEAN protective goggles are specially designed to guarantee total comfort and optimum protection in sensitive and sterile environments such as pharmacies, micro-electronics and operating theatres.

96 g

PVC frame  
Ventilated  
Gamma/beta/EtO sterilisation

- ✦ PVC frame/ Upper and lower indirect ventilation
- ✦ Goggles can be sterilised by gamma, beta and EtO radiation
- ✦ "Clean" isoprene strap
- ✦ Liquid overflow chute
- ✦ Fits over prescription spectacles



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COVACLEAN</b>	Ventilated	COVACLEAN	2C-1.2 ☞ 1 BT €€	☞ EN166 3 4 BT €€	ASAF

## COVERALL AUTOCLAVE

### SPECIALLY FOR "CLEAN ROOMS"

78 g

TPR frame  
Sealed  
Autoclavable  
PLATINUM® (†P) coating

- ✦ TPR frame / Upper indirect ventilation / Sealed in the lower part
- ✦ High-comfort autoclavable goggles
- ✦ "Clean" isoprene strap
- ✦ Liquid overflow chute
- ✦ Fits over prescription spectacles
- ✦ PLATINUM® (†P) coating



#### PLATINUM® (†P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COVACLAVE</b>	Semi-ventilated	COVACLAVE	2C-1.2 ☞ 1 FT KN €€	☞ EN166 3 4 FT €€	Anti-scratch/Anti-fog/†P

# SUPERBLAST

## EVEN MORE COMFORT AND PROTECTION

SUPERBLAST goggles have a more flexible frame, a PLATINUM® version and a simple, easy-to-use Goggles-Visor assembly system.

111 g

- ✦ With or without foam (depending on the version)
- ✦ All-round vision
- ✦ Ball-pivot
- ✦ Adjustable strap
- ✦ Liquid overflow chute
- ✦ Fits over prescription spectacles
- ✦ Compatible with a half-mask respirator



**Optional**

Optical insert  
Ref. SOSBLAST



Visor  
Ref. SUPBLV



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SUPERBLAST</b>	Ventilated	SUPBLAPSI	2C-1.2 ☞ 1 9 BT €€	☞ EN166 3 4 9 BT €€	ASAF
	Sealed	SUPBLEPSI	2C-1.2 ☞ 1 9 BT €€	☞ EN166 3 4 5 9 BT €€	ASAF
	Ventilated foam	SUPBLFAPSI	2C-1.2 ☞ 1 9 BT €€	☞ EN166 3 4 9 BT €€	ASAF
	Ventilated	SUPBLAPSIP	2C-1.2 ☞ 1 9 BT KN €€	☞ EN166 3 4 9 BT €€	Anti-scratch/Anti-fog/☞P
	Spare lens	SUPFABLAPSIP	2C-1.2 ☞ 1 9 BT KN €€	-	Anti-scratch/Anti-fog/☞P
	Visor only for SUPERBLAST	SUPBLV	-	☞ EN166 3 BT €€	-
	Ventilated Welding shade 5	SUPBLAWPCC5	5 ☞ 1 BT 9 €€	☞ EN166 3 4 9 BT €€	ASAF
	Optical insert	SOSBLAST	-	-	-

# SUPERBLAST AUTOCLAVE

## SPECIALLY FOR "CLEAN ROOMS"

An alternative to COVACLAVE goggles, SUPERBLAST AUTOCLAVE offers all-round vision and unrivalled comfort, with PLATINUM® coating included.

103 g

- ✦ Ventilated frame
- ✦ High-comfort autoclavable goggles
- ✦ Liquid overflow chute
- ✦ Adjustable isoprene strap
- ✦ Fits over prescription spectacles
- ✦ Polycarbonate front with PLATINUM® (☞P) coating
- ✦ Compatible with a half-mask respirator
- ✦ Clean strap



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SUPERBLAST AUTOCLAVE</b>	Ventilated Autoclave	SUPBLCLAVE	2C-1.2 ☞ 1 BT KN €€	☞ EN166 3 4 BT €€	Anti-scratch/Anti-fog/☞P



## CHRONOSOFT

### THE ULTIMATE REFERENCE

Ideal for fire fighting, CHRONOSOFT goggles are a concentrate of high-end innovation. The elastomer frame withstands extreme heat. The double lens features the EQUALIZER system for highly effective fog protection.

125 g

- ✦ Polycarbonate double lens
- ✦ Fire fighting or extreme temperatures
- ✦ Large adjustable strap

### **E**QUALIZER

EQUALIZER is the high performance goggle system for protecting against fog. Thanks to its double lens and regulation patch, EQUALIZER filters and regulates moisture levels in the goggles.



Origin: BMPM - Photo: MT Valverde

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>CHRONOSOFT</b>	Sealed	CHROKADESI	2C-1.2 ☞ 1 BT 9 KN €€	☞ EN166 3 4 5 BT 9 €€	Anti-scratch (K)/Anti-fog (N)

## PILOT FIREFIGHTER

### HIGH REQUIREMENTS AT THE SERVICE OF CIVIL PROTECTION

The PILOT goggles now available for fire-fighting with their co-injected and sealed frame guaranteeing unrivalled adaptability and comfort.

92 g

- ✦ All-round vision
- ✦ Adjustable fireproof strap
- ✦ Fits over prescription spectacles
- ✦ PP/TPR sealed ultra-flexible co-injected frame
- ✦ **PLATINUM®** (†P) coating

### **PLATINUM®** (†P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>PILOT FIREFIGHTER</b>	Sealed <b>E</b> CSP	PILOFCSP	5-1.4 ☞ 1 BT 9 KN €€	☞ EN166 3 4 5 9 BT €€	Anti-scratch/Anti-fog/†P

# ULTIM8



## THE ULTIMATE RESISTANCE

The most advanced protection for extreme work environments (cold, heat, dust, damp environments, oil industry, mining industry, etc.). The ULTIM8 offers maximum fog resistance thanks to the PLATINUM® coating.

60 g

- + PLATINUM® (P) coating
- + TPR waterproof foam
- + PC/TPR pivoting temples
- + Removable adjustable strap
- + Temple/goggles conversion kit

### PLATINUM® (P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.

**Available with CO-BRANDING**



Worn with strap

**Supplied with**

Temple conversion kit



**Optional**

Retainer strap



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>ULTIM8</b>	Waterproof clear	ULTIPSI	2C-1.2 ☞ 1 BT KN C€	☞ EN166 FT C€ (with temples) ☞ EN166 3 4 5 BT C€ (with strap)	Anti-scratch/Anti-fog/P
	Retainer strap (optional)	RUSHKITS	-	-	-





**PLATINUM®**  
YOU HANDLE, YOU ANALYSE, YOU MEASURE  
**IT RESISTS**

**PLATINUM® ANTI-FOG AND ANTI-SCRATCH COATING:  
EVER LASTING PROTECTION**

■ Applied by dipping the lenses therefore covering both sides, the PLATINUM® treatment is a permanent coating resistant to cleaning. It makes the lenses highly scratch-resistant and significantly slows the appearance of fogging, guaranteeing more safety, reliability and comfort.

■ Imitated but never equalled, PLATINUM® meets every requirement of all international standards, in particular EN166 option K and N. PLATINUM® is available on many models.




**COVERALL COVACLAVE**



# FACE SHIELDS







# **SPHERE**

## **NO LIMITS ON THE PROTECTION**

- Ultra wrap-around fit
- Adjustable headgear
- Protection against electrical short circuit arcs

# SPHERE

An outstanding 180° field of vision. Easy to fit with its height and width-adjustable headgear and headband, SPHERE adapts to all head shapes for all uses.

355 g

- ✦ Ultra wrap-around fit
- ✦ Adjustable headgear
- ✦ Protection from electrical short circuit arcs
- ✦ 20.5 x 39.4 cm PC shield
- ✦ Tiltting shield
- ✦ Resistant to high energy impact (A marking)



**Optional**

Protective bag  
Ref. BAGWELD



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SPHERE</b>	Polycarbonate	SPHERPI	2C-1.2 ☞ 1 AT 8 9 €€	☞ EN166 3 AT 8 9 €€	-
	Spare lens	FASPHERPI	2C-1.2 ☞ 1 AT 8 9 €€	-	-
	Spare welding lens shade 3	FASPHEREWPCC3	3 ☞ 1 BT 9 €€	-	-
	Spare welding lens shade 5	FASPHEREWPCC5	5 ☞ 1 BT 9 €€	-	-
	Protective bag	BAGWELD	-	-	-

# PROTECTEUR RELEVABLE

The PROTECTEUR RELEVABLE protects against electrical short circuit arcs with its RELRSI version featuring a 1.5 mm acetate anti-fog lens.

200 g

- ✦ Polypropylene
- ✦ Adjustable headband
- ✦ Protection against electrical short circuit arcs (RELRSI version)
- ✦ 19 cm x 29 cm titling face shield
- ✦ Anti-fog coating



**Optional**

Protective bag  
Ref. BAGWELD



MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>PROTECTEUR RELEVABLE</b>	Acetate	RELRSI	2-1.2 ☞ 2 B 8 N €€	☞ EN166 3 B 8 €€	Anti-fog (N)
	Spare acetate lens	FARELRSI	2-1.2 ☞ 2 B 8 N €€	-	Anti-fog (N)
	Polycarbonate	RELPSI	☞ 1 F €€	☞ EN166 3 B 8 €€	ASAF
	Spare polycarbonate lens	FARELPSI	☞ 1 F €€	-	ASAF
	Protective bag	BAGWELD	-	-	-



# B LINE

B-LINE is a safety eyewear range available to all and geared to the most common industrial risks.  
B-LINE showcases Bollé Safety expertise and quality.

## BL11



## BL13



## BL20 HA

Adaptor for  
worksite  
hard hats



## BL10

Supplied  
with

Cord  
cord  
Ref. CORDC



## BL15




## BL20 PI



MODEL	CATEGORY	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>GENERIC</b>	Spectacles	BL10CI	2C-1.2 ☰ 1 FT CE	☰ EN166 FT CE	AS
		BL10CF	5-2.5 ☰ 1 FT CE	☰ EN166 FT CE	AS
		BL10WPC5	5 ☰ 1 FT CE	☰ EN166 FT CE	-
		BL11PI	2-1.2 ☰ 1 FT CE	☰ EN166 FT CE	-
		BL11CI	☰ 1 FT CE	☰ EN166 FT CE	AS
		BL13CI	2-1.2 ☰ 1 FT CE	☰ EN166 FT CE	AS
	Goggles / Helmets	BL15API	☰ 1 B CE	☰ EN166 FT CE	-
		BL15APSI	2-1.2 ☰ 1 B CE	☰ EN166 FT CE	AF
	Safety face shields	BL20PI	☰ 1 B CE	☰ EN166 B CE	-
		BL20HA	-	☰ EN1731 CE	-
		BL20FAPI	☰ 1 B CE	-	-



# WELDING HELMETS







# FLASH

## NO LIMITS ON INNOVATION


- All-round extra-wide vision
- Ergonomical multi-position headband
- All adjustments inside the hood



FLASH model, page 74.



# WELDING



## DIFFERENT PROCEDURES IN ELECTRIC WELDING

Arc welding is a generic term for a process in which an electric arc is created between an electrode and the parts to be assembled.

### Electric welding, a trade for experts

Electric arc welding is a method of assembly by fusion with or without additional metal, ideal for the permanent and solid joining of two or more metal pieces. To create this fusion, we use energy from a high intensity, low voltage electric arc between a consumable or refractory electrode and the parts to be assembled. Whatever the arc welding procedure used, the dexterity and experience of the welder are key factors in the resulting welding quality. The different arc welding procedures are as follows: Coated Electrode arc, TIG, PLASMA, MIG/MAG, Flux-core MIG/MAG. Except for the strictly manual Coated Electrode Arc procedure, the other welding procedures can be performed manually or automatically.

### Electric arc welding with coated electrodes

This is the best-known welding procedure. The arc releases great heat and is established between the consumable electrode and the parts to be assembled. The fusion of the coating stabilises the arc, provides the gaseous protection and adjusts the metallurgical characteristics of the liquid metal.

This procedure is used in workshops and very often on work sites, principally for non-alloy or low-alloy carbon steels, stainless steels and also for surfacing.

#### ■ Equivalents:

- MMA
- SMAW
- Process 111 according to ISO 4063

### ■ Electro-optical filter helmets



#### Flash

- Coated electrodes
- TIG
- MIG/MAG
- Plasma
- Grinding



#### Fusion+

- Coated electrodes
- TIG
- MIG/MAG
- Plasma
- Grinding



#### Volt

- Coated electrodes
- TIG > 8A
- MIG/MAG
- Grinding

### Arc welding with non meltable electrodes:

#### ■ TIG welding (Tungsten Inert Gas)

The electric arc is established between the parts to be welded and a non-consumable Tungsten electrode protected by an inert gas (mainly argon). The arc is created between the refractory electrode (- of the generator) and the part (+ of the generator) under a gaseous flux; generally, it is a rare gas or a mixture of rare gases. Manual TIG welding is a relatively slow procedure with high quality welding results.

■ This procedure is mainly used for welding thin metals and for a wide spectrum of materials including the most delicate to weld such as steels, stainless steels and also aluminium, magnesium, titanium, copper and nickel-based alloys.

#### ■ Equivalents:

- GTAW Gas Tungsten Arc Welding according to American standards
- Procedure 141 according to ISO 4063

#### ■ The MAG procedure is used for:

- low-alloy steels or steels, with a blend of so-called active oxidant gases (CO<sub>2</sub> and O<sub>2</sub>), to stabilise the arc and adjust the morphology of the cord and the melted area.

■ Flux-core MIG/MAG: the filler metal is not a "solid" wire but a tubular wire filled with flux and/or metal powder ideal for adjusting the operating conditions and/or the metallurgic properties of the welding itself. The protective gas is always present.

#### ■ Equivalents:

- Metal Inert Gas
- Metal Active Gas
- GMAW: Gas Metal Arc Welding (uses a solid electrode wire) according to American standards
- FCAW: Flux Core Arc Welding (uses tubular wire, a so-called "flux-cored" wire) according to American standards
- Process 131 (MIG) or 135 (MAG) according to ISO 4063

### Arc welding with meltable electrode wire

#### ■ MIG/MAG process

With this procedure, the arc is established between a consumable electrode wire which represents the filler metal and the parts to weld, protected by gas. MIG-MAG welding is also called "semi-automatic" welding because of the motorised feed of consumable electrode wire in the torch.

The choice of the MIG (Metal Inert Gas) or MAG (Metal Active Gas) procedure is made depending on the materials to be welded and the protective atmosphere.

#### ■ The MIG procedure is used for:

- aluminium alloys for which inert gases are used (exclusively argon or an argon/helium mix).
- high-alloy steels (stainless steels) for which an argon-mix gas is used with a low percentage of oxidant gas.(CO<sub>2</sub> and/or O<sub>2</sub>).

### Plasma welding

Plasma welding is an automatic welding process. Similarly to TIG, the arc is established between a refractory electrode and the parts to be welded.

The arc must pass through a very narrow nozzle which dramatically raises its temperature (to the "plasma" state), resulting in high energy density.

■ Plasma welding is used principally for stainless steels and certain noble metals like titanium and its alloys.

#### ■ Equivalents:

- PAW: Plasma Arc Welding according to American standards

### ■ Guide to welding shades

Amperage (A)	1.5	6	10	15	30	40	60	70	100	125	150	175	200	225	250	300	350	400	450	500	600
PLASMA / Plasma arc cutting									9	10	11	12			13						
Coated electrodes	8						9		10		11		12			13			14		
M.A.G.	8								9	10		11			12			13			14
T.I.G on metals or metal alloys	8				9		10		11			12			13						
M.I.G. on heavy metal	9								10		11			12			13		14		
M.I.G. on light alloys	10										11		12		13		14				
ARC-AIR/Arc-Air gouging	10										11		12		13		14		15		
MICRO-PLASMA / Micro plasma welding	4	5	6	7	8	9	10	11		12											

# WELDING



## BOLLÉ SAFETY PROTECTS EVERYONE'S EYESIGHT

The eye is a fragile and vulnerable organ. There are many types of eye injury with severity ranging from simple irritation to total blindness. This is why it is so important to be aware of all potential risks in the workplace. Protecting eyes is our business; ensuring unbeatable product quality is our motto!

### ■ Unprotected electric-arc welding is dangerous.

It can lead to painful inflammation of the cornea and irreversible opacity of the eye's crystalline lens, called cataracts. Our line of products is entirely researched and designed to meet current standards and your expectations in terms of comfort and style. Our team of specialists will help you find the best solution for your risks.

### ■ Bollé Safety traceability

Product and batch identification ensures product quality control upstream in the distribution chain. This tracking is part of the Bollé Safety approach to constantly improve its product offering, quality, service and overall company efficiency.

### ■ Reliable and comfortable products: Bollé Safety guarantee

All Bollé Safety products comply with current European standards. Helmets from the range are guaranteed on average between one and two years.

For safety and standard requirements, the auto-darkening filters must be protected by an inner and outer protective screen. No warranty will be given for damaged filters used without protective screen. The consequences of incorrect use are not covered by the warranty.

## STANDARDS AND CERTIFICATION

### ■ Products certified for your safety

All Bollé Safety products comply with European directive 89/686/EEC, EN175 and EN379.

### ■ EN379, standard for filters

EN379 belongs to a series of European standards drafted by the European Standardization Committee (ESC) within the scope of the application of the European Directive on Personal Protective Equipment (PPE). It specifies the requirements relating to welding filters which automatically switch their transmission factor in the clear zone to a lower value when a welding arc is struck (known as welding filters with switchable scale numbers). The specifications of the standard apply if such a filter is used for continuous observation of the welding process and if it is only used during the period when the arc is struck.

The standard also mentions the requirements for welding filters with different welding scale numbers in the clear zone (called welding filters with a double scale number).

These filters are used for welder protective eyewear or system-mounted protection.

### ■ EN175, standard for helmets



EN175 is the European standard that specifies the requirements and test methods related to personal protective equipment used to protect the operator's eyes and face from harmful optical radiation and other specific risks due to regular welding or cutting processes or other associated techniques. The standard specifies protection, including ergonomic aspects, against various risks or hazards including radiation, fire, mechanical and electrical risks. This standard defines the terms used and specifies the requirements related to materials, design and manufacture.



## ACTIVE FILTERS WITH LIQUID CRYSTALS: "SMART" TECHNOLOGY

Active welding filters provide reliable protection. Whether in a clear or darkened state, they ensure permanent protection against UV / IR emissions, heat, sparks and projections. The filter's degree of protection is defined to avoid "blinding" by the electric arc. Active welding filters must always be used with a welding helmet. When an electric arc is struck, the active welding filters automatically darken and when the arc is extinguished, they return to their initial clear state. So the active welding filters free up the welder's hands and therefore save time, reduce fatigue and greatly improve quality thanks to better arc positioning. These filters must be protected by an outer and inner polycarbonate protective screen.

■ **Active Technology: technical filters for optimum protection.**



# Flash

## XXL WELDING

With its extra-wide field of vision, maximum optical quality, inside adjustment, ergonomic shape-memory headband and sporty design, FLASH is THE reference in welding helmets. Suitable for all welding work.

562 g

- + 98 x 87 mm extra-wide field of vision
- + All adjustments inside the hood
- + Ergonomic shape-memory headband
- + 4 independent sensors
- + Selection of welding shades and grinding position (shade 4)
- + Variable shades 5-8 / 9-13
- + Low battery signal & replaceable battery
- + Permanent UV and IR protection
- + Reaction time: 0.10 ms
- + Two-year warranty





**DOWNLOAD THE INSTRUCTIONS AND ADVICE ON USE AND MAINTENANCE**

**ELECTRO-OPTICAL FILTER** // **DIN**



All adjustments inside



5-8 / 9-13 filter

**Supplied with**

Protective bag  
Ref. BAGWELD



MODEL	REFERENCES	DESCRIPTION	EN STANDARDS
<b>FLASH</b>	FLASHV	Full electro-optical helmet with variable shades 5-8 / 9-13	EN379/EN175
	B9V	Electro-optical filter with variable shades 5-8 / 9-13	EN379
	COVFLASHEXT	118 x 136 mm outer protective screen	EN166
	COVFLASHINT	105 x 92 mm inner protective screen	EN166
	STWELD	Ergonomic shape-memory headband	CE
	BESM	Sweatband	CE
	BAGWELD	Protective bag	-



# Fusion+

## A COMBINATION OF PERFORMANCE, SAFETY AND STYLE

Inspired by the best assets of its predecessors, FUSION+ brings fantastic optical performance and greater comfort to the range. Suitable for all welding, FUSION+ is the very essence of innovation.

525 g

- + 4 independent sensors
- + 100 x 53 mm field of vision
- + **NEW** Ergonomic shape-memory headband
- + Selection of welding shades and grinding position (shade 4)
- + Variable shades 5-8 / 9-13
- + Reaction time: 0.10 ms
- + Low battery signal & replaceable battery
- + Permanent UV and IR protection
- + Two-year warranty



DOWNLOAD THE INSTRUCTIONS AND ADVICE ON USE AND MAINTENANCE

ELECTRO-OPTICAL FILTER



Selection of welding shades 5-8 / 9-13 + shade 4 (grinding)



Four independent sensors  
Field of vision: 100 x 53 mm

Supplied with

Protective bag  
Ref. BAGWELD



MODEL	REFERENCES	DESCRIPTION	EN STANDARDS
<b>FUSION+</b>	FUSV	Electro-optical helmet (complete) with variable shades 4 / 5-8 / 9-13	EN379/EN175
	B7VP	Electro-optical filter with variable shades 4 / 5-8 / 9-13	EN379
	COVFUSPEXT	115 x 104 mm outer protective screen	EN166
	COVFUSPINT	105 x 58 mm inner protective screen	EN166
	STWELD	Ergonomic shape-memory headband	CE
	BESM	Sweatband	CE
	BAGWELD	Protective bag	-




# Volt

## ROBUSTNESS, SAFETY AND STYLE

Suitable for MIG/MAG or TIG welding and grinding, VOLT is the ideal compromise between safety, protection and comfort. Available with an auto-darkening, variable shade filter and a comfortable 5 position headband, VOLT meets all the requirements of high performing, versatile welding protection.

480 g

- + Two independent sensors
- + Grinding feature (shade 4)
- + Welding shades 9-13
- + Variable shades 4 / 9-13
- + Adjustable sensitivity of the return to a clear state
- + Reaction time: 0.10 ms
- + Two-year warranty
- + Permanent UV and IR protection



Marine Brégeon - Gold medallist in the 2009 French welding championships and expert instructor.



**DOWNLOAD THE INSTRUCTIONS AND ADVICE ON USE AND MAINTENANCE**

**ELECTRO-OPTICAL FILTER** //



Filter 9-13 + shade 4 (grinding)



2 independent sensors

MODEL	REFERENCES	DESCRIPTION	EN STANDARDS
<b>VOLT</b>	VOLTV	Full electro-optical helmet with variable shade 4 / 9-13	EN379/EN175
	B6V	Electro-optical filter with variable shade 4 / 9-13	EN379
	COVFUSPEXT	115 x 104 mm outer protective screen	EN166
	COVOINT	102.5 x 42.3 mm inner protective screen	EN166
	STFUSP	Adjustable headband	CE
	BESM	Sweatband	CE

# BLOCUS

## PASSIVE FILTER HELMETS

The BLOCUS range offers passive filter helmets for every situation: with or without titling shield, with adjustable headband or hand-held.

- ✚ Titling shield headband goggles: **B105R**
- ✚ Hand-held mask with a fixed shield: **B100F**

**DIN**



392 g

**B100F**

Stop B100R when stock has run out.



479 g

**B105R**

MODEL	REFERENCES	DESCRIPTION	EN STANDARDS
<b>B105</b> Headband helmet	B105R	Goggles alone - titling shield - Screen size 105 x 50 mm	EN175
	ST3C	Adjustable headband (3 positions)	CC
	BESM	Sweatband	CC
<b>B100</b> Hand-held/handle mask	B100F	Shield alone - fixed shield - Screen size 105 x 50 mm or 110 x 90 mm	EN175
Guard screens	MI 10550	Clear 105 x 50 mm mineral screen (B105 and B100 line)	EN166
	CR39 10550	CR39 clear 105 x 50 mm anti-stick screen (B105 and B100 line)	EN166
	CR39 11090	CR39 clear 110 x 90 mm anti-stick screen (B100 line only)	EN166

The B100R and B100F models are available on request while stocks last.

## WELDING FILTERS FOR B105 AND B100

MODEL	REFERENCES	DESCRIPTION	EN STANDARDS
<b>WELDING FILTERS</b> B105 and B100 ranges (mineral)	MP09 10550	105 x 50 mm mineral lens - Welding shade 9	EN169
	MP10 10550	105 x 50 mm mineral lens - Welding shade 10	EN169
	MP11 10550	105 x 50 mm mineral lens - Welding shade 11	EN169
	MP12 10550	105 x 50 mm mineral lens - Welding shade 12	EN169
	MP13 10550	105 x 50 mm mineral lens - Welding shade 13	EN169





# PRESCRIPTION SPECTACLES







## **B808 II - V2**

*NO LIMITS ON COMFORT*

- TIPGRIP non-slip temples
- Comfortable non-slip bridge
- 2 sizes - 2 colours



**FASTER  
SIMPLER  
MORE RELIABLE**


Order directly  
on line from the webshop:

[www.bolle-safety-rx.com](http://www.bolle-safety-rx.com)



Model B808 II - V2, on page 89.

# PRESCRIPTION OFFER



Our line of protection with Bollé Safety prescription lenses benefits from the incomparable experience of a certified laboratory, as well as expert designers and technicians.

Carefully selected to bring you a wide choice of plastic and metal frames, it guarantees optimum protection.

The product line features various frames that can be fitted with 4 types of prescription lens (unifocal, bifocal, progressive or degressive) and three different lens materials (polycarbonate, CR39 or mineral glass).

## The prescription department

**The RX range of protective spectacles has a unique set price system.**

### ■ The price includes:

- frame and prescription lenses
- case, cleaning cloth and cord
- technical data leaflet
- certificate of compliance
- optician service

### ■ Optional:

- anti-glare coating
- **ZEN** coating against blue light
- **PLATINUM** coating
- photochromic
- tint
- UV 400 coating
- prism

**TA  
KING  
CARE  
OF YOUR  
EYES IS  
essential**

## How to order from the webshop:

### ■ Orders direct from the optician:

- Step 1:** choose the frame and have measurements taken at the optician's.
- Step 2:** entry and validation of the purchase order on the webshop by the optician.
- Step 3:** production of the equipment.
- Step 4:** the equipment is sent to the optician.
- Step 5:** the optician checks the frames and adapts them to the wearer's morphology.

### ■ Orders from a distributor:

- Step 1:** the optician and the company choose the safety eyewear depending on the job and the risks.
- Step 2:** each wearer goes to the optician to choose the frames and have measurements taken.
- Step 3:** the optician takes the measurements and enters the purchase order on the webshop.
- Step 4:** the dealer validates the purchase order on the webshop.
- Step 5:** production of the equipment.
- Step 6:** the optician receives the order and delivers the spectacles to the wearer.



# PRESCRIPTION SALES AIDS



## The tools available to you

To accompany you in the advice on and sale of our products, Bollé Safety has developed a set of high added value tools.



### WINDOW STICKERS

To be placed on your store door, this sign gives visibility and makes it possible to generate footfall in your point of sale.



### CASE

A true sales aid tool, this case includes the top 20 frames for safety spectacles (with demonstration lenses) the RX booklet and a window sticker. These samples are not for sale but are only used to take measurements.

Reminder: prescription lenses are assembled in a laboratory to comply with safety standards.

*Available under certain conditions.*



### PRESCRIPTION BROCHURE

It presents the prescription protection spectacles line, the assembly restrictions and the technical information about our lenses.



### COUNTER DISPLAY

Designed to convince users to protect their eyes, this display focuses on the main strengths of the RX line, any other model and a clear message that "Eye protection is essential".

To be placed on your desk or on the sales counter.

*On request*



### LENS BOOK

Practical, this display book presents all the Bollé Safety lens technology to your customers and helps them choose the lens they need *(on request and while stocks last)*.



**NOW YOU CAN  
PLACE YOUR ORDERS DIRECTLY  
AT THE BOLLÉ SAFETY WEBSHOP**

**FASTER  
EASIER  
MORE RELIABLE**

To find out more  
download our brochure from  
[www.bolle-safety-rx.com](http://www.bolle-safety-rx.com)




# HOW WE SEE



Vision begins when light rays enter the eye through the cornea, the first transparent tissue. Then, the rays pass through the pupil whose size varies according to the quantity of light that enters the eye.

The light rays then pass through the crystalline lens, which, by changing its shape, focuses the light rays on the retina.


The information then travels to the brain via the optic nerve, for interpretation.



## How we see


### Myopia (short-sightedness):

Short-sighted people can see close up but objects at a distance are blurred. This is because the image perceived by the eye is no longer projected perfectly on the retina but in front of it.




### Hypermetropia (long-sightedness):

Long-sighted people can see objects at a distance but those close up are blurred. This is because the image perceived by the eye is no longer projected perfectly on the retina but behind it.




### Astigmatism:

People with astigmatism have distorted vision at all distances. This condition is due to an abnormal curve of the cornea and/or crystalline lens.



### Presbyopia:

People with presbyopia have blurred near vision (for reading in particular) as, with time, the crystalline lens loses its elasticity and its ability to focus on images perceived.



# TYPES OF LENSES AND LENS MATERIALS



## TYPES OF CORRECTIVE LENS

### ■ Single vision lenses:

Called single vision, these lenses feature one correction for a given distance: myopia, hypermetropia and/or astigmatism. They are known as single vision because the optical power is the same for the entire lens.

### ■ Progressive or varifocal lenses:

Progressive lenses make it possible for people with presbyopia to see clearly at all distances. Long, intermediate and close-up vision are gradually spread over the entire lens height without any visible boundary. This lens is suitable for all activities and everyday wear.

### ■ Free Form lenses:

Digital Free Form is available for unifocal and progressive. It is customised to the wearer's activity profile and the frame parameters for perfect vision at all distances. This lens provides instant adaptation thanks to high resolution vision and optimum comfort. The wearer sees clearly in all directions thanks to a wide field of vision without distortion.

### ■ Degressive lenses:

The purpose of degressive lenses is first to correct near vision, then intermediate vision with decreasing power towards the top of the lens. Four fixed degressions are possible from 0.75, 1.25, 1.75 or 2.25 dioptre depending on the needs.

The lens's lower correction **allows the wearer to read (at 35 cm for example)** like a progressive lens. The degression power makes it possible **to see clearly at an intermediate distance**, on a screen for example. The more the wearer looks up, the clearer the distance view will be. Except for special cases, **this lens does not correct distance vision and is therefore not suitable for driving.**

### ■ Bifocal lenses:

Bifocal lenses are designed for people who require two prescriptions, one for **distance** and for **near vision**. The upper part of the lens corrects distance vision and the lower area corrects near vision.

## LENS MATERIAL

**These two materials are available for every model in our product line.**

### ■ Polycarbonate:

The main feature of polycarbonate is its **resistance to impact**. This lens is by far **the most resistant of all**. Polycarbonate is 10% thinner than glass and 15% thinner than plastic. But it is a soft plastic and is therefore easily scratched so an anti-scratch coating is applied as standard. This material is particularly **recommended for protection in the workplace**.

Polycarbonate provides the added advantage of absorbing all ultraviolet rays up to 380 nm (99.99%).

- Lens markings =  1F C€
- European standards EN166 - EN170 - EN172

### ■ CR39:

This is a plastic resin. Its advantages are **robustness**, 50% **lighter**, organic lenses are less likely to fog up and they absorb some ultra-violet rays. On the other hand, they scratch easily and to prevent this an anti-scratch coating is required. At equal power, they are thicker than mineral or polycarbonate lenses.

- Lens markings =  1S C€
- European standards EN166 - EN170 - EN172

# DISCOVER EXCELLENCE

## The new Bollé Safety offer



The very essence of innovation to provide your employees more comfort and meet your obligations.

**New stylish and sporty frames,**  
6 of which have ultra wrap-around fit  
(Base 7 and above!)

A selection of new metal, plastic or hybrid frames, all extremely comfortable!

### High performance coatings

Comfortable and protected eyes in all situations!

- **Anti-glare coating (AR)**
- **UV coating:** protects from UVA/UVB
- **BZEN coating:** blocks 20% of harmful blue light
- **PLATINUM® coating**

### Innovations to make all prescriptions more comfortable

#### FREE FORM TECHNOLOGY

- **Unifocal lenses** available in Free Form **NEW**
- **A choice of 2 Free Form lenses:**
  - **Arizona**, the lens with the right balance between close-up and long distance vision
  - **Colorado**, the “premium” combined with B-THIN ACTIVE DESIGN technology

#### B-THIN ACTIVE DESIGN

A technology that optimises the thickness and the weight: lenses up to 72% thinner and 45% lighter.



### BZEN Coating against blue light

B-Zen protective spectacles with blue light resistant coating filter 20% of harmful blue light.

They significantly reduce glare, visual discomfort, visual fatigue, itchy eyes and headaches when looking at a screen. They contribute to protecting eye health and employee working comfort. These protective spectacles are EN166 certified.

Assembly restrictions by lens type and material

<b>DESIGN (Base 4)</b>						
LENS TYPE	LENS MATERIAL	MIN. SPHERE	MAX. SPHERE	MAX. CYLINDER COMPARED WITH SPHERE:	MIN. ADDITION	MAX. ADDITION
Unifocal	POLYCARBONATE	-10	10	6	-	-
Unifocal Free Form	POLYCARBONATE	-10	10	5	-	-
Bifocal	POLYCARBONATE	-8	8	4	0.75	3.5
Arizona (Progressive Free Form)	POLYCARBONATE	-10	8	6	0.75	3.5
Colorado (Progressive Free Form +)	POLYCARBONATE	-10	8	5	0.75	3.5
Manhattan (Degressive)	POLYCARBONATE	-7	7	5	-	-
Unifocal	CR39	-8	8	6	-	-
Unifocal Free Form	CR39	-8	8	5	-	-
Bifocal	CR39	-6	6	4	0.75	3.5
Arizona (Progressive Free Form)	CR39	-8	8	5	0.75	3.5
Colorado (Progressive Free Form +)	CR39	-8	8	5	0.75	3.5
Manhattan (Degressive)	CR39	-6	6	4	-	-

<b>COMFORT (Base 6)</b>						
LENS TYPE	LENS MATERIAL	MIN. SPHERE	MAX. SPHERE	MAX. CYLINDER COMPARED WITH SPHERE:	MIN. ADDITION	MAX. ADDITION
Unifocal	POLYCARBONATE	-4	4	3	-	-
Unifocal Free Form	POLYCARBONATE	-8	5.5	5	-	-
Bifocal	POLYCARBONATE	-4	4	3	0.75	3.5
Arizona (Progressive Free Form)	POLYCARBONATE	-4	4	3	0.75	3.5
Colorado (Progressive Free Form +)	POLYCARBONATE	-8	5.5	5	0.75	3.5
Manhattan (Degressive)	POLYCARBONATE	-3	4	2.5	-	-
Unifocal	CR39	-4	4	3	-	-
Unifocal Free Form	CR39	-5	5	5	-	-
Bifocal	CR39	-4	4	3	0.75	3.5
Arizona (Progressive Free Form)	CR39	-4	4	3	0.75	3.5
Colorado (Progressive Free Form +)	CR39	-5	5	5	0.75	3.5
Manhattan (Degressive)	CR39	-2.5	4	2	-	-

<b>PERFORMANCE (Base 7 and ABOVE)</b>						
LENS TYPE	LENS MATERIAL	MIN. SPHERE	MAX. SPHERE	MAX. CYLINDER COMPARED WITH SPHERE:	MIN. ADDITION	MAX. ADDITION
Unifocal	POLYCARBONATE	-3.5	3.5	2.5	-	-
Unifocal Free Form	POLYCARBONATE	-6	7	5	-	-
Arizona (Progressive Free Form)	POLYCARBONATE	-3.5	3.5	2.5	0.75	3.5
Colorado (Progressive Free Form +)	POLYCARBONATE	-6	7	5	0.75	3.5
Unifocal	CR39	-3.5	3.5	2.5	-	-
Unifocal Free Form	CR39	-5	6	5	-	-
Arizona (Progressive Free Form)	CR39	-3.5	3.5	2.5	0.75	3.5
Colorado (Progressive Free Form +)	CR39	-5	6	5	0.75	3.5



# KICK & SPICY

SAFETY PRESCRIPTION GLASSES

INNOVATION  
2018

FASHIONABLE AND PROTECTIVE  
PRESCRIPTION GLASSES,  
IS THE SECRET OF PERFORMANCE

## KICK & SPICY: INNOVATION IMPOSES ITS STYLE

Discover the new ultra-trendy Bollé Safety prescription safety spectacles. Two exclusive and innovating new models on the safety market, available in an industry version and an office version, because our imagination has no limits when protecting the eyes at work!



**INDUSTRY VERSION** with built-in side shields for better impact resistance.



**OFFICE VERSION** without side shields with reinforced strength and only available with the B ZEN coating against blue light.

Kick and Spicy are exclusively available on our webshop on September 2018!  
For further information, contact us by email: [rxsafety@bolle-safety.com](mailto:rxsafety@bolle-safety.com)



KICK

SPICY

KICMBKO



KICK OFFICE

SPICY OFFICE

OFSPISLTO

[bolle-safety.com](http://bolle-safety.com)

**bolle**  
SAFETY

**TO SEE ALL THE EXCELLENCE FRAMES,  
ASK FOR THE EXCELLENCE BROCHURE!**

Available in 5 languages FR/EN/DE/ES/NL.



**AVAILABLE WITH:**

- Anti-glare coating
- Anti-glare from blue light **ZEN**
- **PLATINUM** coating
- Photochromic
- Shade
- UV 400 coating
- Prism

**B712**

**VERY MODERN FRAME**

CR39 and Polycarbonate lenses available.

31 g

- ✦ Upper and lower protection
- ✦ Fixed side shields
- ✦ Comfortable temples
- ✦ Adjustable pads



**Supplied with**

Hard case, microfibre cloth, cord



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B712</b> Metal/Chocolate	B712S	52/14	EN166 F C €	150 mm
	B712L	54/14	EN166 F C €	150 mm

Assembly restrictions: see page 84.

# B713

## ELEGANCE AND PROTECTION

CR39 and Polycarbonate lenses available.

Size S: 34 g  
Size L: 36 g

- ✦ Acetate temples
- ✦ In-built side shields
- ✦ Non-slip nose pads

**Supplied with**

Hard case, microfibre cloth, cord



★ EXCELLENCE

BASE  
4

MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B713</b> <i>Black/Stainless steel</i>	B713S	52/17	EN166 F C €	135 mm
	B713L	54/17	EN166 F C €	135 mm

Assembly restrictions: see page 84.

# B805

## AN ULTRA WRAP-AROUND FRAME SUITABLE FOR ALL TYPES OF PRESCRIPTIONS

CR39 and Polycarbonate lenses available.

25 g

- ✦ In-built side shields
- ✦ Adjustable tips
- ✦ Upper and lower protection
- ✦ Ideal frame for major corrections

**Supplied with**

Hard case, microfibre cloth, cord



★ EXCELLENCE

BASE  
4



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B805</b> <i>Grilamid / Light grey</i>	B805	54/18	EN166 F C €	140 mm

Assembly restrictions: see page 84.



# B806

★ EXCELLENCE

BASE  
4

**STYLE AND COMFORT:  
EASILY ADOPTED SAFETY**

24 g

CR39 and Polycarbonate lenses available.

- ✦ In-built side shields
- ✦ Fixed side shields
- ✦ Non-slip inserts
- ✦ Upper and lower protection
- ✦ Ideal frame for major corrections
- ✦ Also available in an aluminium version in the Classic line



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B806</b> <i>Grilamid / Black</i>	B806S	52/17	EN166 F C €	140 mm
	B806L	54/17	EN166 F C €	140 mm

Assembly restrictions: see page 84.

# B807

★ EXCELLENCE

BASE  
6

**NON-SLIP FRAME  
WITH REINFORCED PROTECTION**

31 g

CR39 and Polycarbonate lenses available.

- ✦ Side shields
- ✦ Non-slip bridge
- ✦ Upper and lower protection



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B807</b> <i>Grilamid / Black</i>	B807N	57/17	EN166 F C €	120 mm

Assembly restrictions: see page 84.

# B808 II - V2

★ EXCELLENCE

BASE  
4

## STYLISH AND UNIVERSAL

CR39 and Polycarbonate lenses available.

Size S: 27 g  
Size L: 29 g

- ✦ Side shields
- ✦ Polycarbonate frame
- ✦ 2 sizes - 2 colours
- ✦ Comfortable, TIPGRIP non-slip temples
- ✦ Comfortable non-slip bridge
- ✦ Ideal frame for major corrections

**Available**  
as non-prescription



**Supplied with**

Hard case,  
microfibre cloth,  
cord



MODEL	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B808 II - V2</b> Polycarbonate / Gunmetal	SMALL	B808BS	49/18	☞ EN166 F C ☞	130 mm
	LARGE	B808BL	54/17	☞ EN166 F C ☞	135 mm
<b>B808 II - V2</b> Polycarbonate / Dark Red	SMALL	B808RS	49/18	☞ EN166 F C ☞	130 mm
	LARGE	B808RL	54/17	☞ EN166 F C ☞	135 mm

Assembly restrictions: see page 84.

# HUSTLER RX

## DESIGN AT THE SERVICE OF PROTECTION

CR39 and Polycarbonate lenses available.

32 g

- ✦ Side shields
- ✦ Non-slip bridge
- ✦ Non-slip temples

**Available**  
as non-prescription

Minimum required pupil spacing: 31 mm



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>HUSTLER RX</b>	HUSTN	68/17	EN 166 F C €	120 mm

Assembly restrictions: see page 84.

# HARPER

## ULTRA WRAPAROUND AND SPORTY

CR39 and Polycarbonate lenses available.

27 g

- ✦ Sporty design
- ✦ Ultra-wraparound protection
- ✦ Comfortable, two-material coloured temples
- ✦ Adjustable non-slip bridge
- ✦ In-built side shields



MODEL	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>HARPER</b>	Green/grey temples	HARPGN	62/16	EN166 F C €	115 mm
	Blue/grey temples	HARPN	62/16	EN166 F C €	115 mm

Assembly restrictions: see page 84.



# BAXTER RX

★ EXCELLENCE

BASE  
8

## COMFORT AND INGENUITY

BAXTER, the alternative to the TRACKER model, offers total comfort thanks to its ultra wrap-around frame. With its waterproof foam and ingenious system for attaching the strap, BAXTER offers effective protection against sprays of solids and liquids, and against dust. CR39 and Polycarbonate lenses available.

49 g

- ✦ Increased protection
- ✦ Wrap-around frame
- ✦ Waterproof foam and removable strap
- ✦ In-built side shields

**Available**  
as non-prescription

Supplied  
with

Hard case,  
microfibre cloth,  
cord



Supplied  
with

Foam  
+ strap kit



Foam + strap kit also available as an option Ref. BAXKITFS



Attachment  
system



Images not contractually binding

MODEL	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>BAXTER RX</b> <i>Spectacle version</i>	Worn as spectacles	BAXN	63/18	EN166 F C€	122 mm
<b>BAXTER RX</b> <i>Strap version</i>	Worn with foam + strap	-	-	EN166 3 4 5 F C€	-
	Foam + strap only kit	BAXKITFS	-	EN166 3 4 5 C€	-

Assembly restrictions: see page 84.

The prescription spectacle line can have the anti-fog / anti-scratch coating.

PLATINUM® (P)

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Wash resistant (water or soap), this permanent coating applied on both sides of the lens makes it highly scratch-resistant and durably delays the appearance of fogging.

PLATINUM®

# CONTOUR RX

## WRAP-AROUND AND ULTRA-STRONG

CR39 and Polycarbonate lenses available.

23 g

- + Comfortable, straight temples
- + Side shields
- + Non-slip bridge
- + All-round vision



**Available**  
as non-prescription

Minimum required pupil spacing: 31 mm

**Supplied with**

Hard case, microfibre cloth, cord



★ EXCELLENCE

BASE  
8



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>CONTOUR RX</b> Gun metal	CONTN	68/16	EN166 F C C	121 mm

Assembly restrictions: see page 84.

# TRYON RX

## STYLE AND PERFORMANCE

CR39 and Polycarbonate lenses available.

25 g

- + Wrap-around frame
- + In-built side shields
- + Adjustable non-slip bridge
- + PC/TPR co-injected temples
- + FLEX 160° temples

**Available**  
as non-prescription



**NEW**

**Supplied with**

Hard case, microfibre cloth, cord



**Optional**

Strap kit  
Ref. RUSHKITS  
Retainer strap.



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>TRYON RX</b>	TRYON	61/18	EN 166 F C C	117 mm

Assembly restrictions: see page 84.



# B809

★ EXCELLENCE

BASE  
4

## DISCRETE AND EFFECTIVE

CR39 and Polycarbonate lenses available.

Size L: 31 g  
Size XL: 33 g

- ✦ In-built side shields
- ✦ Adjustable reinforced temples
- ✦ Non-slip bridge
- ✦ Fixed side shields
- ✦ Large model - 2 sizes: L and XL

**NEW**

Supplied  
with

Hard case,  
microfibre cloth,  
cord



MODEL	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B809</b>	Black temples - Large	B809BL	54/17	☞ EN166 F C €	127 mm
	Black temples - Extra large	B809BXL	57/17	☞ EN166 F C €	130 mm

Assembly restrictions: see page 84.



# KICK

**EFFECTIVE, MODERN AND COLOURED!**

CR39 and Polycarbonate lenses available.

28 g

- ✦ In-built side shields
- ✦ A choice of 3 colours
- ✦ Non-slip bridge

**NEW**



**Supplied with**

Hard case, microfibre cloth, cord



★ EXCELLENCE

BASE  
**4**



MODEL	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>KICK</b>	Black/Orange	KICMBKO	54/19	EN166 F C €	140 mm
	Dark tortoise	KICSDTO	54/19	EN166 F C €	140 mm
	Black/Grey	KICMBKGY	54/19	EN166 F C €	140 mm

Assembly restrictions: see page 84.

# SPICY

**EFFECTIVE, MODERN AND COLOURED!**

CR39 and Polycarbonate lenses available.

29 g

- ✦ In-built side shields
- ✦ A choice of 3 colours
- ✦ Non-slip bridge

**NEW**

**Supplied with**

Hard case, microfibre cloth, cord



★ EXCELLENCE

BASE  
**4**



MODEL	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>SPICY</b>	Light brown tortoise	SPISLTO	53/19	EN166 F C €	138 mm
	Black/green	SPISBKGN	53/19	EN166 F C €	138 mm
	Black/blue	SPIMBKB	53/19	EN166 F C €	138 mm

Assembly restrictions: see page 84.

## KICK OFFICE

**EFFECTIVE, MODERN AND COLOURED!**

CR39 and Polycarbonate lenses available.

26 g

- ✦ Frame without side shields
- ✦ Non-slip bridge
- ✦ Only available with the **BZEN** coating against blue light

### BZEN

Safety spectacles with B-Zen blue light resistant coating that filters 20% of harmful blue light. They significantly reduce glare, visual discomfort, visual fatigue, itchy eyes and headaches when looking at a screen. They contribute to protecting eye health and employee working comfort.

**NEW**

Supplied with

Hard case, microfibre cloth, cord



★ EXCELLENCE OFFICE

BASE  
4



MODEL	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>KICK OFFICE</b>	■ Black/Grey	OFKICMBKGY	54/19	EN166 S C €	140 mm

Assembly restrictions: see page 84.

## SPICY OFFICE

**EFFECTIVE, MODERN AND COLOURED!**

CR39 and Polycarbonate lenses available.

27 g

- ✦ Frame without side shields
- ✦ Non-slip bridge
- ✦ Only available with the **BZEN** coating against blue light

### BZEN

Safety spectacles with B-Zen blue light resistant coating that filters 20% of harmful blue light. They significantly reduce glare, visual discomfort, visual fatigue, itchy eyes and headaches when looking at a screen. They contribute to protecting eye health and employee working comfort.

Supplied with

Hard case, microfibre cloth, cord



★ EXCELLENCE OFFICE

BASE  
4



**NEW**

MODEL	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>SPICY OFFICE</b>	■ Light brown tortoise	OFSPISLTO	53/19	EN166 S C €	138 mm

Assembly restrictions: see page 84.

# CLASSIC



**B806 ALU**



**B707**



**B708**



**B709**



**B710**



**B711**



**BOSS**



**PREMIUM**



**MACRO**



**SLIDE**



**URBAN**



**TWISTER**



**TRACKER RX**



## AVAILABLE WITH:

- Anti-glare coating
- PLATINUM® coating
- Photochromic
- Shade
- UV 400 coating
- Prism

## B806 ALU

### THE SUCCESS OF THE B806 IN REINFORCED ALUMINIUM

CR39 and Polycarbonate lenses available.

30 g

- ✦ Aluminium frame
- ✦ Adjustable pads
- ✦ Upper and lower protection
- ✦ Also available in plastic

Supplied with

Hard case, microfibre cloth, cord



## CLASSIC

BASE  
4



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B806 ALU</b> Aluminium / Smoke	B806ALU	54/17	EN166 F C €	132 mm

Assembly restrictions: sphere max. power +8/-8. Max. cylinder compared with sphere: +/-6.



# B707

## FLEXIBLE AND STYLISH FRAME

CR39, Polycarbonate and Toughened glass lenses available.

20 g

- ✦ Upper and lower protection
- ✦ Adjustable tips
- ✦ Fixed side shields
- ✦ Adjustable pads

**Supplied with**

Hard case, microfibre cloth, cord



**CLASSIC**

BASE  
**4**



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B707</b> Metal/Blue	B707S	51/18	EN166 F C €	140 mm
	B707L	53/18	EN166 F C €	140 mm

Assembly restrictions: sphere max. power +8/-8. Max. cylinder compared with sphere: +/-6.

# B708

## THE TIMELESS AVIATOR FRAME AT THE SERVICE OF SAFETY

CR39, Polycarbonate and Mineral lenses available.

19 g

- ✦ Upper and lower protection
- ✦ Adjustable tips
- ✦ Fixed side shields
- ✦ Adjustable pads
- ✦ Ideal frame for major corrections

**Supplied with**

Hard case, microfibre cloth, cord



**CLASSIC**

BASE  
**4**



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B708</b> Metal/Bronze	B708S	52/18	EN166 F C €	140 mm
	B708L	54/18	EN166 F C €	140 mm

Assembly restrictions: sphere max. power +8/-8. Max. cylinder compared with sphere: +/-6.

# B709

## SIMPLICITY AND PROTECTION WITH A CURVED DESIGN

CR39, Polycarbonate and mineral lenses available.

19 g

- ✦ Upper and lower protection
- ✦ Adjustable tips
- ✦ Fixed side shields
- ✦ Adjustable pads



## CLASSIC

BASE  
**4**



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B709</b> <i>Metal/Gun Metal</i>	B709S	51/20	EN166 F C €	140 mm
	B709L	53/20	EN166 F C €	140 mm

Assembly restrictions: sphere max. power +8/-8. Max. cylinder compared with sphere: +/-6.

# B710

## SIMPLE DESIGN FOR AN ADJUSTABLE FRAME

CR39, Polycarbonate and Toughened glass lenses available.

17 g

- ✦ Upper and lower protection
- ✦ Adjustable tips
- ✦ Fixed side shields
- ✦ Adjustable pads



## CLASSIC

BASE  
**4**



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B710</b> <i>Metal/Gun Metal</i>	B710S	50/19	EN166 F C €	140 mm
	B710L	52/19	EN166 F C €	140 mm

Assembly restrictions: sphere max. power +8/-8. Max. cylinder compared with sphere: +/-6.

# B711

## FRAME ADAPTED TO PANORAMIC GOGGLES

CR39, Polycarbonate and mineral lenses available.

18 g

- + spectacles for panoramic goggles
- + Flexible tip temples
- + Flat temples
- + Flex temples
- + Adjustable non-slip pads

Supplied with

Hard case, microfibre cloth, cord



**CLASSIC**

BASE  
**4**



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B711</b> <i>Metal/Gun Metal</i>	B711	48/21	CE	147 mm

Assembly restrictions: sphere max. power +8/-8. Max. cylinder compared with sphere: +/-6.

# BOSS

## CLOSE-UP PROTECTION

CR39 and Polycarbonate lenses available.

30 g

- + Side shields
- + Non-slip bridge
- + Upper and lower protection

Available in the non prescription safety spectacles range

Supplied with

Hard case, microfibre cloth, cord



**CLASSIC**

BASE  
**6**



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>BOSS</b> <i>Grilamid / Translucent grey</i>	BOSSN	55/21	EN166 F CE	125 mm

Assembly restrictions: sphere max. power +4/-4. Max. cylinder compared with sphere: +/-3.



**PREMIUM**

**A WRAP-AROUND PROTECTIVE FRAME**

CR39 and Polycarbonate lenses available.

26 g

- +** In-built side shields
- +** Upper and lower protection

**Supplied with**

Hard case, microfibre cloth, cord



**CLASSIC**

BASE  
**6**



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>PREMIUM</b> <i>PC + Polyamide / Translucent blue grey</i>	PREN	60/14	EN166 F C €	140 mm

Assembly restrictions: sphere max. power +4/-4. Max. cylinder compared with sphere: +/-3.

**MACRO**

**TRENDY DESIGN AND PIVOTING TEMPLES TO ADAPT THE COVERING SURFACE OF THE SPECTACLES**

CR39, Polycarbonate and Toughened glass lenses available.

19 g

- +** In-built side shields
- +** Pivoting temples
- +** Upper protection

**Supplied with**

Hard case, microfibre cloth, cord



**CLASSIC**

BASE  
**6**



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>MACRO</b> <i>Acetate / Translucent blue grey</i>	MACN	54/18	EN166 F C €	140 mm

Assembly restrictions: sphere max. power +6/-6. Max. cylinder compared with sphere: +/-3.

## SLIDE

### SPORTY AND MODULAR

CR39 and Polycarbonate lenses available.

30 g

- ✦ In-built side shields
- ✦ Comfortable, twin-material, non-slip temples
- ✦ Upper and lower protection

Supplied with

Hard case, microfibre cloth, cord



**CLASSIC**

BASE  
**6**

MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>SLIDE</b> <i>Nylon / Grilamid grey</i>	SLIDN	57/21	EN166 F C €	127 mm

Assembly restrictions: sphere max. power +6/-6. Max. cylinder compared with sphere: +/-3.

## URBAN

### INNOVATIVE, EASY-TO-WEAR, SPORTY

CR39 and Polycarbonate lenses available.

30 g

- ✦ In-built side shields
- ✦ Comfortable, twin-material, non-slip temples
- ✦ Upper and lower protection

Supplied with

Hard case, microfibre cloth, cord



**CLASSIC**

BASE  
**6**

MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>URBAN</b> <i>Nylon / Grilamid grey</i>	URBN	55/20	EN166 F C €	115 mm

Assembly restrictions: sphere max. power +6/-6. Max. cylinder compared with sphere: +/-3.

# TWISTER

## ULTIMATE PROTECTION

Polycarbonate lenses available.

- ✦ Upper and lower protection
- ✦ Interchangeable foam
- ✦ Adjustable strap

47 g



**Supplied with**

Hard case, microfibre cloth, cord



**CLASSIC**

BASE  
**6**

MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>TWISTER</b> Gun metal	TWISTN	56/26	☞ EN 166 F C€ (temple version) ☞ EN 166 3 F C€ (strap version)	117 mm

Assembly restrictions: sphere max. power +6/-6. Max. cylinder compared with sphere: +/-4.

# TRACKER RX

## TRACKER VERSION RX

CR39 and Polycarbonate lenses available.  
Unifocal and progressive lenses on optical insert only.

- ✦ Upper and lower protection
- ✦ Interchangeable foam
- ✦ Adjustable strap
- ✦ Optical insert

52 g



Available in the non prescription safety spectacles range

**Supplied with**

Hard case, microfibre cloth, cord



**Available**  
as non-prescription

**Supplied with**

Optical insert  
Ref. SOSTRACKER



MODEL	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>TRACKER RX</b> Grilamid / Black	TRACKERRX	SPECTACLES: 74/20 INSERT: 45/28	☞ EN 166 FT C€ (temple version) ☞ EN 166 3 4 BT C€ (strap version)	117 mm

Assembly restrictions: sphere max. power +4/-4. Max. cylinder compared with sphere: +/-3.



# ACCESSORIES & COMMUNICATION



## CASES AND CORDS

Bolle Safety has designed a complete range of practical accessories to protect and take care of your spectacles, goggles and face shields.



**ETUIS**  
Spring-top polyester pouch.



**ETUIC**  
Flexible polyester pouch with a belt loop.



**ETUIB**  
Case with belt clip and loop.



**ETUICR**  
Semi-rigid polyester case with belt loop.



**ETUIL**  
Microfibre pouch for all models of goggles. Available in packs of 10. Belt clip and loop.




**ETUIFS**  
Microfibre pouch, compatible with all models of spectacles. Available in packs of 10. Belt clip and loop.



**BAGWELD**  
Protective bag for welding helmet and facial shield




**RUSHKITS** (soon ref.STRAP)  
Adjustable retainer strap compatible with several models (RUSH+, SLAM+, TRYON, ULTIM8...).



**CORD**  
Black polyester cord. Available in bags of 10.



**CORDC**  
Conventional adjustable cord, TPE tips, 100 % polyester Available in bags of 10.



**CORDS**  
"Sporty" adjustable cord, TPE tips, 100% polyester Available in bags of 10.

## CLEANING SOLUTIONS

Certified by the COLTS laboratory, B-Clean, the Bollé Safety range of cleaning solutions, guarantees perfect cleaning. Alcohol and silicone free, its water-based formula guarantees a perfect cleaning and protection for your spectacles and goggles.

- + Anti-bacterial, anti-static, anti-glare
- + Water-based formula
- + Alcohol and silicone free
- + Certified by COLTS laboratory
- + For all types of lenses



### B100

Dispenser with 100 impregnated anti-bacteria, anti-static, anti-glare wipes



### B500

Dispenser with 500 impregnated anti-bacteria, anti-static, anti-glare wipes

### B410

Cardboard wall dispenser, anti bacterial, anti-static, anti-glare cleaning spray 250 ml + 2 x 200 tissues.

### B401

Box of 200 multi-purpose tissues.

### B411

Anti-bacterial, anti-static, anti-glare cleaning spray, 250 ml

### B412

Anti-bacterial, anti-static, anti-glare spray 50 ml.

### B402

Anti-bacteria anti-static, anti-glare cleaning spray, 500 ml



## ANTI-FOG SOLUTIONS

Specially developed to combat the appearance of fogging, the new B-Clean Fog-Killer line guarantees your eye protection will be used to its best.



### B200

Anti-fog kit  
30 ml anti-fog solution spray  
+ 1 microfibre cloth  
(all types of lens except anti-glare).  
Available as 10 units in  
a display case.

### FK12

Dispenser containing 12  
fabric wipes impregnated  
with 80% anti-fog solution.  
For all types of lens  
(including anti-glare)



For all types  
of lens  
(including  
anti-glare)



### B250

Anti-fog spray 500ml  
(all lenses except  
anti-glare).

## DISPENSER

A dispenser to kit out the workplace.



**NEW**

### B600

The B600 is a plastic dispenser containing 2 boxes  
of 200 multi-purpose wipes and a 500ml cleaner  
spray (anti-bacterial, anti-static, anti-glare). It can be  
fitted to the wall or stood on a surface.





# DISPLAY CASES

Bollé Safety provides a set of marketing and communication tools.  
Offer subject to conditions, on request and while stocks last.

## NEW COLLECTION



**Self-service cardboard display for 60 products**

Ref. DISP60  
L 500 mm x D 500 mm x H 1898 mm  
Available under certain conditions.



**Self-service display for 60 products**

Ref. DISP60P  
L 450 mm x D 420 mm x H 1793 mm  
Available under certain conditions.



**Self-service display for 120 products**

Ref. DISP120P  
L 500 mm x D 500 mm x H 1800 mm  
Available under certain conditions.

**Case for 20 pairs of spectacles and an A4 format brochure or a catalogue**

Ref. SAFETYCASE



**Display for 12 products (8 spectacles, 4 goggles)**

Ref. DISP12  
L 260 mm x D 260 mm x H 605 mm  
Available under certain conditions.

**Display for 5 pairs of spectacles**

Ref. DISP5  
L 352 mm x D 150 mm x H 482 mm  
Available under certain conditions.



**Case containing the full RX line for demonstration and measurement taking**

Ref. SAFETYCASERX  
Available under certain conditions.

## PACKAGING

New packaging: better visibility and more practical



**Bag for spectacles and goggles**



**Storage box**

## MERCHANDISING

Create your Bollé Safety area with our available on demand kits

### POS KIT 1



**Floor sticker sign 50 x 25 cm**



**Price labels 21 x 3.9 cm**  
2 models: spectacles and goggles  
Front in French / Back in English

**Shelving sign Ø 15 cm**



### POS KIT 3



**Magnetic façade sign 100 x 50 cm**

### POS KIT 2

**Kakemono to hang with a magnetic arm**  
80 x 20 cm  
Available in French (KITPLV2) or English (KITPLV2GB).



## DOCUMENTATION



### Brochure dedicated to lens technologies.

Indoor, outdoor or both, discover the specific characteristics of Bollé Safety coatings.



### Hybrid range brochure

Half-spectacles, half-goggles, Bollé Safety has developed a range of hybrid spectacles with ideal protection from liquids, gases, dust and more.



### Training booklet

60 pages to learn about the current standards and effectively protect your eyes from environmental hazards.  
Available on request:  
[marketing@bolle-safety.com](mailto:marketing@bolle-safety.com)



### Excellence brochure

Focus on the Prescription line!  
Find all the key information on the Excellence range: new frames and innovating technologies.

# COMMUNICATION

Raise the awareness of your users with our supports available on request.

Corporate and safety posters 40 x 60 cm



Press releases




**bolle** bolle

Pre-cut adhesive letters in black or white  
43 x 155 mm / 113 x 420 mm / 830 x 240 mm



# HOW TO CARE FOR AND CLEAN YOUR EYE PROTECTION ?

**bolle**  
SAFETY



## DO's



You must place the glasses under cold water before any washing in order to remove any dust



Clean the lenses softly with our **clean** cleansing solutions or impregnated wipes



Use a clean microfibre soft cloth to dry the lenses



Always carry and store your spectacles in their protective case/pouch.



Spectacles or face shields which are scratched or whose frame is damaged must be replaced.

## DON'Ts




Never use hot water which can alter/damage the coatings (antireflective, anti-fog...)



Never use your clothes, fingers or general purpose tissues to clean lenses



Do not clean with any solvent, detergent or alcohol based cleaning product



Do not place your glasses with the lenses facing downward



Browse through our Tactical catalogue!

# BOLLÉ TACTICAL

## PERFORMANCE AT THE SERVICE OF DEFENCE

Bollé has been pursuing the same single objective for more than a hundred years: to detect all possible work environment risks and provide tangible technological solutions and specifically targeted coatings, that comply with the most stringent international standards.

Renowned as the eyewear protection specialist for sun, sport and industry, Bollé has developed a broad ballistic product range branded Bollé Tactical.

Designed, tested and certified to comply perfectly with the STANAG 2920 and 4996 standards, and also with the American standard ANSI Z87.1-2010 (high resistance to extreme impacts). It also meets ballistics standards GL-PD 10-12 and MIL-PRF-31013 defined by the United States Department of Defense.



X810



COMBAT



SWAT





**bolle**  
SAFETY

***SELECTION GUIDE  
CHOOSE YOUR EYEWEAR  
AT A GLANCE!***

**INNOVATIVE VISION**






# QUICK SEARCH!

Find at a glance the models available for outdoor or mixed use, specific models for welding and also safety goggles.

## SMOKE EYEWEAR







	MODEL	REFERENCES	TECHNO	PAGE
	<b>AXIS</b>	AXPSF	ASAF	<b>P 32</b>
	<b>BANDIDO</b>	BANPSF	ASAF	<b>P 40</b>
	<b>BAXTER</b>	BAXPSF		<b>P 44</b>
	<b>CHOPPER</b>	CHOPSF	ASAF	<b>P 40</b>
	<b>COBRA</b>	COBPSF		<b>P 30</b>
	<b>CONTOUR</b>	CONTPSF CONTPOL	 	<b>P 34</b>
	<b>CONTOUR METAL</b>	CONTMPSF	ASAF	<b>P 34</b>
	<b>HUSTLER</b>	HUSTPSF HUSTPOL HUSTFLASH		<b>P 35</b>
	<b>IRI-s</b>	IRIPSF		<b>P 25</b>
	<b>MAMBA</b>	MAMPSF	ASAF	<b>P 32</b>
	<b>NESS</b>	NESSPSF	ASAF	<b>P 47</b>
	<b>NESS+</b>	NESSPPSF		<b>P 47</b>
	<b>PRISM</b>	PRIPSF	ASAF	<b>P 39</b>
	<b>RUSH</b>	RUSHPSF	ASAF	<b>P 37</b>

	MODEL	REFERENCES	TECHNO	PAGE
	<b>RUSH+</b>	RUSHPPSF RUSHPPSFY		<b>P 26</b>
	<b>SILIUM</b>	SILPSF	ASAF	<b>P 33</b>
	<b>SILIUM+</b>	SILPPSF		<b>P 33</b>
	<b>SLAM</b>	SLAPSF	ASAF	<b>P 38</b>
	<b>SLAM+</b>	SLAPPSF		<b>P 39</b>
	<b>SOLIS</b>	SOLIPSF SOLIPOL SOLIFLASH		<b>P 36</b>
	<b>SPIDER</b>	SPIFLASH	ASAF	<b>P 36</b>
	<b>SUPER NYLSUN</b>	SNPF SNPG	ASAF	<b>P 41</b>
	<b>TRACKER</b>	TRACPSF		<b>P 45</b>
	<b>TRYON</b>	TRYOPSF TRYOFLASH		<b>P 46</b>
	<b>UNIVERSAL</b>	UNIPSF	ASAF	<b>P 37</b>
	<b>VIPER</b>	VIPSF	ASAF	<b>P 41</b>
	<b>VOODOO</b>	VODNPSF VODBPOL VODBPSB		<b>P 35</b>













## SAFETY GOGGLES

	MODEL	REFERENCES	TECHNO	PAGE
	<b>BAXTER</b>	BAXPSI BAXCSP BAXPSF	➤	P 44
	<b>COBRA (hybrid version)</b>	COBFSPSI	➤	P 53
	<b>COBRA TPR</b>	COBTPRPSI	➤	P 53
	<b>RUSH+</b>	RUSHPFSPSI	➤	P 26
	<b>TRACKER</b>	TRACPSI TRACPSF TRACPSJ	➤	P 45
	<b>ULTIM8</b>	ULTIPSI	➤	P 62

## WELDING SPECTACLES

	MODEL	REFERENCES	TINT	PAGE
	<b>BANDIDO</b>	BANWPCC5	5	P 40
	<b>COBRA</b>	COBWPC5	5	P 30
	<b>SLAM</b>	SLAWPCC2 SLAWPCC3 SLAWPCC5	1.7 3 5	P 38
	<b>SQUALE</b>	SQUWPCC5	5	P 48
	<b>TRACKER</b>	TRACWPCC2 TRACWPCC3 TRACWPCC5	1.7 3 5	P 45

## INDOOR/OUTDOOR SPECTACLES

	MODEL	REFERENCES	TECHNO	PAGE
	<b>BANDIDO</b>	BANESP	b ESP	P 40
	<b>BAXTER</b>	BAXCSP	➤ b CSP	P 44
	<b>COBRA</b>	COBESP COBCSP	➤ b ESP b CSP	P 30
	<b>CONTOUR</b>	CONTESP	b ESP	P 34
	<b>CONTOUR METAL</b>	CONTMESP	b ESP	P 34
	<b>NESS+</b>	NESSPCSP	➤ b CSP	P 47
	<b>RUSH+</b>	RUSHPCSP	➤ b CSP	P 26
	<b>SILIUM+</b>	SILPCSP	➤ b CSP	P 33
	<b>SLAM</b>	SLAESP	b ESP	P 38
	<b>SLAM+</b>	SLAPCSP	➤ b CSP	P 39
	<b>SPIDER</b>	SPIESP	b ESP	P 36
	<b>TRYON</b>	TRYOCSP	➤ b CSP	P 46



### **Europe / Bollé Safety**

34, rue de la Soie  
69100 Villeurbanne - France  
Tel.: 00 33 (0)4 78 85 23 64  
Fax: 00 33 (0)4 78 85 28 56  
E-mail: [contact@bolle-safety.com](mailto:contact@bolle-safety.com)

### **UK & Ireland / Bollé Safety**

Unit C83 - Barwell Business Park  
Leatherhead Road - Chessington  
Surrey - KT9 2NY  
Tel.: 00 44 (0)208 391 4700  
Fax: 00 44 (0)208 391 4733  
E-mail: [sales@bolle-safety.co.uk](mailto:sales@bolle-safety.co.uk)

**[bolle-safety.com](http://bolle-safety.com)**

**Recommended price: 2.50€**

**empreint® conseil rcs 444 486 667 682** - Photos: Frédéric BOURCIER Fotolia - Images not contractually binding - Acknowledgements: Novapex, Fontanel, JG Aviation, Manitowoc Crane Moulins France (03), Mairins pompiers de Marseille.  
All rights reserved. The texts, images and graphics are subject to copyright. The contents of this publication may not be copied, distributed or altered for commercial purposes without the written permission of Bollé Safety.



3 660740 006679