



Cut protection

# KRYTECH 615

High risk - ISO D



CUT PROTECTION  
**LEVEL D**



4X43D

CATEGORY 2



ISO 13997:

20

DEXTERITY

EN ISO 21420:  
5/5



High cut protection without any compromise on comfort and dexterity. Usable with touch screens.

## SPECIFIC ADVANTAGES



### Cut protection

- High cut protection without any compromise on comfort, dexterity and breathability. Usable with touch screens.



### Comfort

- A seamless plaited glove for very good fit, dexterity and flexibility.



### Durability

- Optimal durability that offers better productivity and optimizes your costs



### Skin protection

- Free of harmful substances: OEKO-TEX® STANDARD 100



### Suitable for touchscreen

- Can be used with touch devices & touch screen (thumb & index)



### Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting



### Washability

- Washable up to 3 times at 60°C, allowing to extend glove lifespan, reduce costs and waste.



### Practical

- Cut level easy to identify thanks to the marking on the back of the glove.



### Care for the environment

- 130 gr CO<sub>2</sub> of carbon footprint reduction (1)
- Recycled material in the glove: 25 %
- Recycled material in the liner: 27 %
- Optimised individual packaging to limit plastic waste
- Recycled material in the packaging: 30 %

## INDUSTRIES

- Automotive/mechanical industry
- Construction Industry (Carpenters/Joiners)
- Construction Industry (Metalworkers/Locksmiths)
- Glass industry
- Industrial equipment / Metal transformation

## APPLICATIONS

- Handling and installing metal structures
- Installing steel structures
- Handling glass sheets
- Mechanical maintenance
- Maintenance with cut risk
- Handling of thick metal sheets
- Assembly of thin metal sheets
- Cutting aluminium strips

Edit 21/03/2026

MAPA SAS capital de 35.000.010 €  
420, rue d'Estienne d'Orves  
92705 Colombes Cedex France  
RCS Nanterre 314 307 720

mapa-pro.com

**MAPA**  
PROFESSIONAL




Cut protection

# KRYTECH 615

High risk - ISO D

## LEGENDS



## PRODUCT DETAILS

|   |   |
|---|---|
| Interior finish   | Seamless textile support from HDPE fibres |
| Gauge   | 13  |
| Exterior finish   | Ventilated back                           |
| Cuff characteristic   | Knitted Cuff                              |
| Colour.s  | Black Grey                                |
| European sizes  | 6 7 8 9 10 11                             |
| Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)  | 1.0E+10 Ω                                 |
| Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity) | 2.9E+9 Ω                                  |

## LOGISTIC DETAILS

|           |   |
|-----------|---|
| Packaging | 1 pair/bag<br>12 pairs/bag<br>48 pairs/carton |
|-----------|---|

## LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/04/18/0697
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

(1) Measurement based on life cycle analysis, carried out by Glimpact, an independent third party, according to the European PEF method adopted by European Commission, based a pair of cut D polyurethane gloves.

Edit 21/03/2026