



CRYOGENIC REF. 2058685



# **SPERIAN**

## GENERAL DATA

**Division**: Body Protection Family: Protective Gloves Range: Specific Protection

Brand formerly known as: PERFECT FIT

**Business Countries** 

**EMEA** 

United Kingdom
Middle East
Activity Domains:

Chemical Industries • Petro-chemical

### Product Use:

Protection against small splashes of liquid gas up to - 170°C.

## PRODUCT ADVANTAGES

#### Feature:

Water-repellent silicone cowhide grain leather glove.

Fully lined with 2 aluminium/fleece layers.

Gunn cut, winged thumb, crispin type.

Reinforcement between thumb and index.

200 mm split leather cuff.

Velcro adjustment strap on side of the palm.

Thickness leather only 1.1/1.3 mm.

## Benefit:

### Comfort

The US assembly, the winged thumb and flexibility of the materials used make this glove anatomical, thus providing excellent comfort.

The Velcro fastening tab gives the glove good support.

### Resistance

The silicone cowhide grain leather ensures good flexibility, even at a low temperature as well as water repellence and good mechanical protection.

Its polar double insulation offers outstanding protection against the cold and rays.

The reinforcement between the thumb and index finger increases the glove's mechanical resistance and durability by strengthening the areas of wear.

### Hygiene

The hide cuff offers good forearm protection against mechanical hazards and limits any risk of intrusion.



## TECHNICAL DESCRIPTION

## Description:

Water-repellent silicone cowhide grain leather glove.

Fully lined with 2 aluminium/fleece layers.

Gunn cut, winged thumb, crispin type.

Reinforcement between thumb and index.

200 mm split leather cuff.

Velcro adjustment strap on side of the palm.

## **Product Technology:**

Cut and Sewn

Thickness:

leather only 1.1/1.3 mm

Harmlessness:

In conformity with the European standards.

Dexterity:

Class 4

Size:

EN 388 - Mechanical hazards

Abrasion resistance: 3 Cutting resistance: 2 Tear resistance: 2 Perforation resistance: 2

### **EN 511 - Protection in cold temperatures**

Resistance to conductive cold: 2 Resistance to contact cold: 2 Water permeability: 0

# ADDITIONAL INFORMATION

### Care Instruction:

In order to keep its properties, this article should not be cleaned.

User manual number :

## CERTIFICATION AND CONFORMITY

### **European Directives:**

89/686/EEC

EC Category PPE\* : Category II

Standards:

EN 388 / EN 511 / EN 420

Tagging: CE SPERIAN 20 586 85 9 EN 388: 3222

EN 511: 220

**EC Attestation Number:** 

0072/003/162/07/01/0104

Laboratory:

CENTRE TECHNIQUE DU CUIR

\*PPE: Personal Protective Equipment



## EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Sperian Protection Europe

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: CRYOGENIC Reference: 2058685

Standard(s): EN 388 EN 511 EN 420

### This PPE is the object of the above EC attestation type:

0072/003/162/07/01/0104

## Delivered by:

CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 Lyon Cedex 07 France

Made at Roissy, on the 06/06/2007

Bv:

**Division:** Body Protection