

SHOWA B0500B

Designed for precision and cleanliness, the B0500B general purpose glove features a snug-fit to maximize sensitivity and control. A permeable coating and breathable back of the hand reduces perspiration, and the seamless liner prevents irritation. Elasticated, low-lint construction is resistant to deformation and preserves the fit of the glove.



BENEFITS

- Form-fitting
- Breathable
- Seamless knit
- Lightweight
- Increased sensitivity
- Latex-free
- Abrasion-resistant

FEATURES

- Polyurethane coating
- Elasticated wrist cuff
- Smooth grip

NORMS & CERTIFICATES

Cat II



EN
388:2016+A1:2018



3131X

INDUSTRIES



Aerospace



Automotive



Manufacturing



Mechanical



Mining

HAZARDS



General Purpose

TRADES & APPLICATIONS

- Intricate parts handling
- Mechanical and engineering
- Component Assembly
- Mounting and dismantling
- HVAC

GET IN TOUCH

SHOWA International B.V. | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2025 | All rights reserved

PACKAGING

- Pair per polybag: 10
- Polybags per case: 24
- Pair per case: 240

LENGTH

210 - 265mm

COATING

- Polyurethane

SIZES

6/S | 7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Black
- Grey

MATERIAL

- Nylon
- Seamless knit

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA Interntional B.V. | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2025 | All rights reserved