



PRODUCT NUMBER: 2232233
POLYTRIL™ MIX

Honeywell

Overview

Reference Number

2232233

Product Type

Gloves

Range

General purpose

Line

Heavy handling

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Energy or Electricity
- Iron and steel industry
- Maintenance
- Metal steel
- Mining and Quarrying
- Petro-chemical
- Services
- Ship Building
- Telecoms
- Transportation
- Utilities
- Water treatment
- Wood Industries

Product Use

Handling heavy and sharp objects in a greasy, damp and/or dirty environment. General handling in building and public works, steelworks and metallurgy.

Features & Benefits

Feature

Black polyamide/cotton knitted glove. Rough black nitrile coating on palm and fingers. Gauge 10. Length : 25,5 cm.

Benefit

Comfort The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. The glove offers maximum comfort and added sturdiness. The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch. The ventilated back optimises the glove's breathability. The knitted and elasticated wrist gives the glove good support. **Resistance** The cotton polyamide thread offers excellent comfort and provides the glove with

effective properties against cuts. The nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils. Hygiene Its black colour makes it more soilproof, thus ensuring a longer last.

Technical Description

Description

CE CATEGORY : II Intermediary risks In accordance with standards: EN 420-03 Basic standards EN 388-03 Mechanical hazards CHARACTERISTICS : Black polyamide/cotton knitted glove. Rough black nitrile coating on palm and fingers.

Product Technology

Knitted Coated

Gauge

10

Length

25,5 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

6 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance	2
Tear resistance	3
Puncture resistance	2

Packaging Label

Tagging

CE Honeywell

2232233 XX

EN 420

EN 388 : 4232

Certifications

 E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

N°0075/797/162/01/08/0009

EC Attestation

 EC Attestation

EC Attestation Number

N°0075/797/162/01/08/0009

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety.

© Honeywell International Inc.