

# Emperor

## DESCRIPTION

- Industrial protective glove.
- Unsupported natural rubber latex glove.
- 4 sizes available : 7.5, 8.5, 9.5 and 10.5.
- Trade unit 12 pairs, 12 pairs in a transit case.

## CHARACTERISTICS

- Unlined 100% natural rubber latex unsupported glove.
- 3 different lengths : 267mm, 432mm, 610mm.
- 3 different thicknesses : 1.60mm, 2.40mm, 3.00mm.
- Beaded cuff for tear resistance and easy donning.
- Smooth finish.

## PERFORMANCES

- High resistance to water based chemicals.
- Good flexibility et elasticity preventing tears.
- Chlorinated to harden and cleanse the surface of the glove.
- In compliance with the standards EN420 (General requirements), EN388 (Mechanical Hazards), EN374 (Chemical and Micro-organisms Hazards) by the notified laboratory BSI.
- Manufactured under EC quality assurance system carried out by the BSI body.

## APPLICATIONS

- CE Complex design.
- Ideal for use where heavy duty chemical protection is essential.
- Applications : sandblasting, sanitation, agriculture.



This glove is certified to comply with the essential requirements of European Directive EEC/89/686 of December 21st, 1989 relative to personal protective equipment submitted to CE type examination issued by a notified laboratory, who certifies the conformity of this glove with the EN standards to which it responds and certifies the performance levels obtained during tests, and manufactured under a CE quality assurance system carried out by a notified body.

# CE 0086



4121

EN 388

Mechanical hazards



EN 374

Chemical hazards



EN 374

Microbiological hazards

EN 388

- 4 Abrasion
- 1 Cut
- 2 Tear
- 1 Puncture

### Sizes

	7.5	8.5	9.5	10.5
Emperor ME100	10429	10430	10431	10432
Emperor ME101	10433	10434	10435	10436
Emperor ME102	10437	10438	10439	10440
Emperor ME103	10441	10442	10443	10444
Emperor ME104	10445	10446	10447	10448
Emperor ME105	10449	10450	10451	10452
Emperor ME106	10453	10454	10455	10456
Emperor ME107	10457	10458	10459	10460

### Order codes









