

# 3/8" SOCKET WRENCHES



EGA Master offers a wide range of socket wrenches, both shallow and deep range series, together with a large number of additional and complementary items, such as adapters, hinged handles, extensions, ratchet wrenches, etc.

1/4", 3/8", 1/2", 3/4" and 1" square drive hand-operated sockets and 3/8", 1/2", 3/4", 1", 1.1/2", 2.1/2" and 3.1/2" square drive impact sockets wrenches, being the only in the sector offering such a wide range.

**1.** 6 and 12 edges both in mm and inches.

**2.** The sockets are made of chrome-vanadium steel, designed to withstand high tightening torques with minimal wear, providing the same greater durability.



**3.** A large number of additional and complementary items, such as adapters, hinged handles, extensions, ratchet wrenches, etc.

#### TECHNICAL SPECIFICATIONS


MATERIAL	Cr-V
MINIMUM HARDNESS	39 HRC.*

\*Minimum hardness for socket wrenches and accessories, except for reversible ratchet wrench 62604, for which it is 44 HRC, and 57412 and 57415, for which it is 42-46 HRC."

### 3/8" STANDARD SOCKET WRENCHES

■ MM


■ 6 PT. - 3/8"



COD.	AF $\frac{\pm}{\mp}$ mm	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
67541	6		10			9	26	20			
67542	7		11				33,2				
67543	8		12				45,5				
67544	9		14	17			59,9	24	25		
67545	10		15			10	76,7				
67546	11		16				96				
67547	12		16				118	25			
67548	13		18				141	28	20		
67549	14	28	20	18			169	32			
67550	x 15		21	19	12	6	198		15	●	
67551	16		22		14			48			
67552	17		24	21							
67553	18		25	22				55	12		
67554	19		26								
67555	20				15		225				
67556	21		28	26				80		10	
67557	22		30								
67558	23	32	32	28	17			100			
67559	24										

● | DIN 3124 N.m\* Maximum torque

■ 12 PT. - 3/8"




COD.	AF $\frac{\pm}{\mp}$ mm	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
67539	6		10			9	26	20			
67540	7		11				33,2				
61343	8		12				45,5				
61344	9		14	17			59,9	24	25		
61345	10		15			10	76,7				
61346	11		16				96				
61347	12		16				118	25			
61348	13		18				141	28	20		
61349	14	28	20	18			169	32			
61350	x 15		21	19	12	12	198		15	●	
61351	16		22		14			48			
61352	17		24	21							
61353	18		25	22				55	12		
61354	19		26								
61355	20				15		225				
61356	21		28	26				80		10	
61357	22		30								
67560	23	32	32	28	17			100			
67561	24										

● | DIN 3124 N.m\* Maximum torque

■ INCH


■ 6 PT. - 3/8"



COD.	AF $\frac{\pm}{\mp}$ inch	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
67620	1/4		11				26	22			
67621	9/32		12	17			33,2				
67622	5/16		12				45,5				
67623	y 11/32	28	13		10	6	59,9	24	25	●	
67624	3/8		15				76,7	26			
67625	7/16		16				96				
67626	1/2		18	18			118	30			
67627	9/16		20		12		169	31	20		

● | DIN 3124 N.m\* Maximum torque

■ 12 PT. - 3/8"



COD.	AF $\frac{\pm}{\mp}$ inch	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
60439	1/4		11				26	22			
60440	5/16		12	17			33,2				
60441	11/32		12				45,5				
60442	3/8		13		10		59,9	24	25		
60443	7/16	28	15				76,7	26			
60444	1/2		16				96				
60445	9/16		18	18			118	30			
60446	y 19/32		20		12	12	169	31	20	●	
60447	5/8		21	19	13		198	35	15		
60448	11/16		22				45				
60449	3/4	30	24	23			50	12			
60450	13/16		26	24			60				
60451	7/8		28		17		75	225			
60452	15/16	32	30	28			80	10			
60453	1		32		20		90				
60453	1		34	30	20		100				


● | DIN 3124 N.m\* Maximum torque

x 50% aerospace chrome plating - 50% mirror polished chrome plating  
y 100% mirror polished chrome plating

### 3/8" LONG PATTERN SOCKET WRENCHES

■ MM


■ 6 PT. - 3/8"



COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icons
67705	7		11			33,2	41	
67706	8		12	16		45,5	42	
67707	9		13	18		59,9	50	
67708	10		15	20		76,7		
67709	11		17	24		96	55	
67710	12		17	25		118	70	
67711	13		19			141	80	
67712	x 14	65	20	27	6	169	85	10 ●
67713	15		21			198	105	
67714	16		22					
67715	17		24				130	
67716	18		26	28		225	150	
67717	19							
67719	21		28				160	
67720	22		30	30			200	

● | DIN 3124 N.m\* Maximum torque

■ 12 PT. - 3/8"



COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icons
67725	7		11			33,2	41	
67726	8		12	16		45,5	42	
67727	9		13	18		59,9	50	
67728	10		15	20		76,7		
67729	11		17	24		96	55	
67730	12		17	25		118	70	
67731	13		19			141	80	
67732	x 14	65	20	27	12	169	85	10 ●
67733	15		21			198	105	
67734	16		22					
67735	17		24				130	
67736	18		26	28		225	150	
67737	19							
67738	20		28				155	
67739	21						160	
67740	22		30	30			200	


● | DIN 3124 N.m\* Maximum torque

■ INCH

■ 12 PT. - 3/8"


COD.	AF inch	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icons
67750	1/4		11	17		26	49	
67751	5/16		12	22		45,5	50	
67752	3/8		15	23		76,7	60	
67753	7/16		16			96		
67754	1/2		19	26		118	75	
67755	9/16		20			169	80	
67756	y 19/32	65	21	27	12	198	90	10 ●
67757	5/8		22				100	
67758	11/16		23					
67759	3/4		26			225	135	
67760	13/16		28	28			165	
67761	7/8						190	
67762	15/16		30				230	

● | DIN 3124 N.m\* Maximum torque



x 50% aerospace chrome plating - 50% mirror polished chrome plating  
y 100% mirror polished chrome plating

### 3/8" TORX®\* SOCKET WRENCHES



COD.		L (mm)	A (mm)	B (mm)	C (mm)					
57171	E8	28	12	17	10	25				
57172	E10		15							
57173	E11		16	18		30			20	
57174	E12					38			10	•
57175	E14									
57176	E16	18	18	38	10					
57177	E18	29	22	19						
57178	E20	30	24	21		50				



### 3/8" UNIVERSAL SOCKET

■ MM



COD.		L (mm)					
57293	10	45	55				
57294	11	47	57				
57295	12		59			10	•
57296	13						
57297	15	61					
57298	17	50	71				
57299	18		76				
57300	19						

■ INCH



COD.		L (mm)					
57301	3/8	46	55				
57302	7/16		57				
57303	1/2	47	59			10	•
57304	9/16						
57305	5/8	49	65,5				
57306	11/16	50	71				
57307	3/4	51	76				





■ TORX®\*

COD.		L (mm)			
57308	E8	46	56	10	•
57309	E10				
57310	E12				
57311	E14				
57312	E16				




x 50% aerospace chrome plating - 50% mirror polished chrome plating  
y 100% mirror polished chrome plating  
• \*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)





### ADAPTER 3/8"

COD.				
65884	3/8-1/4	20	6	•
65881	3/8-1/2	45		






### BALL RETAINER ADAPTER 3/8"



COD.		L (mm)	A (mm)	B (mm)	C (mm)			
65862	3/8"-1/4"	29	11	17	11	23	6	•









### ADAPTER BIT FOR IMPACT SOCKETS 3/8"

COD.		L (mm)		
61696	3/8"-1/4"	65	26	6




### SPARK PLUG SOCKETS 3/8"








COD.			L (mm)	A (mm)	B (mm)	H (mm)			
61460	16	3/8	65	22	19	17	100	6	•
61461	21			28	22	20	150		




### 3/8" TORQUE ADAPTER MM



COD.			L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)			
57315	8								50		
57316	10	3/8	75	20	19	9	12	50	60	10	•
57317	13			24		12					




### 3/8" TORQUE ADAPTER INCH



COD.	AF inch	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	g		
57318	5/16										
57319	3/8			20		9		50			
57320	7/16	3/8	75		19		12	50		10	●
57321	1/2			24		12		60			
57322	9/16										




### 3/8" TORQUE ADAPTER SPLINE



COD.		AF inch	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	g		
57323	M7	7/32										
57324	M8	1/4										
57325	M9	9/32										
57326	M10	5/16			20		9		50			
57327	M12	3/8	3/8	75		19		12	50		10	●
57328	M14	7/16										
57329	M16	1/2										
57330	M18	9/16			24		12		60			
57331	M20	5/8										




### 3/8" REVERSIBLE RATCHET HANDLE




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	g		
62604	3/8	200	31	28	29	22	270	6		●

DIN 3122




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	g		
57412	3/8	300	29	28	30	22	390	6		●

DIN 3122



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	g		
57415	3/8	280	31	28	29	22	370	6		●

DIN 3122



### 3/8" SLIDING "T" HANDLE

COD.	AF inch	L (mm)	g		
<b>61439</b>	3/8	165	180	5	•

DIN 3122



### 3/8" UNIVERSAL JOINT

COD.	AF inch	g		
<b>61436</b>	3/8	80	10	•

DIN 3123



### 3/8" EXTENSION

COD.	AF inch	L (inch)	g		
<b>62732</b>	3/8	2	50	5	•
<b>61459</b>		3	65		
<b>61447</b>		6	120		
<b>61449</b>		8	175		
<b>61450</b>		10	240		
<b>59095</b>		14	340		
<b>59096</b>		24	600		
<b>59097</b>		36	850		

DIN 3123



### 3/8" FLEXIBLE HANDLE

COD.	AF inch	L (inch)	g	
<b>62118</b>	3/8	8	180	5

DIN 3122




### 3/8" WOBBLE DRIVE EXTENSION

COD.	AF inch	L (inch)	g	
<b>59101</b>	3/8	3	75	5
<b>59102</b>		5	120	
<b>59103</b>		10	230	



### 3/8" SPEEDER HANDLE



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	g	
<b>61409</b>	3/8	425	130	140	115	570	5

DIN 3122



### 3/8" SWIVEL HANDLE

COD.	AF inch	L (mm)	g		
<b>65875</b>	3/8	214	375	5	•



### 3/8" FLAT ADAPTOR

COD.	IN (inch)	OUT (inch)	L (mm)	Ø 1 (mm)	g
<b>59122</b>	3/8	1/2	16	38	30



### KITS - SETS 3/8"

#### 10 PCS.- 3/8"

COD.	AF inch	PCS.			Kg
<b>58700</b>	3/8	10	STANDARD PATTERN	51071	1,0

PCS.	Composition	Description		
8	67620, 67621, 67622, 67623, 67624, 67625, 67626, 67627	Socket wrenches	1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2" - 9/16"	
1	62604	Ratchet	-	
	61447	Extension	6"	



#### 12 PCS.- 3/8"

COD.	AF inch	PCS.			Kg
<b>58706</b>	3/8	12	STANDARD PATTERN	51071	1,2

PCS.	Composition	Description		
8	57171, 57172, 57173, 57174, 57175, 57176, 57177, 57178	Socket wrenches Torx®	E8-E10-E11-E12-E14-E16-E18-E20	
	62604	Ratchet	-	
	61459	Extension	3"	
1	61436	Universal joint	-	
	61439	T handle	-	



COD.	AF inch	PCS.			Kg
<b>58703</b>	3/8	12	STANDARD PATTERN	51079	1,7

PCS.	Composition	Description		
8	67620, 67621, 67622, 67623, 67624, 67625, 67626, 67627	Socket wrenches	1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2" - 9/16"	
1	62604	Ratchet	-	
2	61447, 61450	Extension	6" - 10"	
1	61439	T handle	-	



COD.	AF inch	PCS.			Kg
<b>55595</b>	3/8	12	STANDARD PATTERN	51071	1,2



PCS.	Composition	Description		
10	67541, 67542, 67543, 67545, 67546, 67547, 67548, 67549, 67552, 67554	Socket wrenches	6-7-8-10-11-12-13-14-17-19 mm	
1	62604	Ratchet	-	
	61447	Extension	6"	



## KITS - SETS 3/8"

### 13 PCS.- 3/8"






COD.	AF inch	PCS.		Kg
<b>61342</b>	3/8	13	STANDARD PATTERN	0,9

PCS.	Composition	Description	PCS.		
12	60440, 60441, 60442, 60443, 60444, 60445, 60446, 60447, 60448, 60449, 60450, 60451	Socket wrenches	5/16"-11/32"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-11/16"-3/4"-13/16"-7/8"		-
1	62604	Ratchet	-		








### 16 PCS.- 3/8"

COD.	AF inch	PCS.			Kg
<b>58702</b>	3/8	16	LONG PATTERN	51053	3,1






PCS.	Composition	Description	PCS.		
11	67751, 67752, 67753, 67754, 67755, 67756, 67757, 67758, 67759, 67760, 67761	Long socket wrenches	5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 19/32" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8"		-
1	62604	Ratchet	-		
2	61447, 61450	Extension	6" - 10"		
1	61436	Universal joint	-		
1	61439	T handle	-		



COD.	AF inch	PCS.			Kg
<b>58701</b>	3/8	16	LONG PATTERN	51053	3,1






PCS.	Composition	Description	PCS.		
11	67726, 67728, 67729, 67730, 67731, 67732, 67733, 67735, 67737, 67739, 67740	Long socket wrenches	8-10-11-12-13-14-15-17-19-21-22 mm		-
1	62604	Ratchet	-		
2	61447, 61450	Extension	6" - 10"		
1	61436	Universal joint	-		
1	61439	T handle	-		




COD.	AF inch	PCS.			Kg
<b>61959</b>	3/8	16	STANDARD PATTERN	51079	1,9



PCS.	Composition	Description	PCS.		
11	61343, 61345, 61346, 61347, 61348, 61349, 61350, 61352, 61354, 61356, 61357	Socket wrenches	8-10-11-12-13-14-15-17-19-21-22 mm		-
1	62604	Ratchet	-		
2	61447, 61450	Extension	6"-10"		
1	61439	T handle	-		
1	61436	Universal joint	-		

## KITS - SETS 3/8"

COD.		PCS.			
<b>61962</b>	3/8	16	STANDARD PATTERN	51079	1,9

PCS.	Composition	Description			
11	60440, 60442, 60443, 60444, 60445, 60446, 60447, 60448, 60449, 60450, 60451	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-11/16"-3/4"-13/16"-7/8"		-
1	62604	Ratchet	-		
2	61447, 61450	Extension	6"-10"		
1	61439	T handle	-		
1	61436	Universal joint	-		






COD.		PCS.			
<b>61341</b>	3/8	16	STANDARD PATTERN		1,0

PCS.	Composition	Description			
15	61343, 61344, 61345, 61346, 61347, 61348, 61349, 61350, 61351, 61352, 61353, 61354, 61355, 61356, 61357	Socket wrenches	8-9-10-11-12-13-14-15-16-17-19-20-21-22 mm		-
1	62604	Ratchet	-		








### 19 PCS.- 3/8"

COD.		PCS.			
<b>58708</b>	3/8	19	STANDARD AND CROWFOOT PATTERN	51079	2,5

PCS.	Composition	Description			
8	60440, 60441, 60442, 60443, 60444, 60445, 60446, 60447	Socket wrenches	5/16" - 11/32" - 3/8" - 7/16" - 1/2" - 9/16" - 19/32" - 5/8"		-
7	55724, 55725, 55726, 55727, 55728, 55729, 55730	Open end Crowfoot wrenches	3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4"		-
1	62604	Ratchet	-		
2	61459, 61449	Extension	3" - 8"		
1	61436	Universal joint	-		






COD.		PCS.			
<b>55596</b>	3/8	19	STANDARD PATTERN	51053	1,8




PCS.	Composition	Description			
14	60439, 60440, 60441, 60442, 60443, 60444, 60445, 60446, 60447, 60448, 60449, 60450, 60451, 60452	Socket wrenches	1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"		-
1	62604	Ratchet	-		
2	61447, 61450	Extension	6"-10"		
1	61439	T handle	-		
1	61436	Universal joint	-		



## KITS - SETS 3/8"

### 21 PCS.- 3/8"






COD.		PCS.			
<b>55593</b>	3/8	21	STANDARD PATTERN	51071	1,7

PCS.	Composition	Description		
19	67539, 67540, 61343, 61344, 61345, 61346, 61347, 61348, 61349, 61350, 61351, 61352, 61353, 61354, 61355, 61356, 61357, 67560, 67561	Socket wrenches	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm	
1	62604	Ratchet	-	
	61447	Extension	6"	







### 25 PCS.- 3/8"

COD.		PCS.			
<b>58948</b>	3/8"	25	STANDARD PATTERN	51053	2,9

PCS.	Composition	Description		
19	67539, 67540, 61343, 61344, 61345, 61346, 61347, 61348, 61349, 61350, 61351, 61352, 61353, 61354, 61355, 61356, 61357	Socket wrenches	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm	
1	62604	Ratchet	-	
3	62732, 61447, 61449	Extension	2" - 6" - 8" (200 mm)	
1	61436	Universal joint	-	
	61439	Mango corredizo en T	-	










COD.		PCS.			
<b>58707</b>	3/8	25	STANDARD AND CROWFOOT PATTERN	51053	2,5

PCS.	Composition	Description		
12	61343, 61344, 61345, 61346, 61347, 61348, 61349, 61350, 61351, 61352, 61353, 61354	Socket wrenches	8-9-10-11-12-13-14-15-16-17-18-19 mm	
9	55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718	Open end Crowfoot wrenches	10-11-12-13-14-15-16-17-19 mm	
1	62604	Ratchet	-	
2	61459, 61449	Extension	3" - 8"	
1	61436	Universal joint	-	



### 26 PCS.- 3/8"

COD.		PCS.			
<b>55594</b>	3/8	26	STANDARD PATTERN	51053	3,0








PCS.	Composition	Description		
19	67541, 67542, 67543, 67544, 67545, 67546, 67547, 67548, 67549, 67550, 67551, 67552, 67553, 67554, 67555, 67556, 67557, 67558, 67559	Socket wrenches	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm	
1	62604	Ratchet	-	
2	61447, 61450	Extension	6"-10"	
	61439	T handle	-	
1	61436	Universal joint	-	
2	61460, 61461	Spark plug socket	16 mm-21 mm	



## KITS - SETS 3/8"

### 30 PCS.- 3/8"





COD.	AF inch	PCS.			Kg
<b>58705</b>	3/8	30	STANDARD PATTERN	51053	2,4

PCS.	Composition	Description		
1	62604	Carraca	-	
	61459	Extension	3"	
10	66771, 55701, 66772, 66773, 55702, 66774, 66775, 66776, 55703, 66777	Hex bit socket	3-3,5-4-5-5,5-6-7-8-9,5-10 mm	
3	66760, 66761, 66762	Flat bit socket	5,5 x 1 - 6,5 x 1,2 - 8 x 1,2	
9	66788, 66789, 66790, 66791, 66792, 66793, 66794, 66795, 66796	Torx® bit socket	T10-T15-T20-T25-T27-T30-T40-T45-T50	
3	66765, 66766, 66767	Phillips® bit socket	PH1-PH2-PH3	
	66768, 66769, 66770	Pozidriv® bit socket	PZ1 - PZ2 - PZ3	



### 42 PCS.- 3/8"

COD.	AF inch	PCS.			Kg
<b>61792</b>	3/8	42	STANDARD AND LONG PATTERN	50974	5,5

PCS.	Composition	Description		
11	61344, 61345, 61346, 61347, 61348, 61349, 61350, 61351, 61352, 61353, 61354	Socket wrenches	9-10-11-12-13-14-15-16-17-18-19 mm	
7	60442, 60443, 60444, 60445, 60447, 60448, 60449		3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"	
11	67727, 67728, 67729, 67730, 67731, 67732, 67733, 67734, 67735, 67736, 67737	Long socket wrenches	9-10-11-12-13-14-15-16-17-18-19 mm	
7	67752, 67753, 67754, 67755, 67757, 67758, 67759		3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"	
1	62604	Ratchet	-	
3	61459, 61447, 61449	Extension	3"-6"-8"	
1	61436	Universal joint	-	
	65875	Hinged handle	-	