

AUSONNE 2

REF 104.1.147A


BI-MATERIAL SAFETY KNIFE WITH RETRACTABLE BLADE

Ideal for any handling job, opening boxes and packaging.

SAFETY • The blade retracts automatically when the slider is released.



DELIVERED WITH A
ROUNDED EDGE BLADE



Large space
clearance



FOR RIGHT AND LEFT
HANDED USERS



LIGHT



ERGONOMIC



AVOIDS
MSDs



RESISTANT TO
DETERGENTS

1



SINCE
1904

TECHNICAL SHEET

DESIGN: IDEAL ERGONOMICS

VERY GOOD GRIP. COMFORT OF THE BI-MATERIAL. BLADE RETRACTABLE BY RELEASING THE SLIDER.



ASSETS



DELIVERED WITH A STRAIGHT BLADE WITH ROUNDED TIP REF 147A.6



ERGONOMIC AND LIGHTWEIGHT FOR RIGHT & LEFT HANDED USER



SPRING RESISTANCE TESTED TO MORE THAN 100,000 ACTIONS

FUNCTIONS



To cut single and double-wall carton



For cutting packaging tape



For cutting overwrapping plastic films



For cutting flexible plastics and PVB



For cutting wire and string

BI-MATERIAL SAFETY KNIFE FOR MORE COMFORT IN USE



BLADE OUTLET 25 MM



OTHER CHARACTERISTICS


- Blade outlet: 25 mm.
- Lightweight (62 g).
- Easy blade change.
- Reversible blade.
- High cutting precision.
- Resistant to acetone and detergents.

BLADE CHANGE

01/ Push the slider to the front.



02/ Press the tab (move blade) and remove the blade from the front.




03/ Keep the slider at the front and carefully insert the new blade.




BLADES

DELIVERED WITH




REF 147A.6 Thk 0,6 mm
Blade made of premium quality steel.


COMPATIBLE BLADES




REF 147.6 Thk 0,6 mm
Blade made of premium quality steel.




REF 152A.6 Thk 0,6 mm
Blade made of premium quality steel.




REF 152.6 Thk 0,6 mm
Blade made of premium quality steel.




REF 652.6.2 Thk 0,6 mm
Blade made of premium quality steel.




REF 652A.6.2 Thk 0,6 mm
Blade made of premium quality steel.



REF 153.6 Thk 0,6 mm
Blade made of premium quality steel.



REF 653.6.1 Thk 0,6 mm
Blade made of premium quality steel.



REF 852A.7 AF Thk 0,7 mm
Sharpened ceramic blade






REF 853.7 AF Thk 0,7 mm
Sharpened ceramic blade



REF 156.6 Thk 0,6 mm
Blade made of premium quality steel.

Blade Reference	Description	Type	Dimensions (in mm) Length • Width • Thickness	Sharpening Angle	Hardness
147A.6	Long straight blade with a rounded edge	Premium quality steel	65 x 19 x 0,6	16° - 28°	62 Hrc
147.6	Long straight blade	Premium quality steel	65 x 19 x 0,6	15° - 28,5°	62 Hrc
152A.6	Straight blade with a rounded edge	Premium quality steel	54 x 19 x 0,6	18° - 27°	64 Hrc
152.6	Straight blade	Premium quality steel	54 x 19 x 0,6	18° - 27°	64 Hrc
652.6.2	Serrated straight blade	Premium quality steel	54 x 19 x 0,6	15° - 28,5°	64 Hrc
652A.6.2	Serrated straight blade with a rounded edge	Premium quality steel	54 x 19 x 0,6	15° - 28,5°	64 Hrc
153.6	Straight blade	Premium quality steel	60 x 19 x 0,6	18° - 28°	64 Hrc
653.6.1	Serrated straight blade	Premium quality steel	60 x 19 x 0,6	18° - 32°	64 Hrc
852A.7 AF	Sharp trapezoidal blade with rounded tip	Zirconia ceramics	54 x 19 x 0,7	16°	-
853.7 AF	Sharp trapezoidal blade	Zirconia ceramics	60 x 19 x 0,7	16°	-
156.6	Reversible hook blade	Premium quality steel	50 x 19 x 0,6	17° - 29°	63 Hrc

TECHNICAL SHEET (in mm)



Packaging	Weight PKG	Dimensions (in mm) Length • Width • Thick.	Quantity PKG	Units	Accessories	Material	Colors
CARD-BASED	62 g	161 x 46 x 24	10	5 units	Body	PA6 GF30	Dark grey
					Cursor	PA6 GF30 + TPE	Orange
					Spring X 2	Stainless Steel	Metal grey
					Blade 147A.6	Premium quality steel	Metal grey

MP
MURE & PEYROT

MURE & PEYROT
25, rue Roger Touton • BP 50120
Parc d'Activités Bordeaux Nord
33041 BORDEAUX CEDEX - FRANCE

Tel.: +33 (0)556 693 200 / E-mail: mail@mure-peyrot.com

FOR MORE INFORMATION
MURE-PEYROT.COM