

FERRET

REF 67.1.152 A


RETRACTABLE BLADE SAFETY KNIFE

Ideal for any handling job, opening boxes and packaging.

- SAFETY**
- 2-ways action, the blade returns when releasing the handle.
 - Possible blocking at rest.



DELIVERED WITH A
ROUNDED EDGE BLADE



ENHANCED
SECURITY



LIGHT



ERGONOMIC



FOR RIGHT & LEFT
HANDED USERS



AVOIDS
MSD's



TECHNICAL SHEET

DURABILITY: METAL REINFORCEMENT


SAFETY: 2-WAYS ACTION, THE BLADE RETURNS AUTOMATICALLY, EVEN WITHOUT RELEASING THE HANDLE.

METAL REINFORCEMENT TO AVOID PREMATURE WEAR DURING INTENSIVE CUTTING ABRASIVE CARDBOARDS

ERGONOMIC HANDLE

STAINLESS STEEL INTERNAL RETURN SPRING

CLIPS WITH ZICOU



ADJUSTABLE BLADE LENGTH

TRIGGER MOUNTING PIN

2-WAYS TRIGGER AND BLADE SUPPORT

TRIGGER LOCK SLIDER

ASSETS



DELIVERED WITH A ROUNDED EDGE BLADE REF 152A.6



SAFETY LOCK



ERGONOMIC AND LIGHT FOR RIGHT AND LEFT HANDED USERS



STRONG STRETCHING SPRING TESTED FOR MORE THAN 100,000 TIMES

FUNCTIONS



To cut single-wall carton




To cut double-wall carton




For removing packaging adhesives


SAFETY KNIFE WITH 3 POSSIBLE CUTTING DEPTHS



Rung 1



Rung 2



Rung 3

	A	B
Rung 1	5 mm	6 mm
Rung 2	8 mm	12 mm
Rung 3	12 mm	18 mm

OTHER CHARACTERISTICS

- Blade outlet: 14.5 mm.
- Spring retractable and reversible blade.
- Easy blade change.
- Helps prevent carpal problems and tendonitis.
- Possible blocking at rest.
- Large space at the front to avoid partial entry of dust.

BLADE CHANGE


01/ Lock the trigger on the body and hold it in the palm of your hand. Pull her towards you in order to free her.




02/ Completely release the trigger from the body of the knife.



03/ Apply pressure on the rear part of the blade attachment to release it.




04/ Gently remove it and reverse the procedure to insert a new blade.



BLADES

DELIVERED WITH




REF 152A.6 THK 0,6 mm
Blade made of premium quality steel.


COMPATIBLE BLADES




REF 152.6 THK 0,6 mm
Blade made of premium quality steel.




REF 652.6.2 THK 0,6 mm
Blade made of premium quality steel.




REF 652A.6.2 THK 0,6 mm
Blade made of premium quality steel.



REF 153.6 THK 0,6 mm
Blade made of premium quality steel.



REF 653.6.1 THK 0,6 mm
Blade made of premium quality steel.




REF 852A.7 AF Thk 0,7 mm
Sharpened ceramic blade

REF 853.7 AF Thk 0,7 mm
Sharpened ceramic blade

Blade Reference	Description	Type	Dimensions (in mm) Length • Width • Thickness	Sharpening Angle	Hardness
152A.6	Straight blade with a rounded edge	Premium quality steel	54 x 19 x 0,6	18° - 27°	64,0 Hrc
152.6	Straight blade	Premium quality steel	54 x 19 x 0,6	18° - 27°	64,0 Hrc
652.6.2	Serrated straight blade	Premium quality steel	54 x 19 x 0,6	15° - 28,5°	64,0 Hrc
652A.6.2	Serrated straight blade with a rounded edge	Premium quality steel	54 x 19 x 0,6	15° - 28,5°	64,0 Hrc
153.6	Straight blade	Premium quality steel	60 x 19 x 0,6	18° - 28°	64,0 Hrc
653.6.1	Serrated straight blade	Premium quality steel	60 x 19 x 0,6	18° - 32°	64,0 Hrc
852A.7 AF	Sharp trapezoidal blade with rounded tip	Zirconia ceramics	54 x 19 x 0,7	16°	-
853.7 AF	Sharp trapezoidal blade	Zirconia ceramics	60 x 19 x 0,7	16°	-

TECHNICAL SHEET (in mm)



Packaging	Weight PKG	Dimensions (in mm) Length • Width • THK	Quantity PKG	Units	Accessories	Material	Color
SKIN PACK AND BOX	64 g	162 x 88 x 12	10	5 units	Handle	Polycarbonate (PC)	Grey
					Metallic nose	Stainless Steel	Grey metal
					Trigger	PA 66	Orange
					Lock	Polycarbonate (PC)	Grey
					Spring	Stainless Steel	Grey metal
					Blade 152A.6	Premium quality steel	Grey metal

MP
MURE & PEYROT

MURE & PEYROT
25, rue Roger Touton • BP 50120
Parc d'Activités Bordeaux Nord
33041 BORDEAUX CEDEX - FRANCE

Tel.: +33 (0)556 693 200 / E-mail: mail@mure-peyrot.com

FOR MORE INFORMATION
MURE-PEYROT.COM