

GEMEL 2

REF 106.1.147 A

SAFETY KNIFE MULTI-PURPOSE, RETRACTABLE BLADE

Ideal for any handling job, opening boxes and packaging.

- SAFETY**
- The blade stays out with the pressure on the cardboard, regardless of the position of the slider.
 - At rest, possible blocking of the blade.



DELIVERED WITH A LONG
ROUNDED EDGE BLADE



FOR RIGHT AND LEFT
HANDED USERS



LIGHT



ERGONOMIC



AVOIDS
MSDs



ENHANCED SECURITY




RESISTANT TO
DETERGENTS

TECHNICAL SHEET

SPECIAL KNIFE FOR HANDLING WORKS

INSIDE PART IN METAL TO IMPROVE LONGEVITY.
BI-MATERIAL FOR MORE COMFORT OF USE.



THE PROS



DELIVERED WITH A ROUNDED EDGE BLADE REF 147A.6



VERY COMPACT



ERGONOMIC AND LIGHT FOR RIGHT AND LEFT HANDED USERS



POSSIBILITY TO USE SEVERAL BLADES WITH DIFFERENT LENGTHS

FUNCTIONS



To cut single-wall carton



To cut double-wall carton



To cut packaging adhesives



To cut plastic films



For cutting flexible plastics, PVB

REST LOCK LOCK



INSIDE PART AND HEAD IN METAL MORE ROBUST




OTHER CHARACTERISTICS


- Lightweight (63 g).
- Blade outlet: 22 mm.
- Multipurpose: cut almost every cardboards, thick plastics and plastic-films.
- Reversible and retractable blade with a spring
- Easy blade change
- High cutting precision
- As soon as the blade starts cutting the cardboard you can release the slider button and at the end of the operation the blade retracts alone.

BLADE CHANGE


01/ Push the slider forward until both tips are positioned for exit.



02/ Lift the slider.




03/ Take out the blade carefully, forward. Reverse the procedure to insert a new blade.




BLADES

DELIVERED WITH




REF 147A.6 Thk 0,6 mm
Blade made of premium quality steel.

OTHER COMPATIBLE BLADES




REF 147.6 Thk 0,6 mm
Blade made of premium quality steel.




REF 152A.6 Thk 0,6 mm
Blade made of premium quality steel.




REF 152.6 Thk 0,6 mm
Blade made of premium quality steel.




REF 652.6.2 Thk 0,6 mm
Blade made of premium quality steel.




REF 652A.6.2 Thk 0,6 mm
Blade made of premium quality steel.




REF 153.6 Thk 0,6 mm
Blade made of premium quality steel.



REF 653.6.1 Thk 0,6 mm
Blade made of premium quality steel.



REF 156.6 Thk 0,6 mm
Blade made of premium quality steel.



REF 852A.7 AF
Sharp ceramic blade.


Thk 0,7 mm

REF 853.7 AF
Sharp ceramic blade.

Thk 0,7 mm

Blade Reference	Description	Type	Dimensions (in mm) Length • Width • Thickness	Sharpening Angle	Hardness
147A.6	Long straight blade with a rounded edge	Premium quality steel	65 x 19 x 0,6	16° - 28°	62 Hrc
147.6	Long straight blade	Premium quality steel	65 x 19 x 0,6	15° - 28,5°	62 Hrc
152A.6	Straight blade with a rounded edge	Premium quality steel	54 x 19 x 0,6	18° - 27°	64 Hrc
152.6	Straight blade	Premium quality steel	54 x 19 x 0,6	18° - 27°	64 Hrc
652.6.2	Serrated straight blade	Premium quality steel	54 x 19 x 0,6	15° - 28,5°	64 Hrc
652A.6.2	Serrated straight blade with a rounded edge	Premium quality steel	54 x 19 x 0,6	15° - 28,5°	64 Hrc
153.6	Straight blade	Premium quality steel	60 x 19 x 0,6	18° - 28°	64 Hrc
653.6.1	Serrated straight blade	Premium quality steel	60 x 19 x 0,6	18° - 32°	64 Hrc
852A.7 AF	Sharp trapezoidal blade with rounded tip	Zirconia ceramics	54 x 19 x 0,7	16°	-
853.7 AF	Sharp trapezoidal blade	Zirconia ceramics	60 x 19 x 0,7	16°	-
156.6	Reversible hook blade	Premium quality steel	50 x 19 x 0,6	17° - 29°	63 Hrc

TECHNICAL SHEET (in mm)



Packaging	Weight PKG	Dimensions (in mm) Length • Width • Thick.	Quantity PKG	Units	Accessories	Material	Colors
CARD-BASED	63 g	148 x 32 x 18	10	6 units	Body	ABS	Light grey
					Slider	ABS	Orange
					Over molding	Elastomer	Dark grey
					Frame	Steel	Metal grey
					Spring	Stainless Steel	Metal grey
					Blade 152A.6	Premium quality steel	Metal grey



MURE & PEYROT
 25, rue Roger Touton • BP 50120
 Parc d'Activités Bordeaux Nord
 33041 BORDEAUX CEDEX - FRANCE

Tel.: +33 (0)556 693 200 / E-mail: mail@mure-peyrot.com

FOR MORE INFORMATION
MURE-PEYROT.COM