

## MIOS

REF 81.1.446

### MULTI-PURPOSE BI-MATERIAL SAFETY KNIFE

Ideal for all handling jobs: untying, unravelling, tearing, cutting.

- SAFETY**
- No contact with the blade when using and changing the blade.
  - The blade is overmoulded onto its support.



SOFTENED TIPS



FOR RIGHT AND LEFT  
HANDED USERS



LIGHT



ERGONOMIC



ENHANCED SECURITY



RESISTANT TO DETERGENTS



# TECHNICAL SHEET

## INNOVATION : BI-MATERIAL = MORE COMFORT

SAFETY: NO CONTACT WITH THE BLADE DURING USE.

TEAR-OFF PIN  
PACKAGING ADHESIVES

SLIDER FOR  
BLADE CHANGE

CLIPS WITH  
ZICOU



SOFTENED TIPS

BI-MATERIAL  
BODY

## ASSETS



DELIVERED WITH A BLADE  
OVERLAPPED  
REF 446.3



KNIFE AND VERY LIGHT (28 G)



MULTI-PURPOSE CUTTING KNIFE



ERGONOMIC, FOR RIGHT & LEFT HANDED  
PEOPLE

## FUNCTIONS



For cutting packaging  
tape



For cutting overwrapping  
plastic films



For cutting packaging  
ties



For cutting wire  
and string



For deburring flexible  
plastics, PVB

### MULTI-PURPOSE SAFETY KNIFE UNRAVELS / UNTIES / TEARS / CUTS

#### OTHER CHARACTERISTICS

- Lightweight: 28 g.
- Easy and safe blade change.
- Reversible blade.
- Easy to use for right and left handed users.
- For cutting plastic straps at 45°.
- Robust, shock resistant.

## BLADE CHANGE

**01/** Pull down the slider to release the overmoulded blade.



**02/** Remove the overmoulded blade while holding the slider back.



**03/** Insert a new overmoulded blade while holding the slider in position.




**04/** Release the cursor.



## BLADES


### DELIVERED WITH



**REF 446.3 overmoulded** Thk 0,3 mm  
Blade made of premium quality steel.

Blade Reference	Description	Type	Dimensions (in mm) Length • Width • Thickness	Sharpening Angle	Hardness
446.3	Overmoulded blade	Premium quality steel	30,5 x 15,5 x 0,3	30°	62 - 65 Hrc

# TECHNICAL SHEET (in mm)



Packaging	Weight PKG	Dimensions (in mm) Length • Width • Thick.	Quantity PKG	Units	Accessories	Material	Colors
IN BULK & ON CARD IN BOX	28 g	149 x 44 x 10	10	3 units	Body	PP + elastomer	Black
					Cursor	PP	Orange
					Blade 446.3 overmolded	Premium quality steel + PP	Grey + orange

**MP**  
MURE & PEYROT

MURE & PEYROT  
25, rue Roger Touton • BP 50120  
Parc d'Activités Bordeaux Nord  
33041 BORDEAUX CEDEX - FRANCE

Tel.: +33 (0)556 693 200 / E-mail: mail@mure-peyrot.com

FOR MORE INFORMATION  
[MURE-PEYROT.COM](http://MURE-PEYROT.COM)