



RUSH 2

REF 59.1.144

SAFE SCRAPER AND DEBURRING KNIFE

Ideal for removing adhesives and glue from glazing and other substrates.
Allows cutting of thick plastics, PVB.

SAFETY • A removable cover protects the blade at rest.



FOR RIGHT AND LEFT
HANDED USERS



LIGHT



ERGONOMIC



AVOIDS
MSDs



RESISTANT TO DETERGENTS

TECHNICAL SHEET

ERGONOMIC SCRAPER AND DEBURRING KNIFE

SPECIALLY DESIGNED FOR PERFECT GRIP, IN THE USUAL EXTENSION OF THE BLADE.

SPACE FOR EVACUATING WASTE

SLIDER FOR RELEASING THE BLADE TO CHANGE IT

ERGONOMIC HANDLE



BLADE PROTECTION

SLIDER THAT ACTIVATES THE BLADE PROTECTION AT REST

CLIPS WITH ZICOU

ASSETS



DELIVERED WITH A BLADE REF 144.3



VERY COMPACT



ERGONOMIC AND LIGHT (59 G) FOR RIGHT & LEFT HANDED



POSSIBILITY OF ADAPTING SEVERAL TYPES OF BLADE

FUNCTIONS



To withdraw adhesive labels




For scraping on glass or similar material



For cutting thick plastic films, PVB

KNIFE EQUIPPED WITH REMOVABLE PROTECTION




OTHER CHARACTERISTICS


- To cut plastic from windshields after autoclave.
- Scraper for label.
- Easy blade change.
- The blade wears across the entire width.
- Great blade stability.
- Work in complete safety.
- The angle is designed to properly evacuate the scraped product.

BLADE CHANGE


01/ At rest, pull the slider back to release the blade from its protection.



02/ The blade is released but still remains fixed.




03/ Apply pressure on the central slider to completely release the blade. Remove it carefully.



BLADES

DELIVERED WITH



REF 144.3 Thk 0,3 mm
Blade made of premium quality steel.

OTHER COMPATIBLE BLADES




REF 144A.3 Thk 0,3 mm
Blade made of premium quality steel.



REF 144.2 Thk 0,2 mm
Blade made of premium quality steel.

Blade Reference	Description	Type	Dimensions (in mm) Length • Width • Thickness	Sharpening Angle	Hardness
144.3	Razor-type blade	Premium quality steel	39 x 19,5 x 0,3	17° - 35°	63,0 Hrc
144A.3	Razor-type blade	Premium quality steel	39 x 19,5 x 0,3	17° - 35°	63,0 Hrc
144.2	Aluminum heel razor-type blade	Premium quality steel	39 x 19,5 x 0,2	14° - 32°	63,0 Hrc

TECHNICAL SHEET (in mm)



Packaging	Weight PKG	Dimensions (in mm) Length • Width • Thick.	Quantity PKG	Units	Accessories	Material	Colors
IN BULK	59 g	168 x 40 x 20	4	3 units	Body	Polyamide + Fiberglass (PA66 30% FV)	Dark grey
					Protective	POM	Dark blue
					Blade 144.3	Premium quality steel	Grey metal

Patented design, certification in progress.

MP
MURE & PEYROT

MURE & PEYROT
25, rue Roger Touton • BP 50120
Parc d'Activités Bordeaux Nord
33041 BORDEAUX CEDEX - FRANCE

Tel.: +33 (0)556 693 200 / Fax: +33 (0)556 693 202 / E-mail: mail@mure-peyrot.com

FOR MORE INFORMATION
MURE-PEYROT.COM