

HEXAGONAL KEYS



EGA Master offers a wide range of hexagonal keys and wrenches in order to satisfy the requirements of all professionals; hexagonal keys in standard lengths, long series, ball-ended, Torx, Ribe, in metric and inch sizes...



In millimetres as well as inches

Hexagonal keys are essential for tightening and loosening screws with an internal hexagonal head.



They are used globally in the machinery, metallurgy and automotive industries. From the wide range available, the most popular sizes used by professional users are from 0.9 to 22mm. EGA Master does not just offer the popular sizes, it offers a complete range of sizes up to 70mm.

They have two different length arms, either of which can be used depending on the depth of the fastener to be accessed.


TECHNICAL SPECIFICATIONS







MATERIAL	50Cr-V
FINISHING	Black finished coating

Dimensions according to the norm **DIN ISO 2936**

STANDARD HEXAGONAL KEYS

mm










COD						
65302	0,9mm	33	10	0,2	10	1
65955	1,27mm	40	12	0,9		
61501	1,5mm	46	14	1,0		
61502	2mm	50	16	2,0		
61503	2,5mm	60	17	3,0		
65956	2,7mm	55		4,5		
61504	3mm	65	20	5,0		
65303	3,5mm	70	21	7,5		
61505	4mm	75	25	10		
65304	4,5mm	80	26	14		
61506	5mm			15		
61507	5,5mm	85	28	25		
61508	6mm	95	32	30		
61527	7mm		33	45		
61509	8mm	100	36	60		
65305	9mm	115	38	80		
61510	10mm	120	40	105		
65306	11mm	130		135		
65307	12mm	135	42	170		
65519	13mm	145	44	190		
65308	14mm	155	46	260		
65958	15mm	160		320		
65309	16mm	170	50	370		
65310	17mm	175		440		
65959	18mm	190	65	550		
65311	19mm			650		
65960	20mm	200	70	950		
65312	21mm	210		950		
65313	22mm	220	82	950		
65314	24mm	250	90	1250		
65961	27mm	280	100	1750		
65962	30mm	320	110	2450		
65963	32mm	350	120	3050		
65964	36mm	390	135	4350		
67629	38mm		140	4700		
67630	41mm	380	150	5700		
67631	46mm		160	7000		
67632	48mm	410	165	7100		
67633	50mm		175	9550		
67634	55mm	450	185	11200		
67635	60mm	470	195	14050		
67636	65mm	480	200	15300		
67637	70mm	500	210	16700		

Cr-V ISO 2936 / DIN 911

STANDARD HEXAGONAL KEYS

Inch.



COD						
65315	1/16"	46	15	0,9	10	1
65316	5/64"	50	18	2,0		
65317	3/32"	60	20	3,0		
65318	1/8"	65	23	5,0		
65319	5/32"	75	29	10		
65320	3/16"	85	33	15		
65321	7/32"	95	38	25		
65322	1/4"	100	44	60		
65323	5/16"	120	50	105		
65324	3/8"	130	55	135		
65325	7/16"	140	70	170		
65326	1/2"	155	75	260		
65327	9/16"	170	90	370		
65328	5/8"	200	110	650		
65329	3/4"	240	120	950		
67614	7/8"	260	150	1250	5	-
67615	1"	270		1750		
67616	1.1/8"	320		3050		
67617	1.1/4"	380		5700		
67618	1.5/8"					


Cr-V ISO 2936 / DIN 911







TECHNICAL SPECIFICATIONS

MATERIAL	50Cr-V
MINIMUM HARDNESS	From 1/16" to 5/16"- From 0,9 to 8mm: 52HRc From 3/8" to 9/16"- From 9 to 14mm: 48 HRc From 5/8" to 1.1/4"- From 15 to 70mm: 45HRc > 1.5/8": 30-40 HRc
FINISHING	Black finished coating

LONG PATTERN HEXAGONAL KEYS

mm




COD						
61517	1,5mm	65	15	1,0	10	-
61518	2mm	75	18	2,0		
61519	2,5mm	85	20	4,0		
61520	3mm	95	23	7,0		
67298	3,5mm	100	25	10		
61521	4mm	105	29	15		
67299	4,5mm	115	30	19		
61522	5mm	120	33	25		
61523	5,5mm	130	38	35		
61524	6mm	140	41	40		
61557	7mm	150	44	60		
61525	8mm	160	47	80		
65330	9mm	170	50	115		
61526	10mm	180	55	140		
65331	11mm	190	65	200		
65332	12mm	200	70	260		
67300	13mm	210	75	300		
67301	14mm	230	80	400		
67302	15mm	240	85	460		
67303	16mm	260	90	500		
67304	17mm	280	90	650		
67305	19mm	310	100	850		
67306	22mm	360	115	1300	1	-
67307	24mm			1750		

Cr-V ISO 2936 / DIN 911

LONG PATTERN HEXAGONAL KEYS

Inch.



COD	AF	L	A	gr.		
68900	1/16"	80	14	1,6	10	1
68901	5/64"		16	2,7		
68902	3/32"	85	17	4,5		
68903	7/64"	90	18	6,6		
68904	1/8"	95	19	8,3		
68905	9/64"	100	20	11		
68906	5/32"	105	21	14		
68907	3/16"	115	24	23		
68908	7/32"	125	26	32		
68909	1/4"	135	29	50		
68910	5/16"	150	32	80		
68911	3/8"	170	35	135		
68912	7/16"	190	38	210		
67671	1/2"	210	43	370	6	
67672	5/8"	250	50	690		
67653	3/4"	290	55	1300		
67654	7/8"	350	65	1750	1	-
67655	1"			2300		
67656	1.1/8"	400	70	3750		
67657	1.1/4"	450	85	5800		
67673	1.1/2"	490	140	7100		
67658	1.5/8"	550	150	8800		
67659	1.3/4"	570	160			


Cr-V ISO 2936 / DIN 911







TECHNICAL SPECIFICATIONS

MATERIAL	50Cr-V
MINIMUM HARDNESS	From 1/16" to 5/16"- From 1,5 to 8mm: 52HRc From 3/8" to 7/16"- From 9 to 12mm: 48 HRc From 7/8" to 1.3/4"- From 135 to 24mm: 45HRc > 1.5/8": 30-40 HRc
FINISHING	Black finished coating

LONG PATTERN BALLPOINT







mm



COD						
61615	1,5mm	65	15	1,0	10	1
61616	2mm	75	18	2,0		
61617	2,5mm	85	20	3,0		
61618	3mm	95	23	5,0		
61619	4mm	105	29	10		
61620	5mm	120	33	15		
61621	5,5mm	130	38	25		
61622	6mm	140	40	30		
67493	7mm	150	44	60		
61623	8mm	160	45	110		
67494	9mm	170	50	140		
61624	10mm	180	55	250		
67495	12mm	200	60	400		
67496	14mm	230	67	650		
67497	17mm	260		850		
67498	19mm	280				

Cr-V ISO 2936 / DIN 911

Inch.


COD						
68914	1/16"	75	14	1,6	10	1
68915	5/64"	80	16	2,7		
68916	3/32"	85	17	4,5		
68917	7/64"	90	18	6,6		
68918	1/8"	95	19	8,3		
68919	9/64"	100	20	11		
68920	5/32"	105	21	14		
68921	3/16"	115	24	23		
68922	7/32"	125	26	32		
68923	1/4"	135	29	50		
68924	5/16"	150	32	80		
68925	3/8"	170	35	135		
68926	7/16"	190	38	210		

Cr-V ISO 2936 / DIN 911

TECHNICAL SPECIFICATIONS


MATERIAL	50Cr-V
MINIMUM HARDNESS	From 1/16" to 5/16- From 1,5 to 8mm: 52HRc From 3/8" to 7/16"- From 10 to 14mm: 48 HRc From 17 to 19mm: 45HRc
FINISHING	Black finished coating

TORX



COD		$\leftarrow L \rightarrow$	$\leftarrow A \rightarrow$			
67801	T-6	41	14	2.5	10	1
67802	T-7					
67803	T-8					
67804	T-9					
65333	T-10	49	16	3,5		
65334	T-15	56	17	5,0		
65335	T-20	62	19	7,5		
65336	T-25	70	20	9,5		
65337	T-27	75	24	15		
65338	T-30	85	29	20		
65339	T-40	95	34	32		
65340	T-45	110	39	44		
65341	T-50	125	41	65		

LONG PATTERN TORX




COD		$\leftarrow L \rightarrow$	$\leftarrow A \rightarrow$			
65342	T-10	90	17	6,0	10	1
65343	T-15	95	18	9,0		
65344	T-20	100	19	12		
65345	T-25	105	20	16		
65346	T-27	110	21	24		
65347	T-30	120	24	31		
65348	T-40	130	26	46		
65349	T-45	140	28	65		
65350	T-50	160	32	90		

TECHNICAL SPECIFICATIONS


MATERIAL	50Cr-V
MINIMUM HARDNESS	From T10 to T45: 52HRc > T50: 48HRc
FINISHING	Black finished coating

TAMPER TORX



COD		$\leftarrow L \rightarrow$	$\leftarrow A \rightarrow$			
56544	TT8	41	14	2,5	10	1
56545	TT9		14	2,5		
56546	TT10		16	3,5		
56547	TT15		17	5		
56548	TT20		19	7,5		
56549	TT25		20	9,5		
56550	TT27		24	15		
56551	TT30		29	20		
56552	TT40		34	32		
56553	TT45		39	44		
56554	TT50	41	65			

LONG PATTERN TAMPER TORX










COD		$\leftarrow L \rightarrow$	$\leftarrow A \rightarrow$						
56556	TT10	90	17	6	10	1			
56557	TT15		18	9					
56558	TT20		19	12					
56559	TT25		20	16					
56560	TT27		21	24					
56561	TT30		24	31					
56562	TT40		26	46					
56563	TT45		28	65					
56564	TT50		32	90					

TECHNICAL SPECIFICATIONS

MATERIAL	50Cr-V
MINIMUM HARDNESS	From T10 to T45: 52HRc > T50: 48HRc
FINISHING	Black finished coating

RIBE



COD				 gr.		
65975	M4	145	22	16	10	1
65976	M5	150	24	26		
65977	M6	160	30	42		
65978	M7	175	32	80		
65979	M8	185	40	90		
65980	M10	220	55	150		





TECHNICAL SPECIFICATIONS

MATERIAL	S2
MINIMUM HARDNESS	52HRc
FINISHING	Matt Satin


SETS



The practical hexagon key sets from EGA Master will fit easily into pockets and toolboxes to eliminate the problems of lost keys.

COD	PCS.		 gr.		
69987	7	M4, M5, M6, M7, M8, M9, M10	600	6	1


SETS



Measurements marked on the case to help with key location & replacement


COD	PCS.	LONG PATTERN	gr.		
61499	8	1,5-2-2,5-3-4-5-5,5-6	105		
61500		1,5-2-2,5-3-4-5-5,5-6-8-10	-		
61516	10	1/16"-5/64"-3/32"-1/8"-5/32" 3/16"-7/32"-1/4"-5/16"-3/8"	270		
61512	7	-	2,5-3-4-5-6-8-10	330	12 1
61496		-	1,5-2-2,5-3-4-5-5,5-6-8-10		
61495	10	-	1/16"-5/64"-3/32"-1/8"-5/32" 3/16"-7/32"-1/4"-5/16"-3/8"	360	

GGG-K-275



The holder serves as an additional handle for the key

COD	PCS.	LONG PATTERN	gr.		
65351	A	T10-T15-T20-T25-T27-T30-T40-T45-T50	250	12	
65665	B	-	T10-T15-T20-T25-T27-T30-T40-T45-T50	300	6
65650	C	9	TT10-TT15-TT20-TT25-TT27-TT30-TT40-TT45-TT50	250	12
56566	D	-	TT10-TT15-TT20-TT25-TT27-TT30-TT40-TT45-TT50	300	6



COD	PCS.	LONG PATTERN	gr.		
61511	8	2-2,5-3-4-5-6-8-10	39 120 32	290	
61514	6	2,5-3-4-5-6-8	21 95	160	
61513	6	T10-T15-T20-T25-T27-T30	33 90 17	90	12 1
56567	6	TT10-TT15-TT20-TT25-TT27-TT30			

COD	PCS.	LONG PATTERN	gr.		
65352		1,5-2-2,5-3-4-5-6-8	140		
65353		5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16	150		
65354	8	T9-T10-T15-T20-T25-T27-T30-T40	140	12	1
56568		TT9-TT10-TT15-TT20-TT25-TT27-TT30-TT40			