

MASTERTORK SCREWDRIVERS



EGAMaster offers a wide range of screwdrivers for professional use, among which you can find "Mastertork" and "Rotork" screwdrivers models. The "Mastertork" screwdriver type made in chromium-molybdenum-vanadium steel.

both in mm and inches



Magnetic tip

1. Oversized ergonomic, anti-slippery, bi-material (TPR + PP) handles offer optimal grip for avoiding slippage.

- A. TPR-BLACK MATT COLOR**
Antislippery material
- B. PP-ORANGE, RED RAL 2002 & YELLOW COLOR**
To provide consistency



2. Its exclusive chrome-molybdenum-vanadium alloy enables 30% higher tightening torque than traditional screwdrivers.

3. The innovative "non-slip" anti-slippery and magnetic tip system allows an easier and safer positioning of the screwdriver, avoiding undesired slides.



4. Type and size double marking of easy and efficient identification of the screwdriver to be used.



5. Model equipped with hexagonal bar for strong tightening with wrenches.

6. Go-through hole in the handle enables tommy bar using.



TECHNICAL SPECIFICATIONS

MATERIAL	Bar	CR-Mo-V Alloy
	Handle	TPR- Black matt color PP- Orange, red RAL 2002 & yellow color
HARDNESS	Bar	52-56 HRC.



SLOTTED SCREWDRIVER TORQUE POWER TESTING TOOL


COD.	L (mm)
64766	140



SLOTTED

MM


COD.	A (mm)	B (mm)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66400	3	0,5	3		165	80				
66399	3,5	0,6	3,5	26	185		85	16		
66401	4	0,8	4			100				
66402	5,5	1	5	34	205		105	8		
66403					230	125				
66404	6,5		6	36	240		115			
66405		1,2			265	150				
66406	8		7		280					
66407										
66448	9,5				330	200		6		
66408	10	1,6	8	40			130			
66409	12	2								
66449	13		10		380	250				
66410	14	2,5								



| DIN ISO 2380 | Registered model

INCH

COD.	A (inch)	B (inch)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (inch)	L2 (mm)			
55330	1/8	0,02	3		165	3				
55331	5/32	0,032	4	26	185		85	16		
55328	3/16					4				
55332	7/32	0,04	5	34	205		105	8		
55333					230	5				
55334	1/4		6	36	240		115			
55335		0,046			265	6				
55336	5/16		7		280					
55337										
55338	3/8				330	8		6		
55339	25/64	0,063	8	40			130			
55329	7/16									
55340	15/32	0,08	10		380	10				
55341	1/2	0,098								



| DIN ISO 2380 | Registered model



NON-SLIP antislippery magnetic tip




MM

COD.	A (mm)	B (mm)	HEX 1 (mm)	HEX 2 (mm)	Ø 1 (mm)	L (mm)	L1 (mm)	L2 (mm)		
66413	4	0,8	4	-	26	185	100	85	16	
66414	5,5	1	5	-	34	230	125	105	8	
66415	6,5	1,2	6	-	36	240		115		•
66416	8			11		280	150			
66417	10	1,6	8		40	330	200	130	6	
66418	12	2	10	16		380	250			-
66419	14	2,5	10	16						

| DIN ISO 2380 | Registered model

FEATURES

Hexagonal




INCH

COD.	A (inch)	B (inch)	HEX 1 (mm)	HEX 2 (mm)	Ø 1 (mm)	L (mm)	L1 (inch)	L2 (mm)		
55344	5/32	0,032	4	-	26	185	4	85	16	
55345	7/32	0,04	5	-	34	230	5	105	8	
55346	1/4	0,046	6	-	36	240		115		•
55347	5/16		8	11		280	6			
55348	25/64	0,063	8		40	330	8	130	6	
55349	15/32	0,08	10	16		380	10			-

| DIN ISO 2380 | Registered model

FEATURES

Hexagonal




ELECTRICIAN

MM

COD.	A (mm)	B (mm)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66420	2,5	0,4	2,5		160	75				
66421					145	60				
66422	3	0,5	3	26	185	100	85	16	•	•
67226					285	200				
66428	3,5	0,6	3,5		185	100				
66423					230	125				
66424	4	0,8	4		255	150			•	•
66411				34	405	300	105	8		
66425					255	150				
66412	5,5	1	5,5		405	300				•
66426					265	150				
67259	6,5	1,2	6,5	36	315	200	115	6		
66427	8		8	40	305	175	130			

| DIN ISO 2380 | Registered model




NON-SLIP antislippery magnetic tip



INCH


COD.	A (inch)	B (inch)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (inch)	L2 (mm)			
55352	3/32	0,016	2,5	26	160	3	85	16		●
55354	1/8	0,02	3		185	4				●
55355					230	5				●
55356	5/32	0,032	4		255	6				●
55357				34	405	12	105	8	●	●
55358					255	6				●
55359	7/32	0,04	5,5		405	12				●
55360	1/4	0,046	6,5	36	265	6	115	6		●
55361	5/16		8	40	305	7	130			●



| DIN ISO 2380 | Registered model

1000V MM


COD.	A (mm)	B (mm)	Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)			
76620	2,5	0,4				160	75				●
76621	3	0,5	4,4	6,1	26	185	100	85	16		●
76734	3,5	0,6									●
76622	4	0,8	5,4	7		230	125	105	8	●	●
76623					34	255					●
76624	5,5	1	6,4	8,8		265	150	115			●
76625	6,5	1,2	8,4	11	36	305	175	130	6		●
76626	8	1,6	11,4	15	40	330	200				●



| 1000V | DIN ISO 2380 | IEC 60900 | Registered model

1000V INCH


COD.	A (inch)	B (inch)	Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (inch)	L2 (mm)			
75063	3/32	0,016	4,4	6,1	26	160	3	85	16		●
75064	1/8	0,02				185	4				●
75065	5/32	0,032	5,4	7		230	5	105	8		●
75066	7/32	0,04	6,4	8,8	34	255	6	115			●
75067						265					●
75068	1/4	0,046	8,4	11	36	305	7	130	6		●
75069	5/16		9,4	12,3	40	330	8				●
75081	25/64	0,063	11,4	15							●



| 1000V | DIN ISO 2380 | IEC 60900 | Registered model

PHILLIPS®*







COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66438	PH-0	3	26	145	60	85	16		●
67562				200	200				●
66439	PH-1	5	34	205	100	105	8		●
66437				405	300				●
66440	PH-2	6	36	240	125	115			●
66443				415	300				●
66441	PH-3	8	40	280	150	130	6		●
66442	PH-4	10		330	200				●



| DIN ISO 8764 | Registered model

*For screws PHILLIPS® (Phillips Screw Company registered trademark)

EGA








COD.		HEX 1 (mm)	HEX 2 (mm)	Ø 1 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66444	PH-1	5	8	34	205	100	105	8		
66445	PH-2	6		36	240	125	115			
66446	PH-3	8	11		280	150		6		
66447	PH-4	10	16	40	330	200				

 | DIN ISO 8764 | Registered model



FEATURES

Hexagonal

1000V





COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)			
76628	PH-0	4,4	5	26	145	60	85	16		
76738	PH-1	6,4	7,6	34	185	80	105	8		
76629	PH-2	7,4	9,6	36	205	100				
76630	PH-2	7,4	9,6	36	240	125	115			
76631	PH-3	9,4	12,3	40	280	150		6		
76632	PH-4	9,4	12,3	40	330	200				

 |  1000V | DIN ISO 8764 | IEC 60900 | Registered model




SLOTTED-PHILIPS FOR TERMINAL SCREWS









1000V

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
79163		PH-1	6,4	7,6	34	205	100	105	8
79164		PH-2	7,4	9,6	36	240	125	115	6


 |  1000V | IEC 60900 | Registered model







POZIDRIV®*

COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66456	PZ-0	3	26	145	60	85	16		
66457	PZ-1	5	34	205	100	105	8		
66472	PZ-1	5	34	405	300				
66458	PZ-2	6	36	240	125	115			
66473	PZ-2	6	36	415	300		6		
66459	PZ-3	8		280	150				
66460	PZ-4	10	40	330	200				

 | DIN ISO 8764 | Registered model




COD.		HEX 1 (mm)	HEX 2 (mm)	Ø 1 (mm)	L (mm)	L1 (mm)	L2 (mm)		
66462	PZ-1	5	8	34	205	100	105	8	
66463	PZ-2	6	11	36	240	125	115		
66464	PZ-3	8		40	278	150	128	6	
66465	PZ-4	10	16		328	200			

 | DIN ISO 8764 | Registered model

FEATURES

Hexagonal




* For screws PHILLIPS® (Phillips Screw Company registered trademark)
* For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)

EGA

1000V

COD.		Ø1 (mm)	Ø2 (mm)	Ø3 (mm)	L (mm)	L1 (mm)	L2 (mm)			
76633	PZ-0	4,4	5	26	145	60	85	16		
76634	PZ-1	6,4	7,6	34	205	100	105	8		
76635	PZ-2	7,4	9,6	36	240	125	115			
76636	PZ-3	9,4	12,3	40	280	150	130	6		
76637	PZ-4				330	200				




1000V | DIN ISO 8764 | IEC 60900 | Registered model

SLOTTED-POZIDRIV FOR TERMINAL SCREWS

1000V


COD.		Ø1 (mm)	Ø2 (mm)	Ø3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
79165		PZ-1	6,4	7,6	34	205	100	105	8
79166		PZ-2	7,4	9,6	36	240	125	115	6



1000V | IEC 60900 | Registered model

TORX®*


COD.		Ø1 (mm)	Ø2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66474	T-6								
66475	T-7			135	50				
66476	T-8	3	26			85			
66477	T-9						16		
66478	T-10			160	75				
66479	T-15			180					
66480	T-20	4							
66481	T-25		34	205	100	105			
66482	T-27	5		220	115		8		
66483	T-30	6	36	240	125	115			
66484	T-40	7		255					
66485	T-45	8	40	280	150	130	6		
66486	T-50	10		305	175				



| Registered model

1000V

COD.		Ø1 (mm)	Ø2 (mm)	Ø3 (mm)	L (mm)	L1 (mm)	L2 (mm)			
76638	T-6									
76639	T-7		8		135	50				
76640	T-8	4,4		26			85			
76641	T-9		5					16		
76642	T-10				160	75				
76643	T-15				180					
76644	T-20	5,8	8							
76645	T-25			34	205	100	105			
76646	T-27	6,4			220	115		8		
76647	T-30	7,4	9,6	36	240	125	115			
76648	T-40	8,7			255					
76649	T-45	9,4	12,3	40	280	150	128	6		
76650	T-50	11,4	15		305	175				




1000V | IEC 60900 | Registered model

*For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)
*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)



TAMPER TORX®*


COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66487	TT-6								
66488	TT-7			135	50				
66489	TT-8	3							
66490	TT-9		26			85	16		
66491	TT-10			160	75				
66492	TT-15	4							
66493	TT-20			185	100				
66494	TT-25	5	34	205		105			
66495	TT-27			220	115		8		
66496	TT-30	6	36	240		115			
66497	TT-40	7		255	125				
66498	TT-45	8	40	280	150	130	6		
66499	TT-50	10		305	175				



Registered model

1000V

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
75037	TT-6								
75038	TT-7		8		135	50			
75039	TT-8	4,4		26			85		
75040	TT-9		5		160	75		16	
75041	TT-10				180				
75042	TT-15	5,8							
75043	TT-20		8	34	205	100	105		
75044	TT-25	6,4			220	115		8	
75045	TT-27		9,6		240	125		115	
75046	TT-30	7,4		36	255				
75047	TT-40	8,7			280	150		128	6
75048	TT-45	9,4	12,3	40	305	175			
75049	TT-50	11,4	15						




1000V | IEC 60900 | Registered model

BALL TIP

MM

COD.	HEX 1 (mm)	Ø 1 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66501	2,5							
66502	3	26	160	75	85	16		
66503	4		185	100				




Registered model

*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)

EGA

INCH

COD.	HEX 1 (inch)	Ø 1 (mm)	L (mm)	L1 (inch)	L2 (mm)			
55364	1/8	26	160	3	85	16		
55365	5/32	26	185	4	85	16		
55362	13/64	34	205	4	105	8		
55368	5/16	40	280	6	130	6		
55369	25/64	40	280	6	130	6		




| Registered model

HEXAGONAL ALLEN

1000V MM


COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
74710	2,5	4,4	6	26	160	75	85	16	
74711	3	4,4	6	26	160	75	85	16	
74712	4	5,8	8	34	185	100	105	8	
74713	5	6,4	8	34	205	100	105	8	
74714	6	7,8	11,2	34	230	125	105	6	
74715	8	9,8	13,4	40	280	150	130	6	



| 1000V | ICE 60900 | Registered model

1000V INCH


COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (inch)	L2 (mm)		
75083	1/8	4,4	6	26	160	3	85	16	
75084	5/32	5,8	8	34	185	4	105	8	
75131	13/64	6,4	8	34	205	6	105	6	
75097	5/16	9,8	13,4	40	280	6	130	6	



| 1000V | ICE 60900 | Registered model

ROBERTSON

COD.			Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66530	1	2,4	4	26	185	100	85	16		
66531	2	2,8	5	34	230	125	105	8		
66532	3	3,4	6	36	265	150	115	6		




| Registered model

STUBBY ELECTRICIAN

MM

COD.	A (mm)	B (mm)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)		
66529	4	0,8	4	40	85	25	60	20	
66525	5,5	1,2	5,5	40	85	25	60	20	
66538	6,5	1,2	6,5	40	85	25	60	20	



| DIN ISO 2380 | Registered model


NON-SLIP antislippery magnetic tip

EGA




INCH

COD.	A (inch)	B (inch)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (inch)	L2 (mm)		
55371	7/32	0,046	5,5	40	85	1	60	20	●


 | DIN ISO 2380 | Registered model






STUBBY PHILLIPS®*

COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)		
67192	PH-1	5	40	85	25	60	20	●
66526	PH-2	6						


 | DIN ISO 8764 | Registered model



STUBBY POZIDRIV®*




COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)		
67193	PZ-1	5	40	85	25	60	20	●
66527	PZ-2	6						

 | DIN ISO 8764 | Registered model




SOCKET SCREWDRIVER




MM


COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
66510	4	8							
66511	5	8,5	5	34	255	150	105	8	
66512	5,5								
66513	6								
66509	6,5	10	6	36	275	160	115		
66514	7	11			290				
66515	8	14							●
66516	9	14	8					6	
66517	10	15							
66518	11	17		40	305	175	130		
66519	12								
66520	13	19	9						
66521	14	20							

 | Registered model






INCH

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (inch)	L2 (mm)		
55373	5/32	8							
55374	3/16	8,5	5	34	255	6	105	8	●
55375	7/32								
55376	1/4	10	6	36	275		115	6	






*For screws PHILLIPS® (Phillips Screw Company registered trademark)
*For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)




COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (inch)	L2 (mm)		
55378	5/16		8						
55379	11/32	14	7						
55372	3/8		8						
55380	25/64	15		40	305	7	130	6	•
55385	7/16	20	9						
55382	15/32	17							
55383	1/2	19	7						

 Registered model




1000V MM

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
74698	4								
74699	5	11	7,5	34	255	150	105	8	
74700	5,5								
74701	6				275	160			
74702	7	12,5	8,5	36	290		115		
74703	8								
74704	9	16	10,5						•
74705	10								
74706	11			40	305	175	130	6	
74707	12	19							
74708	13		11,5						
74709	14	21							


 1000V | IEC 60900 | Registered model










1000V INCH

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (inch)	L2 (mm)		
75132	5/32								
74984	3/16	11	7,5	34	255	6	105	8	
75133	7/32								
74985	1/4	12,5	8,5	36	275		115		
74986	5/16								
74987	3/8	16	10,5						•
75136	25/64								
74988	7/16	19		40	305	7	130	6	
75138	15/32	17	11,5						
74989	1/2	21							

 1000V | IEC 60900 | Registered model



1000V MM

COD.							
74664	9			130	115	6	•
74665	10	11					

 1000V | IEC 60900



NON-SLIP antislippery magnetic tip



DISPLAYS AND SETS

1000V 4 PCS.



COD.	PCS.	
76676		A
76677	4	B

PCS.	COD. PCS.	
1	76628 PH0	
	76629 PH1	
	76630 PH2	
	76631 PH3	

COD.	PCS.	
76664		A
76665	4	B

PCS.	COD. PCS.	
1	76633 PZ0	
	76634 PZ1	
	76635 PZ2	
	76636 PZ3	

5 PCS.



COD.	PCS.	
69858		A
68487	5	B

PCS.	COD. PCS.	
1	66422 3 x 100 mm	
	66423 4 x 125 mm	
	66425 5,5 x 150 mm	
	66439 PH1	
	66440 PH2	

COD.	PCS.	
55507		A
55508	5	B

PCS.	COD. PCS.	
1	66420 2,5 x 75 mm	
	66422 3 x 100 mm	
	66423 4 x 125 mm	
	66425 5,5 x 150 mm	
	66427 8 x 175 mm	

COD.	PCS.	
55510		A
55511	5	B

PCS.	COD. PCS.	
1	66438 PH0	
	66439 PH1	
	66440 PH2	
	66441 PH3	
	66442 PH4	

COD.	PCS.	
55513		A
55514	5	B

PCS.	COD. PCS.	
1	66456 PZ0	
	66457 PZ1	
	66458 PZ2	
	66459 PZ3	
	66460 PZ4	

1000V 5 PCS.



COD.	PCS.	
76667		A
76668	5	B

PCS.	COD. PCS.	
1	76621 3 x 100 mm	
	76622 4 x 125 mm	
	76624 5,5 x 150 mm	
	76625 6,5 x 150 mm	
	76626 8 x 175 mm	

COD.	PCS.	
76910		A
76911	5	B

PCS.	COD. PCS.	
1	76621 3 x 100 mm	
	76622 4 x 125 mm	
	76624 5,5 x 150 mm	
	76634 PZ1	
	76635 PZ2	

COD.	PCS.	
76916		A
76917	5	B

PCS.	COD. PCS.	
1	76628 PH0	
	76629 PH1	
	76630 PH2	
	76631 PH3	
	76632 PH4	

6 PCS.



COD.	PCS.	
69859		A
68488	6	B

PCS.	COD. PCS.	
1	66420 2,5 x 75 mm	
	66421 3 x 100 mm	
	66423 4 x 125 mm	
	66425 5,5 x 150 mm	
	66439 PH1	
	66440 PH2	

COD.	PCS.	
55501		A
55502	6	B




PCS.	COD. PCS.	
1	66400 3 x 80 mm	
	66401 4 x 100 mm	
	66403 5,5 x 125 mm	
	66405 6,5 x 150 mm	
	66407 8 x 200 mm	
	66408 10 x 200 mm	

COD.	PCS.	
55519		A
55520	6	B

PCS.	COD. PCS.	
1	66401 4 x 100 mm	
	66402 5,5 x 100 mm	
	66404 6,5 x 125 mm	
	66457 PZ1	
	66458 PZ2	

EGA



COD.	PCS.	
55522		A
55523	6	B

PCS.	COD. PCS.		
1	66401 4 x 100 mm		
	66402 5,5 x 100 mm		
	66405 6,5 x 150 mm		
	66439 PH1		
	66440 PH2		
66441 PH3		-	



1000V 6 PCS.





COD.	PCS.	
76670		A
76671	6	B

PCS.	COD. PCS.		
1	76620 2,5 x 75 mm		
	76621 3 x 100 mm		
	76622 4 x 125 mm		
	76624 5,5 x 150 mm		
	76625 6,5 x 150 mm		
	76626 8 x 175 mm		



COD.	PCS.	
76901		A
76902	6	B

PCS.	COD. PCS.		
1	76621 3 x 100 mm		
	76622 4 x 125 mm		
	76624 5,5 x 150 mm		
	76628 PH0		
	76629 PH1		
	76630 PH2		



COD.	PCS.	
76922		A
76923	6	B

PCS.	COD. PCS.		
1	76620 2,5 x 75 mm		
	76621 3 x 100 mm		
	76622 4 x 125 mm		
	76623 5,5 x 125 mm		
	76629 PH1		
	76630 PH2		



COD.	PCS.	
76928		A
76929	6	B

PCS.	COD. PCS.		
1	76621 3 x 100 mm		
	76622 4 x 125 mm		
	76625 6,5 x 150 mm		
	76629 PH1		
	76630 PH2		
	76631 PH3		



COD.	PCS.	
76934		A
76935	6	B

PCS.	COD. PCS.		
1	76621 3 x 100 mm		
	76622 4 x 125 mm		
	76625 6,5 x 150 mm		
	76633 PZ0		
	76634 PZ1		
	76635 PZ2		

COD.	PCS.	
76931		A
76932	6	B

PCS.	COD. PCS.		
1	76640 T8		
	76641 T9		
	76642 T10		
	76643 T15		
	76644 T20		
	76645 T25		



COD.	PCS.	
76926	6	B

PCS.	COD. PCS.		
1	74701 6 mm		
	74702 7 mm		
	74703 8 mm		
	74704 9 mm		
	74705 10 mm		
	74708 13 mm		



7 PCS.



COD.	PCS.	
55525		A
55526	7	B

PCS.	COD. PCS.		
1	66474 T6		
	66476 T8		
	66478 T10		
	66479 T15		
	66480 T20		
	66481 T25		
	66482 T27		
	66483 T30		



COD.	PCS.	
55528		A
55529	7	B

PCS.	COD. PCS.		
1	66478 T10		
	66479 T15		
	66480 T20		
	66481 T25		
	66482 T27		
	66483 T30		
	66484 T40		

1000V 7 PCS.



COD.	PCS.	
76938	7	B

PCS.	COD. PCS.		
1	74699 5 mm		
	74700 5,5 mm		
	74701 6 mm		
	74702 7 mm		
	74703 8 mm		
	74705 10 mm		
	74708 13 mm		



8 PCS.



COD.	PCS.	
69860	8	A
68489		B

PCS.	COD. PCS.		
	66421 3 x 100 mm		
	66423 4 x 125 mm		
	66403 5,5 x 125 mm		
1	66405 6,5 x 150 mm		
	66438 PH0		
	66439 PH1		
	66457 PZ1		
	66458 PZ2		

COD.	PCS.	
55504	8	A
55505		B

PCS.	COD. PCS.		
	66400 3 x 80 mm		
	66401 4 x 100 mm		
	66402 5,5 x 100 mm		
1	66403 5,5 x 125 mm		
	66404 6,5 x 125 mm		
	66406 8 x 150 mm		
	66407 8 x 200 mm		
	66408 10 x 200 mm		

COD.	PCS.	
55516	8	A
55517		B

PCS.	COD. PCS.		
	66400 3 x 80 mm		
	66401 4 x 100 mm		
	66403 5,5 x 125 mm		
1	66405 6,5 x 150 mm		
	66438 PH0		
	66439 PH1		
	66440 PH2		
	66441 PH3		

1000V 8 PCS.



COD.	PCS.	
76674	8	B

PCS.	COD. PCS.		
	76621 3 x 100 mm		
	76622 4 x 125 mm		
	76624 5,5 x 150 mm		
1	76625 6,5 x 150 mm		
	76629 PH1		
	76630 PH2		
	76634 PZ1		
	76635 PZ2		

COD.	PCS.	
76919	8	A
76920		B

PCS.	COD. PCS.		
	76620 2,5 x 75 mm		
	76622 4 x 125 mm		
	76623 5,5 x 125 mm		
1	76625 6,5 x 150 mm		
	76628 PH0		
	76629 PH1		
	76630 PH2		
	76631 PH3		

COD.	PCS.	
76940	8	A
76941		B

PCS.	COD. PCS.		
	76620 2,5 x 75 mm		
	76621 3 x 100 mm		
	76622 4 x 125 mm		
1	76625 6,5 x 150 mm		
	76628 PH0		
	76629 PH1		
	76630 PH2		
	76631 PH3		

COD.	PCS.	
76907	8	A
76908		B

PCS.	COD. PCS.		
	76620 2,5 x 75 mm		
	76621 3 x 100 mm		
	76622 4 x 125 mm		
1	76624 5,5 x 150 mm		
	76625 6,5 x 150 mm		
	76633 PZ0		
	76634 PZ1		
	76635 PZ2		

COD.	PCS.	
76904	8	A
76905		B

PCS.	COD. PCS.		
	76621 3 x 100 mm		
	76622 4 x 125 mm		
	76624 5,5 x 150 mm		
1	76625 6,5 x 150 mm		
	76629 PH1		
	76630 PH2		
	76634 PZ1		
	76635 PZ2		

COD.	PCS.	
76913	8	A
76914		B

PCS.	COD. PCS.		
	76628 PH0		
	76629 PH1		
	76630 PH2		
1	76631 PH3		
	76633 PZ0		
	76634 PZ1		
	76635 PZ2		
	76636 PZ3		

EGA

9 PCS.



COD.	PCS.	
55992	9	C

PCS.	COD.	PCS.	
	55330	1/8" x 3"	
	55331	5/32" x 4"	
	55332	7/32" x 4"	
	55334	1/4" x 5"	
1	55336	5/16" x 6"	⊙
	55338	3/8" x 8"	⊙
	55339	25/64" x 8"	
	55340	15/32" x 10"	
	55341	1/2" x 10"	

COD.	PCS.	
56029	9	C

PCS.	COD.	PCS.	
	55373	5/32"	
	55374	3/16"	
	55375	7/32"	
	55376	1/4"	
1	55378	5/16"	⊙
	55379	11/32"	
	55380	25/64"	
	55382	15/32"	
	55383	1/2"	

10 PCS.



COD.	PCS.	
55991	10	C

PCS.	COD.	PCS.	
	66400	3 x 80 mm	
	66401	4 x 100 mm	
	66402	5,5 x 100 mm	
	66404	6,5 x 125 mm	
1	66406	8 x 150 mm	⊙
	66407	8 x 200 mm	⊙
	66408	10 x 200 mm	
	66409	12 x 250 mm	
	66449	13 x 250 mm	
	66410	14 x 250 mm	

1000V 10 PCS.



COD.	PCS.	
79468	10	C

PCS.	COD.	PCS.	
	75132	5/32"	
	74984	3/16"	
	75133	7/32"	
	74985	1/4"	
1	74986	5/16"	⊙
	74987	3/8"	⊙
	75136	25/64"	
	74988	7/16"	
	75138	15/32"	
	74989	1/2"	

12 PCS.



COD.	PCS.	
55996	12	C

PCS.	COD.	PCS.	
	66488	TT7	
	66489	TT8	
	66490	TT9	
	66491	TT10	
	66492	TT15	
1	66493	TT20	⊙
	66494	TT25	
	66495	TT27	
	66496	TT30	
	66497	TT40	
	66498	TT45	
	66499	TT50	

COD.	PCS.	
55997	12	C

PCS.	COD.	PCS.	
	66510	4 mm	
	66511	5 mm	
	66512	5,5 mm	
	66513	6 mm	
	66514	7 mm	
1	66515	8 mm	⊙
	66516	9 mm	
	66517	10 mm	
	66518	11 mm	
	66519	12 mm	
	66520	13 mm	
	66521	14 mm	

1000V 12 PCS.



COD.	PCS.	
79466	12	C

PCS.	COD.	PCS.	
	75038	TT7	
	75039	TT8	
	75040	TT9	
	75041	TT10	
	75042	TT15	
1	75043	TT20	⊙
	75044	TT25	
	75045	TT27	
	75046	TT30	
	75047	TT40	
	75048	TT45	
	75049	TT50	

COD.	PCS.	
79467	12	C

PCS.	COD.	PCS.	
	74698	4 mm	
	74699	5 mm	
	74700	5,5 mm	
	74701	6 mm	
	74702	7 mm	
1	74703	8 mm	⊙
	74704	9 mm	
	74705	10 mm	
	74706	11 mm	
	74707	12 mm	
	74708	13 mm	
	74709	14 mm	

EGA

13 PCS.



C

COD.	PCS.	
56028	13	C

PCS.	COD.	PCS.	
	66474	T6	
	66475	T7	
	66476	T8	
	66477	T9	
	66478	T10	
	66479	T15	
1	66480	T20	
	66481	T25	
	66482	T27	
	66483	T30	
	66484	T40	
	66485	T45	
	66486	T50	

1000V 13 PCS.



C

COD.	PCS.	
79465	13	C

PCS.	COD.	PCS.	
	76638	T6	
	76639	T7	
	76640	T8	
	76641	T9	
	76642	T10	
	76643	T15	
1	76644	T20	
	76645	T25	
	76646	T27	
	76647	T30	
	76648	T40	
	76649	T45	
	76650	T50	

150 PCS.



COD.	PCS.
66540	150

PCS.	COD.	PCS.	
	66402	5,5 x 100 mm	
	66404	6,5 x 125 mm	
	66406	8 x 150 mm	
	66421	3 x 60 mm	
	66422	3 x 100 mm	
	66423	4 x 125 mm	
	66425	5,5 x 150 mm	
10	66426	6,5 x 150 mm	
	76621	3 x 100 mm	
	66438	PH0	
	66439	PH1	
	66440	PH2	
	66456	PZ0	
	66457	PZ1	
	66458	PZ2	

56 PCS.



COD.	PCS.
66541	56

PCS.	COD.	PCS.	
6	66402	5,5 x 100 mm	
5	66404	6,5 x 125 mm	
	66406	8 x 150 mm	
	66423	4 x 125 mm	
	66425	5,5 x 150 mm	
6	76622	4 x 125 mm	
	66439	PH1	
5	66440	PH2	
6	66457	PZ1	
5	66458	PZ2	